Index to Volume 36

*Author index**

A

Abe Y (*see* Matsumoto et al). 2002;36:57-61
Abou-Zamzam AM Jr (*see* Ballard et al). 2002;36:211-16
Abraham CZ, Chuter TAM, Reilly LM, Okuhn SP, Pethan LK, Kerlan RB, Sawhney R, Buck DG, Gordon RL, Messina LM. Abdominal aortic aneurysm repair with the Zenith stent graft: short to midterm results. 2002;36:217-25
Abrishamchian AR (*see* Roddy et al). 2002;36:555-8
Abu-Ghaida AM, Clair DG, Greenberg RK, Srivastava S, O'Hara PJ, Ouriel K. Broadening the applicability of endovascular aneurysm repair: the use of iliac conduits. 2002;36:111-17
AbuRahma AF, Thiele SP, Wulu JT Jr. Prospective controlled study of the natural history of asymptomatic 60% to 69% carotid stenosis according to ultrasonic plaque morphology. 2002;36:437-42
Adams GA (*see* Oakes et al). 2002;36:346-50
Adelman MA (*see* Rockman et al). 2002;36:668-73
Ainsworth SD (*see* Sullivan et al). 2002;36:143-9
Akbari CM (*see* Ramdev et al). 2002;36:969-74
Aldoori MI (*see* Parry et al). 2002;36:396-400 (Case rep.)
Algra A (*see* Borst et al). 2002;36:336-40
Alimi YS (*see* Hartung et al). 2002;36:849-52 (Case rep.)
Allaire E, Muscatelli-Groux B, Mandet C, Guinault AM, Bruneval P, Desgranges P, Clowes A, Mllire D, Becquemin JP. Paracrine effect of vascular smooth muscle cells in the prevention of aortic aneurysm formation. 2002;36:1018-26
Allan PL (*see* MacKenzie et al). 2002;36:896-902
Allan PL (*see* Ruckley et al). 2002;36:520-5
Allenberg JR (*see* Eckstein et al). 2002;36:997-1004
Almeida H (*see* Carmo et al). 2002;36:404-7 (Tech. note)
Alric P (*see* Sala et al). 2002;36:982-7
Anand RJ, Williams DM, Proctor MC, Eagleton MJ, Henke PK, Deeb GM, Stanley JC, Upchurch GR Jr. Operative mortality rate for elective abdominal aortic aneurysm repair is not increased by the presence of a previous or concurrent thoracic or thoracoabdominal aortic dissection. 2002;36:690-5
Andros G (*see* Moore et al). 2002;36:1276-82
Angeli GL (*see* Huang et al). 2002;36:371-8
Ao P (*see* Huang et al). 2002;36:371-8
Aoka Y (*see* Nagashima et al). 2002;36:158-63, 818-23
Aomi S (*see* Nagashima et al). 2002;36:158-63, 818-23
Aoyagi T (*see* Hayakawa et al). 2002;36:635-8 (Tech. note), 946-7
Appel RG (*see* Hansen et al). 2002;36:443-51
Arko FR, Lee WA, Hill BB, Olcott C IV, Dalman RL, Harris EJ Jr, Cipriano P, Fogarty TJ, Zarins CK. Aneurysm-related death: primary endpoint analysis for comparison of open and endovascular repair. 2002;36:297-304
Arko FR (*see* Zarins et al). 2002;36:226-33
Armstrong PJ, Franklin DP. Pararenal vena cava leiomyosarcoma versus leiomyomatosis: difficult diagnosis. 2002;36:1256-9 (Case rep.)
Arora S (*see* Carmody et al). 2002;36:833-8
Arslan M (*see* Kuralay et al). 2002;36:1213-18
Ascher E (*see* Hingorani et al). 2002;36:341-5
Aschwanden M (*see* Degischer et al). 2002;36:83-8
Ashton HA (*see* Wilmink et al). 2002;36:751-7
Austin PC, Hux JE. A brief note on overlapping confidence intervals. 2002;36:194-5
Auvinen O (*see* Heikkinen et al). 2002;36:291-6
Ayerdi J (*see* Solis et al). 2002;36:485-91

B

Babcock GA (*see* Solis et al). 2002;36:485-91
Babu SC (*see* Goyal et al). 2002;36:708-12
Back MR, Stordahl N, Cuthbertson D, Johnson BL, Bandyk DF. Limitations in the cardiac risk reduction provided by coronary revascularization prior to elective vascular surgery. 2002;36:526-33
Baele HR (*see* Brings et al). 2002;36:853-5 (Case rep.)
Bahnini A (*see* Kieffer et al). 2002;36:549-54
Bailey R (*see* Cin et al). 2002;36:75-82
Bailey S (*see* Palmaz et al). 2002;36:1031-9
Baker M, Uflacker R, Robison JG. Stent graft infection after abdominal aortic aneurysm repair: a case report. 2002;36:180-3 (Case rep.)
Ballard JL, Abou-Zamzam AM Jr, Teruya TH. Type III and IV thoracoabdominal aortic aneurysm repair: results of a trifurcated/two-graft technique. 2002;36:211-16
Ballotta E. Regarding "Subclavian carotid transposition and bypass grafting: consecutive cohort study and systematic review." 2002;36:426 (Letter)
Balzer KM, Pillny M, Luther B, Grabitz K, Sandmann W. Spontaneous rupture of collateral venous aneurysm in a patient with agenesis of the inferior vena cava: a case report. 2002;36:1053-7 (Case rep.)
Bandyk DF (*see* Back et al). 2002;36:526-33
Banga JD (*see* Borst et al). 2002;36:336-40
Barbera L (*see* Mumme et al). 2002;36:1219-24
Bardenheuer H (*see* Eckstein et al). 2002;36:997-1004
Barnatan MF (*see* Criado et al). 2002;36:1121-8
Bas JMAVD, Quax PHA, Berg ACVD, Hinsbergh VWMV, Bockel JHV. Ingrowth of aorta vascular cells into basic fibroblast growth factor–impregnated vascular prosthesis material: a porcine and human in vitro study on blood vessel prosthesis healing. 2002;36:1237-47
Batt M (*see* Sala et al). 2002;36:982-7
Baum RA (*see* Fairman et al). 2002;36:118-26
Baxter BT, Pearce WH, Waltke EA, Littooy FN, Hallett JW Jr, Kent KC, Upchurch GR Jr, Chaikof EL, Mills JL, Fleckten B, Longo GM, Lee JK, Thompson RW. Prolonged administration of doxycycline in patients with small asymptomatic abdominal aortic aneurysms: report of a prospective (Phase II) multicenter study. 2002;36:1-12
Bayegan K (*see* Schillinger et al). 2002;36:25-30
Becquemin JP (*see* Allaire et al). 2002;36:1018-26
Becquemin JP (*see* Kobeiter et al). 2002;36:127-31
Bedi A (*see* Eagleton et al). 2002;36:581-8
Beldi G, Bissat A, Eugster T, Gürke L, Stierli P, Huber AR. Mural thrombus of the aorta in association with homozygous plasminogen activator inhibitor type 1 (PAI-1)-675(4G) and heterozygous GP Ia 807C/T genotypes. 2002;36:632-4 (Case rep.)
Belenky A (*see* Shitrit et al). 2002;36:856-8 (Case rep.)
Bell P (*see* Sigaudo-Roussel et al). 2002;36:793-8
Bellati C (*see* Iannuzzi et al). 2002;36:965-8
Berceli SA, Davies MG, Kenagy RD, Clowes AW. Flow-induced neointimal regression in baboon polytetrafluoroethylene grafts

* July, pp. 1-204; August, pp. 205-428; September, pp. 429-656; October, pp. 657-872; November, pp. 873-1096; December, pp. 1097-1352.

is associated with decreased cell proliferation and increased apoptosis. 2002;36:1248-55
Berceli SA (*see* Huber et al). 2002;36:452-9
Berg ACVD (*see* Bas et al). 2002;36:1237-47
Bergan JJ (*see* Caggiati et al). 2002;36:416-22
Bergs P (*see* Pasic et al). 2002;36:184-6 (Case rep.)
Berman SS, Gentile AT. Regarding "Impact of secondary procedures in autogenous fistula maturation and maintenance." 2002;36:867-8 (Letter reply)
Berman SS (*see* Knox et al). 2002;36:250-6
Bernik TR, Friedman SG, Ochani M, DiRaimo R, Susarla S, Czura CJ, Tracey KJ. Cholinergic antiinflammatory pathway inhibition of tumor necrosis factor during ischemia reperfusion. 2002;36:1231-6
Berridge DC (*see* Parry et al). 2002;36:105-10
Berrino F (*see* Iannuzzi et al). 2002;36:965-8
Bertges DJ (*see* Jarrett et al). 2002;36:571-4
Berthet JP (*see* Sala et al). 2002;36:982-7
Bhatt AN (*see* Torella et al). 2002;36:30-4
Biasi GM, Sternjakob S, Mingazzini PM, Ferrari SA. Nine-year experience of bovine pericardium patch angioplasty during carotid endarterectomy. 2002;36:271-7
Bismuth J, Kofoed SC, Jensen A, Sethi A, Sillesen H, Copenhagen City Heart Study. Serum lipids act as inverse acute phase reactants and are falsely low in patients with critical limb ischemia. 2002;36:1005-10
Bismuth J (*see* Kofoed et al). 2002;36:783-92
Bissat A (*see* Beldi et al). 2002;36:632-4 (Case rep.)
Bizzarri F (*see* Neri et al). 2002;36:738-45
Blackhurst DW (*see* Sullivan et al). 2002;36:514-19
Blankensteijn JD. Regarding "Changes in aneurysm volume after endovascular repair of abdominal aortic aneurysm." 2002;36:412-13 (Invited comment)
Blomstrand C (*see* Zachrisson et al). 2002;36:285-90
Bockel JHV (*see* Bas et al). 2002;36:1237-47
Boelhouwer RU (*see* Hagenaars et al). 2002;36:318-24
Böhner H, Schneider F. Regarding "Transient advanced mental impairment: an uderappreciated morbidity after aortic surgery." 2002;36:425-6 (Letter)
Bolton WD, Cull DL, Taylor SM, Carsten CG III, Snyder BA, Sullivan TM, Youkey JR, Langan EM III, Gray BH. The use of cryopreserved femoral vein grafts for hemodialysis access in patients at high risk for infection: a word of caution. 2002;36:464-8
Bontempo FA (*see* Kibbe et al). 2002;36:1198-206
Borst C (*see* Vink et al). 2002;36:1194-7
Borst GJD, Tangelder MJD, Algra A, Lawson JA, Banga JD, Eikelboom BC, Vliet JAVD. The influence of hyperhomocysteinemia on graft patency after infrainguinal bypass surgery in the Dutch BOA Study. 2002;36:336-40
Borst-Krafek B (*see* Partsch et al). 2002;36:948-52
Boska MD (*see* Lynch et al). 2002;36:646-8 (Invited comment)
Bouch CW (*see* Valentine et al). 2002;36:351-6
Bourke BM, Crimmins DS. Early control of the distal internal carotid artery during endarterectomy: achievability and results. 2002;36:70-4
Bowdish ME, Weaver FA, Liebman HA, Rowe VL, Hood DB. Anticoagulation is an effective treatment for aortic mural thrombi. 2002;36:713-19
Bradbury AW (*see* MacKenzie et al). 2002;36:896-902
Brady S (*see* Pack et al). 2002;36:172-9
Branchereau P (*see* Sala et al). 2002;36:982-7
Brazzini A (*see* Lopera et al). 2002;36:1058-61 (Case rep.)
Breek JC, Hamming JF, Vries JD, Henegouwen DPVB, Heck GLLV. The impact of walking impairment, cardiovascular risk factors, and comorbidity on quality of life in patients with intermittent claudication. 2002;36:94-9
Brener BJ. Regeneration. 2002;36:1097-103
Brevetti LS, Chang DS, Sarkar R, Messina LM. Effect of adenoviral titer and instillation pressure on gene transfer efficiency to arterial and venous grafts ex-vivo. 2002;36:263-70
Brevetti LS (*see* Pack et al). 2002;36:172-9
Brings HA, Waas JK, McCrae KR, Baele HR, Goldstone J. Successful management of life-threatening hemorrhage in a patient with synchronous lupus anticoagulant and factor VIII inhibitor. 2002;36:853-5 (Case rep.)
Brinkman WT (*see* Lin et al). 2002;36:500-6
Brown GB (*see* Gertler and Brown). 2002;36:649-54 (Review)
Brown PM Jr (*see* Matsen et al). 2002;36:1146-53
Bruckner T (*see* Eckstein et al). 2002;36:997-1004
Bruneval P (*see* Allaire et al). 2002;36:1018-26
Buck DG (*see* Abraham et al). 2002;36:217-25
Burgess SV (*see* Miedema et al). 2002;36:19-24
Burke GL (*see* Hansen et al). 2002;36:443-51
Burks JA (*see* Carroccio et al). 2002;36:679-84
Burnham SJ (*see* Mendes et al). 2002;36:460-3
Burns P (*see* MacKenzie et al). 2002;36:896-902
Bush RL (*see* Lin et al). 2002;36:500-6
Buth J (*see* Schermerhorn et al). 2002;36:1112-20

C

Caggiati A, Bergan JJ, Gloviczki P, Jantet G, Wendell-Smith CP, Partsch H. Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus statement. 2002;36:416-22
Cahan MA (*see* Killewich et al). 2002;36:953-8
Caliendo A (*see* Pruitt et al). 2002;36:625-8 (Case rep.)
Calligaro KD (*see* Dougherty and Calligaro). 2002;36:727-31
Calligaro KD (*see* Jarrett et al). 2002;36:704-7
Calligaro KD (*see* Moore et al). 2002;36:1276-82
Campbell DR (*see* Ramdev et al). 2002;36:969-74
Carlton LM (*see* Huber et al). 2002;36:452-9
Carmo GD, Moura CM, Sarmento C, Martins C, Pestana C, Macedo M, Rosa A, Almeida H, Dinis da Gama D. A new approach for the surgical management of unilateral iliac artery occlusive disease: the iliofemoral crossover transposition. 2002;36:404-7 (Tech. note)
Carmody BJ, Arora S, Wakefield MC, Weber M, Fox CJ, Sidawy AN. Progesterone inhibits human infragenicular arterial smooth muscle cell proliferation induced by high glucose and insulin concentrations. 2002;36:833-8
Carpenter JP. Multicenter trial of the PowerLink bifurcated system for endovascular aortic aneurysm repair. 2002;36:1129-37
Carpenter JP (*see* Fairman et al). 2002;36:118-26
Carpenter JP (*see* Larson et al). 2002;36:1260-3 (Case rep.)
Carrel TP (*see* Schmidli et al). 2002;36:859-62 (Tech. note)
Carroccio A, Faries PL, Morrissey NJ, Teodorescu V, Burks JA, Gravereaux EC, Hollier LH, Marin ML. Predicting iliac limb occlusion after bifurcated aortic stent grafting: anatomic and device-related causes. 2002;36:679-84
Carsten CG III (*see* Bolton et al). 2002;36:464-8
Carsten CG III (*see* Sullivan et al). 2002;36:514-19
Carter G (*see* Conners et al). 2002;36:476-84, 992-6
Carter JW (*see* Huber et al). 2002;36:452-9
Carter K (*see* Patterson et al). 2002;36:639-41
Carter KA (*see* LeSar et al). 2002;36:1154-60

Castaneda-Zuniga W (*see* Lopera et al). 2002;36:1058-61 (Case rep.)
Cayne NS (*see* Gargiulo et al). 2002;36:1161-6
Cayne NS (*see* Tanquilut et al). 2002;36:41-6
Cejna M (*see* Schoder et al). 2002;36:720-6
Celentano E (*see* Iannuzzi et al). 2002;36:965-8
Chaikof EL. Capturing an accurate measure of success—outcomes and endpoints in endovascular aneurysm repair. 2002;36:410-11 (Invited comment)
Chaikof EL (*see* Baxter et al). 2002;36:1-12
Chaikof EL (*see* Li et al). 2002;36:361-70
Chaikof EL (*see* Lin et al). 2002;36:500-6
Chaikof EL (*see* Najibi et al). 2002;36:732-7
Chaillou P (*see* Gouëffic et al). 2002;36:1186-93
Chan AMT (*see* Palerme et al). 2002;36:330-5
Chang BB (*see* Roddy et al). 2002;36:325-9, 555-8
Chang DS (*see* Brevetti et al). 2002;36:263-70
Chang DS (*see* Paek et al). 2002;36:172-9
Chapman AM (*see* Myers et al). 2002;36:928-38
Chen C (*see* Lin et al). 2002;36:500-6
Cherr GS (*see* Hansen et al). 2002;36:443-51
Cherr GS (*see* Ligush et al). 2002;36:492-9
Cherry KJ Jr (*see* Kral et al). 2002;36:565-70
Cheshire N (*see* Kolvenbach et al). 2002;36:1267-70 (Tech. note)
Chiche L (*see* Kieffer et al). 2002;36:549-54
Chien S (*see* Yajima et al). 2002;36:379-85
Chiou AC (*see* McNeil et al). 2002;36:187-90 (Case rep.)
Chmura C (*see* Erzurum et al). 2002;36:663-7
Cho YP (*see* Kim et al). 2002;36:559-64
Chong PFS, Garratt AM, Golledge J, Greenhalgh RM, Davies AH. The Intermittent Claudication Questionnaire: a patient-assessed condition-specific health outcome measure. 2002;36:764-71
Chu SH (*see* Hsu et al). 2002;36:746-50
Chuter TAM (*see* Abraham et al). 2002;36:217-25
Ciardullo AV (*see* Iannuzzi et al). 2002;36:965-8
Cikirikcioglu M, Duran E. Regarding "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess." 2002;36:202 (Letter)
Cin CS, It SC, Safar HA, Maggisano R, Bailey R, Clase CM. Prevalence and progression of internal carotid artery stenosis in patients with peripheral arterial occlusive disease. 2002;36:75-82
Cin CS (*see* Clase and Cin). 2002;36:541-8
Cindrick-Pounds L (*see* Murakami et al). 2002;36:917-21
Cingöz F (*see* Kuralay et al). 2002;36:1213-18
Ciofli V (*see* Iannuzzi et al). 2002;36:965-8
Cipriano P (*see* Arko et al). 2002;36:297-304
Cirioni O (*see* Ghiselli et al). 2002;36:1027-30
Clagett GP (*see* Jackson et al). 2002;36:622-4 (Case rep.)
Clagett GP (*see* Moore et al). 2002;36:1276-82
Clagett GP (*see* Sadjadi et al). 2002;36:386-92
Clagett GP (*see* Valentine et al). 2002;36:351-6
Clair DG (*see* Abu-Ghaida et al). 2002;36:111-17
Clair DG (*see* Sarac et al). 2002;36:1104-11
Clark NS (*see* Criado et al). 2002;36:1121-8
Clase CM, Cin CS. Medical management versus investigate-and-operate strategy in asymptomatic carotid stenosis: a decision analysis. 2002;36:541-8
Clase CM (*see* Cin et al). 2002;36:75-82
Cloft H (*see* Pruitt et al). 2002;36:625-8 (Case rep.)
Clowes A (*see* Allaire et al). 2002;36:1018-26
Clowes AW (*see* Berceli et al). 2002;36:1248-55
Coen VLMA (*see* Hagenaars et al). 2002;36:318-24
Coffey CB (*see* Langan et al). 2002;36:132-6
Coffi SB, Ubbink DT, Zwiers I, Gurp JAMV, Legemate DA. Improved assessment of the hemodynamic significance of borderline iliac stenoses with use of hyperemic duplex scanning. 2002;36:575-80
Cohen B (*see* Kakkis et al). 2002;36:1071-5 (Case rep.)
Cohen JL (*see* Farber et al). 2002;36:205-10
Conklin B (*see* Lin et al). 2002;36:500-6
Conner P (*see* Kibbe et al). 2002;36:1198-206
Conners MS III, Sternbergh WC III, Carter G, Tonnessen BH, Yoselevitz M, Money SR. Endograft migration one to four years after endovascular abdominal aortic aneurysm repair with the AneuRX device: a cautionary note. 2002;36:476-84
Conners MS III, Sternbergh WC III, Carter G, Tonnessen BH, Yoselevitz M, Money SR. Secondary procedures after endovascular aortic aneurysm repair. 2002;36:992-6
Conners MS (*see* Sternbergh et al). 2002;36:685-9
Conte MS, Mann MJ, Simosa HF, Rhynhart KK, Mulligan RC. Genetic interventions for vein bypass graft disease: a review. 2002;36:1040-52
Cook D (*see* Etchells et al). 2002;36:534-40
Copenhagen City Heart Study (*see* Bismuth et al). 2002;36:1005-10
Correa G (*see* Lopera et al). 2002;36:1058-61 (Case rep.)
Cossman DV (*see* Farber et al). 2002;36:205-10
Couse TL (*see* Li et al). 2002;36:361-70
Cowley R (*see* Egun et al). 2002;36:89-93
Craven TE (*see* Hansen et al). 2002;36:443-51
Criado FJ, Clark NS, Barnatan MF. Stent graft repair in the aortic arch and descending thoracic aorta: a 4-year experience. 2002;36:1121-8
Criado FJ. Regarding "Carotid artery stenting in a vascular surgery practice." 2002;36:1094 (Letter reply)
Crimmins DS (*see* Bourke and Crimmins). 2002;36:70-4
Cronenwett JL (*see* Farber et al). 2002;36:205-10
Cronenwett JL (*see* Fillinger et al). 2002;36:589-97
Cronenwett JL (*see* Rzucidlo et al). 2002;36:975-81
Cronenwett JL (*see* Schermerhorn et al). 2002;36:1112-20
Cronenwett JL (*see* Wyers et al). 2002;36:1138-45
Cuesta MA (*see* Wisselink et al). 2002;36:1079-82 (Tech. note)
Cull D (*see* Sullivan et al). 2002;36:143-9
Cull DL (*see* Bolton et al). 2002;36:464-8
Cull DL (*see* Langan et al). 2002;36:132-6
Cull DL (*see* Sullivan et al). 2002;36:514-19
Curi MA, (*see* Rossi et al). 2002;36:839-43 (Case rep.)
Cuthbertson D (*see* Back et al). 2002;36:526-33
Czura CJ (*see* Bernik et al). 2002;36:1231-6

D

Dadian N (*see* Gargiulo et al). 2002;36:1161-6
Dalman RL (*see* Arko et al). 2002;36:297-304
Dardik A, Krosnick T, Perler BA, Roseborough GS, Williams GM. Durability of thoracoabdominal aortic aneurysm repair in patients with connective tissue disorders. 2002;36:696-703
Dardik A, Perler BA, Roseborough GS, Williams GM. Subdural hematoma after thoracoabdominal aortic aneurysm repair: an underreported complication of spinal fluid drainage? 2002;36:47-50
Darling RC III (*see* Roddy et al). 2002;36:325-9, 555-8
Davidson IR (*see* Hinchliffe et al). 2002;36:401-3 (Case rep.)
Davies AH (*see* Chong et al). 2002;36:764-71

Davies MG (*see* Berceli et al). 2002;36:1248-55
Day NE (*see* Wilmink et al). 2002;36:751-7
Dean RH (*see* Hansen et al). 2002;36:443-51
Deaton DH (*see* Fairman et al). 2002;36:118-26
Deeb GM (*see* Anand et al). 2002;36:690-5
Degischer S, Labs KH, Aschwanden M, Tschoepl M, Jaeger KA. Reproducibility of constant-load treadmill testing with various treadmill protocols and predictability of treadmill test results in patients with intermittent claudication. 2002;36:83-8
Del Prete MS (*see* Ghiselli et al). 2002;36:1027-30
DeLeon H (*see* Li et al). 2002;36:361-70
DeMasi RJ (*see* LeSar et al). 2002;36:1154-60
Demirkiliç U (*see* Kuralay et al). 2002;36:1213-18
Denton L (*see* Parry et al). 2002;36:105-10
Desai TR (*see* Rossi et al). 2002;36:839-43 (Case rep.)
Desgranges P (*see* Allaire et al). 2002;36:1018-26
Desgranges P (*see* Kobeiter et al). 2002;36:127-31
Di Mauro P (*see* Hartung et al). 2002;36:849-52 (Case rep.)
Dickinson T (*see* Porter et al). 2002;36:150-7
Diethrich EB (*see* Olsen et al). 2002;36:779-82
DiMuzio PJ (*see* Wahlberg et al). 2002;36:13-18
Dinis da Gama D (*see* Carmo et al). 2002;36:404-7 (Tech. note)
Dinwiddie LC (*see* Mendes et al). 2002;36:460-3
Dion YM (*see* Kolvenbach et al). 2002;36:1267-70 (Tech. note)
DiRaimo R (*see* Bernik et al). 2002;36:1231-6
Dixon SM (*see* Zarins et al). 2002;36:226-33
Dodson TF (*see* Pruitt et al). 2002;36:625-8 (Case rep.)
Domanovits H (*see* Schillinger et al). 2002;36:25-30
Domanovits H (*see* Schoder et al). 2002;36:720-6
Domonyi K (*see* Saarinen et al). 2002;36:959-64
Donayre C (*see* Virgilio et al). 2002;36:988-91
Donnell RL (*see* Skillern et al). 2002;36:814-17
Donnelly N (*see* Middleton and Donnelly). 2002;36:62-9
Dörfler A (*see* Eckstein et al). 2002;36:997-1004
Dougherty MJ, Calligaro KD. Endovascular treatment of embolization of aortic plaque with covered stents. 2002;36:727-31
Dougherty MJ (*see* Jarrett et al). 2002;36:704-7
Drezner AD (*see* Rahmani et al). 2002;36:1264-6 (Case rep.)
Duijn HV (*see* Laman et al). 2002;36:278-84
Duran E (*see* Cikirikcioglu and Duran). 2002;36:202 (Letter)
Duveau D (*see* Gouëffic et al). 2002;36:1186-93

E

Eagle KA (*see* Froehlich et al). 2002;36:758-63
Eagle KA (*see* Mukherjee and Eagle). 2002;36:644-5 (Invited comment)
Eagleton MJ, Grigoryants V, Peterson DA, Williams DM, Henke PK, Wakefield TW, Stanley JC, Upchurch GR Jr. Endovascular treatment of abdominal aortic aneurysm is associated with a low incidence of deep venous thrombosis. 2002;36:912-16
Eagleton MJ, Henke PK, Luke CE, Hawley AE, Bedi A, Knipp BS, Wakefield TW, Greenfield LJ. Inflammation and intimal hyperplasia associated with experimental pulmonary embolism. 2002;36:581-8
Eagleton MJ (*see* Anand et al). 2002;36:690-5
Eckstein FS (*see* Schmidli et al). 2002;36:859-62 (Tech. note)
Eckstein HH, Ringleb P, Dörfler A, Klemm K, Müller BT, Zegelman M, Bardenheuer H, Hacke W, Bruckner T, Sandmann W, Allenberg JR. The Carotid Surgery for Ischemic Stroke trial: a prospective observational study on carotid endarterectomy in the early period after ischemic stroke. 2002;36:997-1004
Edwards JM (*see* Landry et al). 2002;36:238-44
Edwards JM (*see* Yeager et al). 2002;36:245-9
Edwards MS (*see* Hansen et al). 2002;36:443-51
Edwards MS (*see* Ligush et al). 2002;36:492-9
Edwards WD (*see* Kral et al). 2002;36:565-70
Egun A, Farooq V, Torella F, Cowley R, Thorniley MS, McCollum CN. The severity of muscle ischemia during intermittent claudication. 2002;36:89-93
Eikelboom BC (*see* Borst et al). 2002;36:336-40
Eikelboom BC (*see* Hendrikse et al). 2002;36:799-805
Eikelboom BC (*see* Nederkoorn et al). 2002;36:806-13
Elgersma OEH (*see* Nederkoorn et al). 2002;36:806-13
Elmore JR (*see* Johanning et al). 2002;36:877-80
Endo M (*see* Matsumoto et al). 2002;36:57-61
Englberger L (*see* Schmidli et al). 2002;36:859-62 (Tech. note)
Erdem N (*see* Froehlich et al). 2002;36:758-63
Erzurum VZ, Littooy FN, Steffen G, Chmura C, Mansour MA. Outcome of nonoperative management of asymptomatic high-grade carotid stenosis. 2002;36:663-7
Eskridge MR (*see* Ligush et al). 2002;36:492-9
Estes J (*see* Iafrati et al). 2002;36:1167-74
Estrera AL (*see* Huynh et al). 2002;36:469-75
Estrera AL (*see* Safi et al). 2002;36:1274-5 (Invited comment)
Etchells E, Meade M, Tomlinson G, Cook D. Semiquantitative dipyridamole myocardial stress perfusion imaging for cardiac risk assessment before noncardiac vascular surgery: a meta-analysis. 2002;36:534-40
Eugster T (*see* Beldi et al). 2002;36:632-4 (Case rep.)
Evans CJ (*see* Ruckley et al). 2002;36:520-5
Evans DH (*see* Sigaudo-Roussel et al). 2002;36:793-8
Exner M (*see* Schillinger et al). 2002;36:25-30

F

Fairman RM, Baum RA, Carpenter JP, Deaton DH, Makaroun MS, Velazquez OC. Limb interventions in patients undergoing treatment with an unsupported bifurcated aortic endograft system: a review of the Phase II EVT Trial. 2002;36:118-26
Farber A, Wagner WH, Cossman DV, Cohen JL, Walsh DB, Fillinger MF, Cronenwett JL, Lauterbach SR, Levin PM. Isolated dissection of the abdominal aorta: clinical presentation and therapeutic options. 2002;36:205-10
Farber MA (*see* Mendes et al). 2002;36:460-3
Faries PL (*see* Carroccio et al). 2002;36:679-84
Farooq V (*see* Egun et al). 2002;36:89-93
Farris DM (*see* Myers et al). 2002;36:928-38
Ferrari SA (*see* Biasi et al). 2002;36:271-7
Ferreira LM (*see* Parodi et al). 2002;36:1076-8 (Tech. note)
Filis KA, Nguyen TQ, Olcott C IV. Subclavian vein thrombosis caused by an unusual congenital clavicular anomaly in an atypical anatomic position. 2002;36:629-31 (Case rep.)
Fillinger MF, Raghavan ML, Marra SP, Cronenwett JL, Kennedy FE. In vivo analysis of mechanical wall stress and abdominal aortic aneurysm rupture risk. 2002;36:589-97
Fillinger MF (*see* Farber et al). 2002;36:205-10
Fillinger MF (*see* Rzucidlo et al). 2002;36:975-81
Fillinger MF (*see* Schermerhorn et al). 2002;36:1112-20
Fillinger MF (*see* Wyers et al). 2002;36:1138-45
Fink AM, Mayer W, Steiner A. Extent of thrombus evaluated in patients with recurrent and first deep vein thrombosis. 2002;36:357-60
Finlayson SRG (*see* Schermerhorn et al). 2002;36:1112-20
Fleckten B (*see* Baxter et al). 2002;36:1-12
Fleischmann D (*see* Schoder et al). 2002;36:720-6
Fletcher JP (*see* Huang et al). 2002;36:371-8

Flynn TC (*see* Huber et al). 2002;36:452-9
Fogarty TJ (*see* Arko et al). 2002;36:297-304
Fogarty TJ (*see* Wolf et al). 2002;36:305-9
Fowkes FGR (*see* Ruckley et al). 2002;36:520-5
Fox CJ (*see* Carmody et al). 2002;36:833-8
Franklin DP (*see* Armstrong and Franklin). 2002;36:1256-9 (Case rep.)
Franklin DP (*see* Johanning et al). 2002;36:877-80
Freedman NJ (*see* Zhang et al). 2002;36:824-32
Freeman MB (*see* Skillern et al). 2002;36:814-17
Freeman MB (*see* Timaran et al). 2002;36:507-13
Friedman SG (*see* Bernik et al). 2002;36:1231-6
Friedman SG (*see* James et al). 2002;36:1069-70 (Case rep.)
Fröberg BL (*see* Kelvsgård et al). 2002;36:310-17
Froehlich JB, Karavite D, Russman PL, Erdem N, Wise C, Zelenock G, Wakefield T, Stanley J, Eagle KA. American College of Cardiology/American Heart Association preoperative assessment guidelines reduce resource utilization before aortic surgery. 2002;36:758-63

G

Gagne P (*see* Patterson et al). 2002;36:639-41
Gagne PJ (*see* Rockman et al). 2002;36:668-73
Gargiulo N (*see* Ohki et al). 2002;36:1175-85
Gargiulo NJ III, Veith FJ, Lipsitz EC, Ohki T, Suggs WD, Cayne NS, Dadian N, Wain RA. Spontaneous recanalization of arterial occlusions: an unusual mechanism for symptomatic improvement. 2002;36:1161-6
Garnham A (*see* Mahmood et al). 2002;36:772-8
Garratt AM (*see* Chong et al). 2002;36:764-71
Gaunt ME (*see* Sigaudo-Roussel et al). 2002;36:793-8
Gayle RG (*see* LeSar et al). 2002;36:1154-60
Geier B (*see* Mumme et al). 2002;36:1219-24
Gentile AT (*see* Berman and Gentile). 2002;36:867-8 (Letter reply)
Gentile AT (*see* Knox et al). 2002;36:250-6
Gertler JP, Brown GB. Strategic issues for biomedical technology development. 2002;36:649-54 (Review)
Gescher FM (*see* Hagenaars et al). 2002;36:318-24
Ghiselli R, Giacometti A, Cirioni O, Mocchegiani F, Orlando F, Kamysz W, Del Prete MS, Lukasiak J, Scalise G, Saba V. Temporin A as a prophylactic agent against methicillin sodium–susceptible and methicillin sodium–resistant *Staphylococcus epidermidis* vascular graft infection. 2002;36:1027-30
Giacometti A (*see* Ghiselli et al). 2002;36:1027-30
Gillespie DL (*see* Scultetus et al). 2002;36:881-8
Giomarelli P (*see* Neri et al). 2002;36:738-45
Glagov S (*see* Rossi et al). 2002;36:839-43 (Case rep.)
Glagov S (*see* Xu et al). 2002;36:605-12
Gloviczki P (*see* Caggiati et al). 2002;36:416-22
Goldman MH (*see* Skillern et al). 2002;36:814-17
Goldman MH (*see* Timaran et al). 2002;36:507-13
Goldstone J (*see* Brings et al). 2002;36:853-5 (Case rep.)
Golledge J (*see* Chong et al). 2002;36:764-71
Gomes A (*see* Kakkis et al). 2002;36:1071-5 (Case rep.)
Gordon RL (*see* Abraham et al). 2002;36:217-25
Gouëffic Y, Chaillou P, Pillet JC, Duveau D, Patra P. Surgical treatment of nonaneurysmal arch lesions in patients with systemic embolization. 2002;36:1186-93
Goyal A, Shah PM, Babu SC, Mateo RB. Popliteal-crural bypass through the posterior approach with lesser saphenous vein for limb salvage. 2002;36:708-12
Graaf YVD (*see* Nederkoorn et al). 2002;36:806-13
Grabenwöger M (*see* Schoder et al). 2002;36:720-6
Grabitz K (*see* Balzer et al). 2002;36:1053-7 (Case rep.)
Gracia C (*see* Wisselink et al). 2002;36:1079-82 (Tech. note)
Gramse C (*see* Hingorani et al). 2002;36:341-5
Gravereaux EC (*see* Carroccio et al). 2002;36:679-84
Gray BH (*see* Bolton et al). 2002;36:464-8
Gray BH (*see* Langan et al). 2002;36:132-6
Gray BH (*see* Sullivan et al). 2002;36:514-19
Grayson DE (*see* McNeil et al). 2002;36:187-90 (Case rep.)
Grazziotin MU, Turnipseed WD. Arterial tumor embolism caused by metastatic melanoma: case report and literature review. 2002;36:191-3 (Case rep.)
Green LD, Lee DS, Kucey DS. A metaanalysis comparing surgical thrombectomy, mechanical thrombectomy, and pharmacomechanical thrombolysis for thrombosed dialysis grafts. 2002;36:939-45
Green RM (*see* Lyden et al). 2002;36:674-8
Greenberg RK (*see* Abu-Ghaida et al). 2002;36:111-17
Greenberg RK (*see* Sarac et al). 2002;36:1104-11
Greenfield LJ (*see* Eagleton et al). 2002;36:581-8
Greenfield LJ (*see* Myers et al). 2002;36:928-38
Greenhalgh RM (*see* Chong et al). 2002;36:764-71
Grenell S (*see* Ohki et al). 2002;36:1175-85
Grigoryants V (*see* Eagleton et al). 2002;36:912-16
Groiss E (*see* Partsch et al). 2002;36:948-52
Grond JVD (*see* Hendrikse et al). 2002;36:799-805
Grnholdt MLM (*see* Kofoed et al). 2002;36:783-92
Gruneiro LA (*see* Solis et al). 2002;36:485-91
Guest SS (*see* Oakes et al). 2002;36:346-50
Guillou L (*see* Marty et al). 2002;36:1062-5 (Case rep.)
Guinault AM (*see* Allaire et al). 2002;36:1018-26
Gunay C (*see* Kuralay et al). 2002;36:1213-18
Gunlock MG (*see* McNeil et al). 2002;36:187-90 (Case rep.)
Gürke L (*see* Beldi et al). 2002;36:632-4 (Case rep.)
Gurp JAMV (*see* Coffi et al). 2002;36:575-80
Gussenhoven EJ (*see* Hagenaars et al). 2002;36:318-24

H

Hacke W (*see* Eckstein et al). 2002;36:997-1004
Hagen PO (*see* Zhang et al). 2002;36:824-32
Hagenaars T, Lim A Po IF, Sambeek MRHMV, Coen VLMA, Tongeren RBMV, Gescher FM, Wittens CHA, Boelhouwer RU, Pattynama PMT, Gussenhoven EJ. Gamma radiation induces positive vascular remodeling after balloon angioplasty: a prospective, randomized intravascular ultrasound scan study. 2002;36:318-24
Hagino RT (*see* McNeil et al). 2002;36:187-90 (Case rep.)
Hagiwara N (*see* Nagashima et al). 2002;36:158-63, 818-23
Hall M (*see* James et al). 2002;36:1069-70 (Case rep.)
Hallberg IR (*see* Kelvsgård et al). 2002;36:310-17
Hallett JW Jr (*see* Baxter et al). 2002;36:1-12
Hamdan AD (*see* Ramdev et al). 2002;36:969-74
Hamilton IN Jr (*see* Sprouse and Hamilton). 2002;36:1066-8 (Case rep.)
Hamming JF (*see* Breek et al). 2002;36:94-9
Hammond RJ (*see* Parry et al). 2002;36:396-400 (Case rep.)
Hammond SL (*see* Sanders and Hammond). 2002;36:51-6
Han DC (*see* Kral et al). 2002;36:565-70
Hanna DJ (*see* Killewich et al). 2002;36:953-8
Hansen KJ, Edwards MS, Craven TE, Cherr GS, Jackson SA, Appel RG, Burke GL, Dean RH. Prevalence of renovascular disease in the elderly: a population-based study. 2002;36:443-51

Hansen KJ (*see* Ligush et al). 2002;36:492-9
Harris EJ Jr (*see* Arko et al). 2002;36:297-304
Hartung O, Alimi YS, Di Mauro P, Portier F, Juhan C. Endovascular treatment of iliocaval occlusion caused by retroperitoneal fibrosis: late results in two cases. 2002;36:849-52 (Case rep.)
Hassen-Khodja R (*see* Sala et al). 2002;36:982-7
Hassett ALC (*see* Kibbe et al). 2002;36:1198-206
Hata M (*see* Hayakawa et al). 2002;36:635-8 (Tech. note), 946-7
Hawley AE (*see* Eagleton et al). 2002;36:581-8
Hawley AE (*see* Myers et al). 2002;36:928-38
Hawthorne WJ (*see* Huang et al). 2002;36:371-8
Hayakawa K, Aoyagi T, Miyaji K, Hata M, Tanaka S, Tanaka A. Arteriovenous graft featuring end-to-end anastomosis to a deep vein for hemodialysis. 2002;36:946-7
Hayakawa K, Tsuha M, Aoyagi T, Miyaji K, Hata M, Tanaka S, Tanaka A, Shiota J. New method to create a vascular arteriovenous fistula in the arm with an endoscopic technique. 2002;36:635-8 (Tech. note)
Haynes SL (*see* Torella et al). 2002;36:30-4
Heikkinen M, Salenius JP, Auvinen O. Ruptured abdominal aortic aneurysm in a well-defined geographic area. 2002;36:291-6
Heinen W (*see* Mumme et al). 2002;36:1219-24
Heller G (*see* Schmidli et al). 2002;36:859-62 (Tech. note)
Hendrikse J, Eikelboom BC, Grond JVD. Magnetic resonance angiography of collateral compensation in asymptomatic and symptomatic internal carotid artery stenosis. 2002;36:799-805
Henegouwen DPVB (*see* Breek et al). 2002;36:94-9
Henke PK, Kish P, Stanley JC. Relevance of basic laboratory and clinical research activities as part of the vascular surgery fellowship: an assessment of program directors and postfellowship surgeons. 2002;36:1083-91
Henke PK (*see* Anand et al). 2002;36:690-5
Henke PK (*see* Eagleton et al). 2002;36:581-8, 912-16
Henke PK (*see* Myers et al). 2002;36:928-38
Hertzer NR (*see* Sarac et al). 2002;36:1104-11
Hetzer R (*see* Pasic et al). 2002;36:184-6 (Case rep.)
Hiatt WR. Pharmacologic therapy for peripheral arterial disease and claudication. 2002;36:1283-91
Higa N (*see* Sakuda et al). 2002;36:922-7
Hill BB (*see* Arko et al). 2002;36:297-304
Hinchliffe RJ, Davidson IR, MacSweeney STR. Endovascular repair of a ruptured chronic type B aortic dissection. 2002;36:401-3 (Case rep.)
Hingorani A, Gramse C, Ascher E. Anticoagulation with enoxaparin versus intravenous unfractionated heparin in postoperative vascular surgery patients. 2002;36:341-5
Hinsbergh VWMV (*see* Bas et al). 2002;36:1237-47
Hirneise CM (*see* Huber et al). 2002;36:452-9
Hoch JR (*see* Ryomoto et al). 2002;36:613-21
Hodgson KJ (*see* McLafferty et al). 2002;36:100-4
Hodgson KJ (*see* Solis et al). 2002;36:485-91
Hofmann M (*see* Pasic et al). 2002;36:184-6 (Case rep.)
Hollier LH (*see* Carroccio et al). 2002;36:679-84
Holm J (*see* Zachrisson et al). 2002;36:285-90
Hölzenbein T (*see* Schoder et al). 2002;36:720-6
Hood DB (*see* Bowdish et al). 2002;36:713-19
Hood DB (*see* Terramani et al). 2002;36:844-8 (Case rep.)
Hosoi Y, Zukowski A, Kakkos SK, Nicolaides AN. Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model. 2002;36:137-42
Hsu RB, Tsay YG, Wang SS, Chu SH. Surgical treatment for primary infected aneurysm of the descending thoracic aorta, abdominal aorta, and iliac arteries. 2002;36:746-50
Huang P, Med M, Hawthorne WJ, Ao P, Angeli GL, Medbury HJ, Fletcher JP. Perigraft adventitia and intima remodeling after synthetic patch implantation in sheep carotid artery: role of apoptosis and proliferation. 2002;36:371-8
Hubbard CS (*see* Wilmink et al). 2002;36:751-7
Huber AR (*see* Beldi et al). 2002;36:632-4 (Case rep.)
Huber TS, Ozaki CK, Flynn TC, Lee WA, Berceli SA, Hirneise CM, Carlton LM, Carter JW, Ross EA, Seeger JM. Prospective validation of an algorithm to maximize native arteriovenous fistulae for chronic hemodialysis access. 2002;36:452-9
Huffelen ACV (*see* Laman et al). 2002;36:278-84
Hughes JD (*see* Knox et al). 2002;36:250-6
Hunt TK (*see* Paek et al). 2002;36:172-9
Hunter GC (*see* Killewich et al). 2002;36:953-8
Hunter GC (*see* Murakami et al). 2002;36:917-21
Hux JE (*see* Austin and Hux). 2002;36:194-5
Huynh TTT, Miller CC, Estrera AL, Porat EE, Safi HJ. Thoracoabdominal and descending thoracic aortic aneurysm surgery in patients aged 79 years or older. 2002;36:469-75

I

Iafrati MD, Pare GJ, O'Donnell TF, Estes J. Is the nihilistic approach to surgical reduction of superficial and perforator vein incompetence for venous ulcer justified?. 2002;36:1167-74
Iannuzzi A, Panico S, Ciardullo AV, Bellati C, Cioffi V, Iannuzzo G, Celentano E, Berrino F, Rubba P. Varicose veins of the lower limbs and venous capacitance in postmenopausal women: relationship with obesity. 2002;36:965-8
Iannuzzo G (*see* Iannuzzi et al). 2002;36:965-8
Ignatescu M (*see* Schillinger et al). 2002;36:25-30
Illig KA (*see* Lyden et al). 2002;36:674-8
Ishimaru K (*see* Yamamoto et al). 2002;36:1225-30
Ishizuka N (*see* Nagashima et al). 2002;36:158-63
It SC (*see* Cin et al). 2002;36:75-82
Izbicki G (*see* Shitrit et al). 2002;36:856-8 (Case rep.)

J

Jackson MR, Joiner DR, Clagett GP. Excision and autogenous revascularization of an infected aortic stent graft resulting from a urinary tract infection. 2002;36:622-4 (Case rep.)
Jackson MR (*see* Valentine et al). 2002;36:351-6
Jackson SA (*see* Hansen et al). 2002;36:443-51
Jacobowitz GR (*see* Rockman et al). 2002;36:668-73
Jaeger KA (*see* Degischer et al). 2002;36:83-8
James T, Friedman SG, Scher L, Hall M. Lower extremity compartment syndrome after coronary artery bypass. 2002;36:1069-70 (Case rep.)
Janchai A (*see* Lopera et al). 2002;36:1058-61 (Case rep.)
Jantet G (*see* Caggiati et al). 2002;36:416-22
Jarrett BP, Dougherty MJ, Calligaro KD. Inferior vena cava filters in malignant disease. 2002;36:704-7
Jarrett F, Makaroun MS, Rhee RY, Bertges DJ. Superficial femoral artery aneurysms: an unusual entity?. 2002;36:571-4
Jensen A (*see* Bismuth et al). 2002;36:1005-10
Johanning JM, Franklin DP, Thomas DD, Elmore JR. D-dimer and calf circumference in the evaluation of outpatient deep venous thrombosis. 2002;36:877-80
Johnson BL (*see* Back et al). 2002;36:526-33
Johnson W (*see* Kibbe et al). 2002;36:1198-206
Johnston KW, Rutherford RB. Complaints. Concerns. The JVS ombudsman. 2002;36:428
Joiner DR (*see* Jackson et al). 2002;36:622-4 (Case rep.)
Jones DN (*see* Krupski et al). 2002;36:257-62

Jones JW, McCullough LB. Complying with advance directives in the operating room. 2002;36:199-200
Jones JW, McCullough LB. Consent for residents to perform surgery. 2002;36:655-6
Jones JW, McCullough LB. When does conventional surgical therapy become research?. 2002;36:423-4
Jones JW, Richman BW, McCullough LB. Professional self-regulation: eyewitness to incompetent surgery. 2002;36:1092-3
Jones JW, Richman BW, McCullough LB. The public's right to know? Surgical treatment of public figures. 2002;36:865-6
Jones JW (*see* McCullough et al). 2002;36:1309-10
Juhan C (*see* Hartung et al). 2002;36:849-52 (Case rep.)

K

Kakkis JL, Sicklick JK, Gomes A, Cohen B, Quiñones-Baldrich WJ. Azygous vein to right atrium bypass graft in a patient with idiopathic fibrosing mediastinitis and symptomatic superior and inferior vena cava obstructions. 2002;36:1071-5 (Case rep.)
Kakkos SK (*see* Hosoi et al). 2002;36:137-42
Kamada Y (*see* Sakuda et al). 2002;36:922-7
Kamysz W (*see* Ghiselli et al). 2002;36:1027-30
Kaneko H (*see* Yamamoto et al). 2002;36:1225-30
Kao TC (*see* Scultetus et al). 2002;36:881-8
Kappelle LJ (*see* Nederkoorn et al). 2002;36:806-13
Karavite D (*see* Froehlich et al). 2002;36:758-63
Karch LA (*see* McLafferty et al). 2002;36:100-4
Kasanuki H (*see* Nagashima et al). 2002;36:158-63, 818-23
Kasashima F (*see* Matsumoto et al). 2002;36:57-61
Kasirajan K, Matteson B, Marek J, Langsfeld M. Regarding "Endograft limb occlusion and stenosis after ANCURE endovascular abdominal aneurysm repair." 2002;36:869-70 (Letter)
Kaufman N (*see* Shitrit et al). 2002;36:856-8 (Case rep.)
Kawana M (*see* Nagashima et al). 2002;36:158-63, 818-23
Kazmi M (*see* Ohki et al). 2002;36:1175-85
Keagy BA (*see* Mendes et al). 2002;36:460-3
Kehas AJ (*see* Proia et al). 2002;36:164-71
Kelvsgård R, Fröberg BL, Risberg B, Hallberg IR. Nottingham Health Profile and Short-Form 36 Health Survey questionnaires in patients with chronic lower limb ischemia: before and after revascularization. 2002;36:310-17
Kenagy RD (*see* Berceli et al). 2002;36:1248-55
Kennedy FE (*see* Fillinger et al). 2002;36:589-97
Kent KC (*see* Baxter et al). 2002;36:1-12
Kent KC (*see* Moore et al). 2002;36:1276-82
Kerlan RB (*see* Abraham et al). 2002;36:217-25
Kessel DO (*see* Parry et al). 2002;36:105-10, 396-400 (Case rep.)
Kester RC (*see* Parry et al). 2002;36:105-10
Kibbe MR, Hassett ALC, McSherry F, Conner P, Bontempo FA, Williford W, Johnson W, Makaroun MS. Can screening for genetic markers improve peripheral artery bypass patency?. 2002;36:1198-206
Kieffer E, Praquin B, Chiche L, Koskas F, Bahnini A. Distal vertebral artery reconstruction: long-term outcome. 2002;36:549-54
Killewich LA, Cahan MA, Hanna DJ, Murakami M, Uchida T, Wiley LA, Hunter GC. The effect of external pneumatic compression on regional fibrinolysis in a prospective randomized trial. 2002;36:953-8
Killewich LA (*see* Murakami et al). 2002;36:917-21
Kim GE, Lee JH, Cho YP. Can carotid endarterectomy improve metabolic status in patients with asymptomatic internal carotid artery flow lesion? Studies with localized in vivo proton magnetic resonance spectroscopy. 2002;36:559-64
Kirwan CC (*see* Torella et al). 2002;36:30-4
Kish P (*see* Henke et al). 2002;36:1083-91
Kisslo J (*see* Zhang et al). 2002;36:824-32
Klemm K (*see* Eckstein et al). 2002;36:997-1004
Knipp BS (*see* Eagleton et al). 2002;36:581-8
Knipp BS (*see* Myers et al). 2002;36:928-38
Knollmann F (*see* Pasic et al). 2002;36:184-6 (Case rep.)
Knox RC, Berman SS, Hughes JD, Gentile AT, Mills JL. Distal revascularization–interval ligation: a durable and effective treatment for ischemic steal syndorme after hemodialysis access. 2002;36:250-6
Kobeiter H, Lapeyre M, Becquemin JP, Mathieu D, Melliere D, Desgranges P. Percutaneous coil embolization of postcatheterization arterial femoral pseudoaneurysms. 2002;36:127-31
Kofoed SC, Grnholdt MLM, Bismuth J, Wilhjelm JE, Sillesen H, Nordestgaard BG. Echolucent, rupture-prone carotid plaques associated with elevated triglyceride-rich lipoproteins, particularly in women. 2002;36:783-92
Kofoed SC (*see* Bismuth et al). 2002;36:1005-10
Koja K (*see* Sakuda et al). 2002;36:922-7
Kolvenbach R, Pinter L, Raghunandan M, Cheshire N, Ramadan H, Dion YM. Laparoscopic remodeling of abdominal aortic aneurysms after endovascular exclusion: a technical description. 2002;36:1267-70 (Tech. note)
Komenaka IK, Nguyen ET. Is there an increased risk for DVT with the VNUS closure procedure?. 2002;36:1311 (Letter)
Koskas F (*see* Kieffer et al). 2002;36:549-54
Kostner K (*see* Schillinger et al). 2002;36:25-30
Kosugi I (*see* Matsumoto et al). 2002;36:57-61
Krajewski LP (*see* Sarac et al). 2002;36:1104-11
Kral CA, Han DC, Edwards WD, Spittell PC, Tazelaar HD, Cherry KJ Jr. Obstructive external iliac arteriopathy in avid bicyclists: new and variable histopathologic features in four women. 2002;36:565-70
Kramer MR (*see* Shitrit et al). 2002;36:856-8 (Case rep.)
Kreienberg PB (*see* Roddy et al). 2002;36:325-9, 555-8
Krosnick T (*see* Dardik et al). 2002;36:696-703
Krupski WC. Update on perioperative evaluation and management of cardiac disease in vascular surgery patients. 2002;36:1292-308
Krupski WC, Nguyen HT, Jones DN, Wallace H, Whitehill TA, Nehler MR. Smoking cessation counseling: a missed opportunity for general surgery trainees. 2002;36:257-62
Kucey DS (*see* Green et al). 2002;36:939-45
Kuniyoshi Y (*see* Sakuda et al). 2002;36:922-7
Kuralay E, Demirkiliç U, Özal E, Öz BS, Cingöz F, Gunay C, Yildirim V, Arslan M, Tatar H. A quantitative approach to lower extremity vein repair. 2002;36:1213-18
Kyotani S (*see* Sakamaki et al). 2002;36:35-40

L

La Mura R (*see* Parodi et al). 2002;36:1076-8 (Tech. note)
Laberge M (*see* Sullivan et al). 2002;36:143-9
Labs KH (*see* Degischer et al). 2002;36:83-8
Lafferty RB (*see* Solis et al). 2002;36:485-91
Laggner AN (*see* Schillinger et al). 2002;36:25-30
Laman DM, Wieneke GH, Duijn HV, Huffelen ACV. High embolic rate early after carotid endarterectomy is associated with early cerebrovascular complications, especially in women. 2002;36:278-84
Lammer J (*see* Schoder et al). 2002;36:720-6

Lamparello PJ (*see* Rockman et al). 2002;36:668-73
Landis R (*see* Rockman et al). 2002;36:668-73
Landry GJ, Moneta GL, Taylor LM Jr, Edwards JM, Yeager RA, Porter JM. Choice of autogenous conduit for lower extremity vein graft revisions. 2002;36:238-44
Landry GJ (*see* Yeager et al). 2002;36:245-9
Langan EM III, Coffey CB, Taylor SM, Snyder BA, Sullivan TM, Cull DL, Youkey JR, Gray BH. The impact of the development of a program to reduce urgent (off-hours) venous duplex ultrasound scan studies. 2002;36:132-6
Langan EM III (*see* Bolton et al). 2002;36:464-8
Langan EM III (*see* Sullivan et al). 2002;36:514-19
Langan EM (*see* Sullivan et al). 2002;36:143-9
Langsfeld M (*see* Kasirajan et al). 2002;36:869-70 (Letter)
Lapeyre M (*see* Kobeiter et al). 2002;36:127-31
Larson RA, Solomon J, Carpenter JP. Stent graft repair of visceral artery aneurysms. 2002;36:1260-3 (Case rep.)
Lauterbach SR (*see* Farber et al). 2002;36:205-10
Lawson JA (*see* Borst et al). 2002;36:336-40
Lee AJ (*see* MacKenzie et al). 2002;36:896-902
Lee AJ (*see* Ruckley et al). 2002;36:520-5
Lee DS (*see* Green et al). 2002;36:939-45
Lee JH (*see* Kim et al). 2002;36:559-64
Lee JK (*see* Baxter et al). 2002;36:1-12
Lee WA (*see* Arko et al). 2002;36:297-304
Lee WA (*see* Huber et al). 2002;36:452-9
Lee WA (*see* Wolf et al). 2002;36:305-9
Leers S (*see* Patterson et al). 2002;36:639-41
Legemate DA (*see* Coffi et al). 2002;36:575-80
Lengle SJ (*see* Zarins et al). 2002;36:226-33
LeSar CJ, Meier GH, DeMasi RJ, Sood J, Nelms CR, Carter KA, Gayle RG, Parent FN, Marcinczyk MJ. The utility of color duplex ultrasonography in the diagnosis of temporal arteritis. 2002;36:1154-60
Levi M (*see* Sadjadi et al). 2002;36:386-92
Levin PM (*see* Farber et al). 2002;36:205-10
Lewis RJ (*see* Virgilio et al). 2002;36:988-91
Li L, Couse TL, DeLeon H, Xu CP, Wilcox JN, Chaikof EL. Regulation of syndecan-4 expression with mechanical stress during the development of angioplasty-induced intimal thickening. 2002;36:361-70
Li L (*see* Sadjadi et al). 2002;36:386-92
Li S (*see* Valentine et al). 2002;36:351-6
Liebman HA (*see* Bowdish et al). 2002;36:713-19
Liem T (*see* Miedema et al). 2002;36:19-24
Ligush J Jr, Pearce JD, Edwards MS, Eskridge MR, Cherr GS, Plonk GW, Hansen KJ. Analysis of medical risk factors and outcomes in patients undergoing open versus endovascular abdominal aortic aneurysm repair. 2002;36:492-9
Lim A Po IF (*see* Hagenaars et al). 2002;36:318-24
Lin PH, Bush RL, Chaikof EL, Chen C, Conklin B, Terramani TT, Brinkman WT, Lumsden AB. A prospective evaluation of hypogastric artery embolization in endovascular aortoiliac aneurysm repair. 2002;36:500-6
Lin PH (*see* Najibi et al). 2002;36:732-7
Lippmann M (*see* Virgilio et al). 2002;36:988-91
Lipsitz EC (*see* Gargiulo et al). 2002;36:1161-6
Lipsitz EC (*see* Ohki et al). 2002;36:1175-85
Lipsitz EC (*see* Tanquilut et al). 2002;36:41-6
Littooy FN (*see* Baxter et al). 2002;36:1-12
Littooy FN (*see* Erzurum et al). 2002;36:663-7
LoGerfo FW (*see* Ramdev et al). 2002;36:969-74
Lokanathan R (*see* Palerme et al). 2002;36:330-5
London NJM (*see* Porter et al). 2002;36:150-7
London NL (*see* Sigaudo-Roussel et al). 2002;36:793-8
Longo GM (*see* Baxter et al). 2002;36:1-12
Lopera JE, Correa G, Brazzini A, Ustunsoz B, Patel S, Janchai A, Castaneda-Zuniga W. Percutaneous transhepatic treatment of symptomatic mesenteric venous thrombosis. 2002;36:1058-61 (Case rep.)
Lukasiak J (*see* Ghiselli et al). 2002;36:1027-30
Luke CE (*see* Eagleton et al). 2002;36:581-8
Lumsden AB (*see* Lin et al). 2002;36:500-6
Lumsden AB (*see* Najibi et al). 2002;36:732-7
Luther B (*see* Balzer et al). 2002;36:1053-7 (Case rep.)
Lyden SP, McNamara JM, Sternbach Y, Illig KA, Waldman DL, Green RM. Technical considerations for late removal of aortic endografts. 2002;36:674-8
Lynch TG, Pipinos II, Boska MD. Regarding "Can carotid endarterectomy improve metabolic status in patients with asymptomatic internal carotid artery flow lesion? Studies with localized in vivo proton magnetic resonance spectroscopy." 2002;36:646-8 (Invited comment)

M

Maatz W (*see* Mumme et al). 2002;36:1219-24
MacDonald MJ (*see* Najibi et al). 2002;36:732-7
MacDonald S (*see* Palerme et al). 2002;36:330-5
Macedo M (*see* Carmo et al). 2002;36:404-7 (Tech. note)
MacKenzie RK, Lee AJ, Paisley A, Burns P, Allan PL, Ruckley CV, Bradbury AW. Patient, operative, and surgeon factors that influence the effect of superficial venous surgery on disease-specific quality of life. 2002;36:896-902
MacSweeney STR (*see* Hinchliffe et al). 2002;36:401-3 (Case rep.)
Maggisano R (*see* Cin et al). 2002;36:75-82
Mahmood A, Garnham A, Sintler M, Smith SRG, Vohra RK, Simms MH. Composite sequential grafts for femorocrural bypass reconstruction: experience with a modified technique. 2002;36:772-8
Makaroun MS (*see* Fairman et al). 2002;36:118-26
Makaroun MS (*see* Jarrett et al). 2002;36:571-4
Makaroun MS (*see* Kibbe et al). 2002;36:1198-206
Makaroun MS (*see* Wang et al). 2002;36:598-604
Mali WPTM (*see* Nederkoorn et al). 2002;36:806-13
Mandet C (*see* Allaire et al). 2002;36:1018-26
Mann MJ (*see* Conte et al). 2002;36:1040-52
Mansour MA (*see* Erzurum et al). 2002;36:663-7
Marcinczyk MJ (*see* LeSar et al). 2002;36:1154-60
Marek J (*see* Kasirajan et al). 2002;36:869-70 (Letter)
Marin ML (*see* Carroccio et al). 2002;36:679-84
Marra SP (*see* Fillinger et al). 2002;36:589-97
Marrewijk CV (*see* Schermerhorn et al). 2002;36:1112-20
Marston WA (*see* Mendes et al). 2002;36:460-3
Martin LG (*see* Najibi et al). 2002;36:732-7
Martins C (*see* Carmo et al). 2002;36:404-7 (Tech. note)
Marton D (*see* Palmaz et al). 2002;36:1031-9
Marty-Ane C (*see* Sala et al). 2002;36:982-7
Marty B, Perruchoud C, Wicky S, Guillou L, Segesser LKV. Atheroembolization: a harmful complication of therapeutic internal iliac artery occlusion. 2002;36:1062-5 (Case rep.)
Mary H (*see* Sala et al). 2002;36:982-7
Massetti M (*see* Neri et al). 2002;36:738-45
Masuda M (*see* Yajima et al). 2002;36:379-85
Mateo RB (*see* Goyal et al). 2002;36:708-12
Mathew TS (*see* Roddy et al). 2002;36:325-9
Mathieu D (*see* Kobeiter et al). 2002;36:127-31

Matsen SL, Perler BA, Brown PM Jr, Roseborough GS, Williams GM. The distribution of carotid endarterectomy procedures among surgeons and hospitals in New York state: is regionalization of specialized vascular care occurring?. 2002;36:1146-53
Matsubara S (*see* Sakuda et al). 2002;36:922-7
Matsumoto Y, Ueyama T, Endo M, Sasaki H, Kasashima F, Abe Y, Kosugi I. Endoscopic thoracic sympathicotomy for Raynaud's phenomenon. 2002;36:57-61
Matteson B (*see* Kasirajan et al). 2002;36:869-70 (Letter)
Mattos MA (*see* McLafferty et al). 2002;36:100-4
Mattsson E (*see* Zachrisson et al). 2002;36:285-90
Mayer W (*see* Fink et al). 2002;36:357-60
McAllister S (*see* Raju et al). 2002;36:903-11
McCollum CN (*see* Egun et al). 2002;36:89-93
McCollum CN (*see* Torella et al). 2002;36:30-4
McConnell DB (*see* Yeager et al). 2002;36:245-9
McCrae KR (*see* Brings et al). 2002;36:853-5 (Case rep.)
McCrary BS (*see* McLafferty et al). 2002;36:100-4
McCullough LB, Richman BW, Jones JW. Nonmonetary conflicts of interest. 2002;36:1309-10
McCullough LB (*see* Jones and McCullough). 2002;36:199-200, 423-4, 655-6
McCullough LB (*see* Jones et al). 2002;36:865-6, 1092-3
McDaniel MD. Regarding "The Intermittent Claudication Questionnaire: a patient-assessed condition-specific health outcome measure." 2002;36:863-4 (Invited comment)
McIntyre TP, Simone ST, Stahlfeld KR. Intraoperative thrombin occlusion of a visceral artery aneurysm. 2002;36:393-5 (Case rep.)
McKay J (*see* Ohki et al). 2002;36:1175-85
McKay J (*see* Tanquilut et al). 2002;36:41-6
McLafferty RB, McCrary BS, Mattos MA, Karch LA, Ramsey DE, Solis MM, Hodgson KJ. The use of color-flow duplex scan for detection of endoleaks. 2002;36:100-4
McNamara JAM (*see* Lyden et al). 2002;36:674-8
McNeil JD, Chiou AC, Gunlock MG, Grayson DE, Soares G, Hagino RT. Successful endovascular therapy of a penetrating zone III internal carotid injury. 2002;36:187-90 (Case rep.)
McSherry F (*see* Kibbe et al). 2002;36:1198-206
Meade M (*see* Etchells et al). 2002;36:534-40
Med M (*see* Huang et al). 2002;36:371-8
Medbury HJ (*see* Huang et al). 2002;36:371-8
Meek K (*see* Virgilio et al). 2002;36:988-91
Mehta M (*see* Roddy et al). 2002;36:325-9, 555-8
Mehta M (*see* Tanquilut et al). 2002;36:41-6
Meier GH (*see* LeSar et al). 2002;36:1154-60
Meissner MH, Natiello C, Nicholls SC. Performance characteristics of the venous clinical severity score. 2002;36:889-95
Mllire D (*see* Allaire et al). 2002;36:1018-26
Melliere D (*see* Kobeiter et al). 2002;36:127-31
Mendes RR, Farber MA, Marston WA, Dinwiddie LC, Keagy BA, Burnham SJ. Prediction of wrist arteriovenous fistula maturation with preoperative vein mapping with ultrasonography. 2002;36:460-3
Menzinger G (*see* Partsch et al). 2002;36:948-52
Messina LM (*see* Abraham et al). 2002;36:217-25
Messina LM (*see* Brevetti et al). 2002;36:263-70
Messina LM (*see* Pack et al). 2002;36:172-9
Middleton S, Donnelly N. Outcomes of carotid endarterectomy: how does the Australian state of New South Wales compare with international benchmarks?. 2002;36:62-9
Miedema BW, Schillie S, Simmons JW, Burgess SV, Liem T, Silver D. Small bowel motility and transit after aortic surgery. 2002;36:19-24
Miki K (*see* Yamamoto et al). 2002;36:1225-30
Miller CC III (*see* Safi et al). 2002;36:1274-5 (Invited comment)
Miller CC (*see* Huynh et al). 2002;36:469-75
Mills JL (*see* Baxter et al). 2002;36:1-12
Mills JL (*see* Knox et al). 2002;36:250-6
Minar E (*see* Schillinger et al). 2002;36:25-30
Mingazzini PM (*see* Biasi et al). 2002;36:271-7
Mitsuoka H (*see* Yamamoto et al). 2002;36:1225-30
Miyaji K (*see* Hayakawa et al). 2002;36:635-8 (Tech. note), 946-7
Miyamoto T (*see* Ryomoto et al). 2002;36:613-21
Miyata T, Tabata M. Regarding "Extracranial carotid aneurysm in Takayasu's arteritis." 2002;36:201 (Letter reply)
Miyazaki M (*see* Yajima et al). 2002;36:379-85
Mocchegiani F (*see* Ghiselli et al). 2002;36:1027-30
Modrall JG (*see* Sadjadi et al). 2002;36:386-92
Modrall JG (*see* Valentine et al). 2002;36:351-6
Moe O (*see* Sadjadi et al). 2002;36:386-92
Moneta GL. Presidential address: There really is a pony in there. 2002;36:873-6
Moneta GL (*see* Landry et al). 2002;36:238-44
Moneta GL (*see* Moore et al). 2002;36:1276-82
Moneta GL (*see* Yeager et al). 2002;36:245-9
Money SR (*see* Conners et al). 2002;36:476-84, 992-6
Money SR (*see* Sternbergh et al). 2002;36:685-9
Moore WS, Clagett GP, Veith FJ, Moneta GL, Webster MW, Stanley JC, Ouriel K, Andros G, Calligaro KD, Kent KC. Guidelines for hospital privileges in vascular surgery: an update by an ad hoc committee of the American Association for Vascular Surgery and the Society for Vascular Surgery. 2002;36:1276-82
Morrissey NJ (*see* Carroccio et al). 2002;36:679-84
Moura CM (*see* Carmo et al). 2002;36:404-7 (Tech. note)
Mukherjee D, Eagle KA. Coronary revascularization prior to elective vascular surgery: does it reduce cardiac risk?. 2002;36:644-5 (Invited comment)
Müller BT (*see* Eckstein et al). 2002;36:997-1004
Müller P (*see* Pasic et al). 2002;36:184-6 (Case rep.)
Mulligan-Kehoe MJ (*see* Proia et al). 2002;36:164-71
Mulligan RC (*see* Conte et al). 2002;36:1040-52
Mumme A, Heinen W, Geier B, Maatz W, Barbera L, Walterbusch G. Regional hyperthermic fibrinolytic perfusion after unsuccessful venous thrombectomy of extensive deep venous thrombosis. 2002;36:1219-24
Murakami M, Wiley LA, Cindrick-Pounds L, Hunter GC, Uchida T, Killewich LA. External pneumatic compression does not increase urokinase plasminogen activator after abdominal surgery. 2002;36:917-21
Murakami M (*see* Killewich et al). 2002;36:953-8
Muscatelli-Groux B (*see* Allaire et al). 2002;36:1018-26
Myers DD, Henke PK, Wrobleski SK, Hawley AE, Farris DM, Chapman AM, Knipp BS, Thanaporn P, Schaub RG, Greenfield LJ, Wakefield TW. P-selectin inhibition enhances thrombus resolution and decreases vein wall fibrosis in a rat model. 2002;36:928-38

N

Nagashima H, Aoka Y, Sakomura Y, Sakuta A, Aomi S, Ishizuka N, Hagiwara N, Kawana M, Kasanuki H. A 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, cerivastatin, suppresses production of matrix metalloproteinase–9 in human abdominal aortic aneurysm wall. 2002;36:158-63

Nagashima H, Uto K, Sakomura Y, Aoka Y, Sakuta A, Aomi S, Hagiwara N, Kawana M, Kasanuki H. An angiotensin-converting enzyme inhibitor, not an angiotensin II type-1 receptor blocker, prevents B-aminopropionitrile monofumarate–induced aortic dissection in rats. 2002;36:818-23
Nagaya N (*see* Sakamaki et al). 2002;36:35-40
Naik J (*see* Porter et al). 2002;36:150-7
Najibi S, Terramani TT, Weiss VJ, MacDonald MJ, Lin PH, Redd DC, Martin LG, Chaikof EL, Lumsden AB. Endoluminal versus open treatment of descending thoracic aortic aneurysms. 2002;36:732-7
Najibi S (*see* Pruitt et al). 2002;36:625-8 (Case rep.)
Nakaema M (*see* Sakuda et al). 2002;36:922-7
Nakajima N (*see* Yajima et al). 2002;36:379-85
Nakamura S (*see* Yamamoto et al). 2002;36:1225-30
Nakanishi N (*see* Sakamaki et al). 2002;36:35-40
Natiello C (*see* Meissner et al). 2002;36:889-95
Naylor AR. Regarding "High embolic rate early after carotid endarterectomy is associated with early cerebrovascular complications, especially in women." 2002;36:408-9 (Invited comment)
Naylor AR (*see* Sigaudo-Roussel et al). 2002;36:793-8
Nederkoorn PJ, Elgersma OEH, Mali WPTM, Eikelboom BC, Kappelle LJ, Graaf YVD. Overestimation of carotid artery stenosis with magnetic resonance angiography compared with digital subtraction angiography. 2002;36:806-13
Neglen P (*see* Raju et al). 2002;36:903-11
Nehler MR (*see* Krupski et al). 2002;36:257-62
Nelms CR (*see* LeSar et al). 2002;36:1154-60
Nelson PR (*see* Proia et al). 2002;36:164-71
Neri E, Sassi C, Massetti M, Roviello F, Giomarelli P, Bizzarri F, Scolletta S, Setacci C. Nonocclusive intestinal ischemia in patients with acute aortic dissection. 2002;36:738-45
Nguyen ET (*see* Komenaka and Nguyen). 2002;36:1311 (Letter)
Nguyen HT (*see* Krupski et al). 2002;36:257-62
Nguyen TQ (*see* Filis et al). 2002;36:629-31 (Case rep.)
Nicholls SC (*see* Meissner et al). 2002;36:889-95
Nicolaides AN (*see* Hosoi et al). 2002;36:137-42
Nordestgaard BG (*see* Kofoed et al). 2002;36:783-92

O

Oakes DD, Adams GA, Sherck JP, Guest SS. A new operation with inadequate Brescia fistulae for preservation of more proximal veins. 2002;36:346-50
Oblath RW. Changing political realities and vascular surgery. 2002;36:414-15
Oblath RW. The Titanic revisited: professional liability and access to care. 2002;36:642-3
Ochani M (*see* Bernik et al). 2002;36:1231-6
Odero A, Regina G. Regarding "Extracranial carotid aneurysm in Takayasu's arteritis." 2002;36:201 (Letter)
O'Donnell TF (*see* Iafrati et al). 2002;36:1167-74
O'Hara PJ (*see* Abu-Ghaida et al). 2002;36:111-17
O'Hara PJ (*see* Sarac et al). 2002;36:1104-11
Ohki T, Veith FJ, Grenell S, Lipsitz EC, Gargiulo N, McKay J, Valladares J, Suggs WD, Kazmi M. Initial experience with cerebral protection devices to prevent embolization during carotid artery stenting. 2002;36:1175-85
Ohki T (*see* Gargiulo et al). 2002;36:1161-6
Ohki T (*see* Tanquilut et al). 2002;36:41-6
Okuhn SP (*see* Abraham et al). 2002;36:217-25
Olcott C IV (*see* Arko et al). 2002;36:297-304
Olcott C IV (*see* Filis et al). 2002;36:629-31 (Case rep.)
Olsen DM, Rodriguez JA, Vranic M, Ramaiah V, Ravi R, Diethrich EB. A prospective study of ultrasound scan–guided thrombin injection of femoral pseudoaneurysm: a trend toward minimal medication. 2002;36:779-82
Orlando F (*see* Ghiselli et al). 2002;36:1027-30
Ouriel K (*see* Abu-Ghaida et al). 2002;36:111-17
Ouriel K (*see* Moore et al). 2002;36:1276-82
Ouriel K (*see* Sarac et al). 2002;36:1104-11
Oya H (*see* Sakamaki et al). 2002;36:35-40
Öz BS (*see* Kuralay et al). 2002;36:1213-18
Ozaki CK (*see* Huber et al). 2002;36:452-9
Özal E (*see* Kuralay et al). 2002;36:1213-18
Ozsvath KJ (*see* Roddy et al). 2002;36:325-9, 555-8

P

Paek R, Chang DS, Brevetti LS, Rollins MD, Brady S, Ursell PC, Hunt TK, Sarkar R, Messina LM. Correlation of a simple direct measurement of muscle pO_2 to a clinical ischemia index and histology in a rat model of chronic severe hindlimb ischemia. 2002;36:172-9
Paisley A (*see* MacKenzie et al). 2002;36:896-902
Palerme LP, Reid JDS, Chan AMT, Lokanathan R, MacDonald S, Sladen JG. Results of prosthetic-vein composite graft with remote popliteal arteriovenous fistula in infragenicular bypass. 2002;36:330-5
Palmaz JC, Bailey S, Marton D, Sprague E. Influence of stent design and material composition on procedure outcome. 2002;36:1031-9
Panerai RB (*see* Sigaudo-Roussel et al). 2002;36:793-8
Panico S (*see* Iannuzzi et al). 2002;36:965-8
Pare GJ (*see* Iafrati et al). 2002;36:1167-74
Parent FN III. Regarding "Endograft limb occlusion and stenosis after ANCURE endovascular abdominal aneurysm repair." 2002;36:869-70 (Letter reply)
Parent FN (*see* LeSar et al). 2002;36:1154-60
Parodi JC, La Mura R, Ferreira LM. Safety maneuvers to prevent embolism complicating endovascular aortic repair. 2002;36:1076-8 (Tech. note)
Parra JR (*see* Solis et al). 2002;36:485-91
Parry DJ, Aldoori MI, Hammond RJ, Kessel DO, Weston M, Scott DJA. Persistent sciatic vessels, varicose veins, and lower limb hypertrophy: an unusual case or discrete clinical syndrome?. 2002;36:396-400 (Case rep.)
Parry DJ, Kessel DO, Robertson I, Denton L, Patel JV, Berridge DC, Kester RC, Scott DJA. Type II endoleaks: predictable, preventable, and sometimes treatable?. 2002;36:105-10
Partsch H, Menzinger G, Borst-Krafek B, Groiss E. Does thigh compression improve venous hemodynamics in chronic venous insufficiency?. 2002;36:948-52
Partsch H (*see* Caggiati et al). 2002;36:416-22
Pasic M, Bergs P, Knollmann F, Zipfel B, Müller P, Hofmann M, Hetzer R. Delayed retrograde aortic dissection after endovascular stenting of the descending thoracic aorta. 2002;36:184-6 (Case rep.)
Pasterkamp G (*see* Vink et al). 2002;36:1194-7
Patel JV (*see* Parry et al). 2002;36:105-10
Patel S (*see* Lopera et al). 2002;36:1058-61 (Case rep.)
Patra P (*see* Gouëffic et al). 2002;36:1186-93
Patterson RB, Leers S, Gagne P, Carter K, Zaccardi M. Is vascular surgery in danger of losing the vascular laboratory?. 2002;36:639-41
Pattynama PMT (*see* Hagenaars et al). 2002;36:318-24
Paty PSK (*see* Roddy et al). 2002;36:325-9, 555-8

Pearce JD (*see* Ligush et al). 2002;36:492-9
Pearce WH (*see* Baxter et al). 2002;36:1-12
Peppel K (*see* Zhang et al). 2002;36:824-32
Perler BA (*see* Dardik et al). 2002;36:47-50, 696-703
Perler BA (*see* Matsen et al). 2002;36:1146-53
Perruchoud C (*see* Marty et al). 2002;36:1062-5 (Case rep.)
Pestana C (*see* Carmo et al). 2002;36:404-7 (Tech. note)
Peterson DA (*see* Eagleton et al). 2002;36:912-16
Pethan LK (*see* Abraham et al). 2002;36:217-25
Piercy KT (*see* Skillern et al). 2002;36:814-17
Pillet JC (*see* Gouëffic et al). 2002;36:1186-93
Pillny M (*see* Balzer et al). 2002;36:1053-7 (Case rep.)
Pinter L (*see* Kolvenbach et al). 2002;36:1267-70 (Tech. note)
Pipinos II (*see* Lynch et al). 2002;36:646-8 (Invited comment)
Plonk GW (*see* Ligush et al). 2002;36:492-9
Polterauer P (*see* Schillinger et al). 2002;36:25-30
Pomposelli FB Jr (*see* Ramdev et al). 2002;36:969-74
Porat EE (*see* Huynh et al). 2002;36:469-75
Porter JM (*see* Landry et al). 2002;36:238-44
Porter JM (*see* Yeager et al). 2002;36:245-9
Porter KE, Naik J, Turner NA, Dickinson T, Thompson MM, London NJM. Simvastatin inhibits human saphenous vein neointima formation via inhibition of smooth muscle cell proliferation and migration. 2002;36:150-7
Portier F (*see* Hartung et al). 2002;36:849-52 (Case rep.)
Powell JT (*see* Tambiah and Powell). 2002;36:1011-17
Powell RJ (*see* Proia et al). 2002;36:164-71
Powell RJ (*see* Rzucidlo et al). 2002;36:975-81
Powell RJ (*see* Wyers et al). 2002;36:1138-45
Praquin B (*see* Kieffer et al). 2002;36:549-54
Proctor MC (*see* Anand et al). 2002;36:690-5
Proia RR, Nelson PR, Mulligan-Kehoe MJ, Wagner RJ, Kehas AJ, Powell RJ. The effect of endothelial cell overexpression of plasminogen activator inhibitor-1 on smooth muscle cell migration. 2002;36:164-71
Pruitt A, Dodson TF, Najibi S, Thourani V, Sherman A, Cloft H, Caliendo A, Smith RB III. Distal septic emboli and fatal brachiocephalic artery mycotic pseudoaneurysm as a complication of stenting. 2002;36:625-8 (Case rep.)
Puttaparthi K (*see* Sadjadi et al). 2002;36:386-92

Q

Quax PHA (*see* Bas et al). 2002;36:1237-47
Quick CRG (*see* Wilmink et al). 2002;36:751-7
Quiñones-Baldrich WJ (*see* Kakkis et al). 2002;36:1071-5 (Case rep.)

R

Raghavan ML (*see* Fillinger et al). 2002;36:589-97
Raghunandan M (*see* Kolvenbach et al). 2002;36:1267-70 (Tech. note)
Rahmani O, Wolpert LM, Drezner AD. Distal inferior mesenteric veins to renal vein shunt for treatment of bleeding anorectal varices: case report and review of literature. 2002;36:1264-6 (Case rep.)
Raju S, McAllister S, Neglen P. Recanalization of totally occluded iliac and adjacent venous segments. 2002;36:903-11
Ramadan H (*see* Kolvenbach et al). 2002;36:1267-70 (Tech. note)
Ramaiah V (*see* Olsen et al). 2002;36:779-82
Ramdev P, Rayan SS, Sheahan M, Hamdan AD, LoGerfo FW, Akbari CM, Campbell DR, Pomposelli FB Jr. A decade experience with infrainguinal revascularization in a dialysis-dependent patient population. 2002;36:969-74
Ramsey DE (*see* McLafferty et al). 2002;36:100-4
Ramsey DE (*see* Solis et al). 2002;36:485-91
Rauwerda JA (*see* Wisselink et al). 2002;36:1079-82 (Tech. note)
Ravi R (*see* Olsen et al). 2002;36:779-82
Rayan SS (*see* Ramdev et al). 2002;36:969-74
Redd DC (*see* Najibi et al). 2002;36:732-7
Regina G (*see* Odero and Regina). 2002;36:201 (Letter)
Reid JDS (*see* Palerme et al). 2002;36:330-5
Reilly LM (*see* Abraham et al). 2002;36:217-25
Rhee RY (*see* Jarrett et al). 2002;36:571-4
Rhynhart KK (*see* Conte et al). 2002;36:1040-52
Rich NM (*see* Scultetus et al). 2002;36:881-8
Richman BW (*see* Jones et al). 2002;36:865-6, 1092-3
Richman BW (*see* McCullough et al). 2002;36:1309-10
Ricotta JJ. Presidential address: On old dogs and new tricks. 2002;36:657-62
Riles TS (*see* Rockman et al). 2002;36:668-73
Ringleb P (*see* Eckstein et al). 2002;36:997-1004
Risberg B (*see* Kelvsgård et al). 2002;36:310-17
Robertson I (*see* Parry et al). 2002;36:105-10
Robison JG (*see* Baker et al). 2002;36:180-3 (Case rep.)
Rockman CB, Su W, Lamparello PJ, Adelman MA, Jacobowitz GR, Gagne PJ, Landis R, Riles TS. A reassessment of carotid endarterectomy in the face of contralateral carotid occlusion: surgical results in symptomatic and asymptomatic patients. 2002;36:668-73
Roddy SP, Darling RC III, Abrishamchian AR, Ozsvath KJ, Kreienberg PB, Paty PSK, Mehta M, Chang BB, Shah DM. Combined coronary artery bypass with carotid endarterectomy: do women have worse outcomes?. 2002;36:555-8
Roddy SP, Darling RC III, Ozsvath KJ, Kreienberg PB, Chang BB, Mathew TS, Paty PSK, Mehta M, Shah DM. Composite sequential arterial reconstruction for limb salvage. 2002;36:325-9
Rodriguez C, (*see* Virgilio et al). 2002;36:988-91
Rodriguez JA (*see* Olsen et al). 2002;36:779-82
Rogers TE (*see* Sadjadi et al). 2002;36:386-92
Rollins MD (*see* Paek et al). 2002;36:172-9
Romero L (*see* Virgilio et al). 2002;36:988-91
Rosa A (*see* Carmo et al). 2002;36:404-7 (Tech. note)
Roseborough GS (*see* Dardik et al). 2002;36:47-50, 696-703
Roseborough GS (*see* Matsen et al). 2002;36:1146-53
Rosen SF. Regarding "Transient advanced mental impairment: an underappreciated morbidity after aortic surgery." 2002;36:425-6 (Letter reply)
Rosenthal D. Presidential address: Thirteen days in May. 2002;36:430-6
Ross EA (*see* Huber et al). 2002;36:452-9
Rossi PJ, Desai TR, Skelly CL, Curi MA, Glagov S, Schwartz LB. Paravisceral aortic thrombus as a source of peripheral embolization—report of three cases and review of the literature. 2002;36:839-43 (Case rep.)
Roviello F (*see* Neri et al). 2002;36:738-45
Rowe VL (*see* Bowdish et al). 2002;36:713-19
Rowe VL (*see* Terramani et al). 2002;36:844-8 (Case rep.)
Rubba P (*see* Iannuzzi et al). 2002;36:965-8
Rubin GD (*see* Wolf et al). 2002;36:305-9
Ruckley CV, Evans CJ, Allan PL, Lee AJ, Fowkes FGR. Chronic venous insufficiency: clinical and duplex correlations. The Edinburgh Vein Study of venous disorders in the general population. 2002;36:520-5
Ruckley CV (*see* MacKenzie et al). 2002;36:896-902
Russman PL (*see* Frochlich et al). 2002;36:758-63

Rutherford RB (*see* Johnston and Rutherford). 2002;36:428
Ryomoto M, Wolff RA, Tomas JJ, Miyamoto T, Hoch JR. 17B-estradiol attenuates intimal hyperplasia and macrophage accumulation with a reduction in monocyte chemoattractant protein 1 expression in a vein graft model. 2002;36:613-21
Rzucidlo EM, Walsh DB, Powell RJ, Zwolak RM, Fillinger MF, Schermerhorn ML, Cronenwett JL. Prediction of early graft failure with intraoperative completion duplex ultrasound scan. 2002;36:975-81
Rzucidlo EM (*see* Wyers et al). 2002;36:1138-45

S

Saarinen JP, Domonyi K, Zeitlin R, Salenius JP. Postthrombotic syndrome after isolated calf deep venous thrombosis: the role of popliteal reflux. 2002;36:959-64
Saba V (*see* Ghiselli et al). 2002;36:1027-30
Sadjadi J, Puttaparthi K, Li L, Welborn MB III, Rogert TE, Moe O, Clagett GP, Turnage RH, Levi M, Modrall JG. Upregulation of autocrine-paracrine renin-angiotensin systems in chronic renovascular hypertension. 2002;36:386-92
Safar HA (*see* Cin et al). 2002;36:75-82
Safi HJ, Miller CC III, Estrera AL. Regarding "Surgical treatment of nonaneurysmal aortic arch lesions in patients with systemic embolizations." 2002;36:1274-5 (Invited comment)
Safi HJ (*see* Huynh et al). 2002;36:469-75
Saito T (*see* Yamamoto et al). 2002;36:1225-30
Sakamaki F, Oya H, Nagaya N, Kyotani S, Satoh T, Nakanishi N. Higher prevalence of obstructive airway disease in patients with thoracic or abdominal aortic aneurysm. 2002;36:35-40
Sakomura Y (*see* Nagashima et al). 2002;36:158-63, 818-23
Sakuda H, Nakaema M, Matsubara S, Higa N, Kamada Y, Kuniyoshi Y, Koja K. Air plethysmographic assessment of external valvuloplasty in patients with valvular incompetence of the saphenous and deep veins. 2002;36:922-7
Sakuta A (*see* Nagashima et al). 2002;36:158-63, 818-23
Sala F, Hassen-Khodja R, Branchereau P, Berthet JP, Batt M, Mary H, Marty-Ane C, Alric P. Outcome of common iliac arteries after aortoaortic graft placement during elective repair of infrarenal abdominal aortic aneurysms. 2002;36:982-7
Salenius JP (*see* Heikkinen et al). 2002;36:291-6
Salenius JP (*see* Saarinen et al). 2002;36:959-64
Salim A (*see* Terramani et al). 2002;36:844-8 (Case rep.)
Sambeek MRHMV (*see* Hagenaars et al). 2002;36:318-24
Sanders RJ, Hammond SL. Management of cervical ribs and anomalous first ribs causing neurogenic thoracic outlet syndrome. 2002;36:51-6
Sandmann W (*see* Balzer et al). 2002;36:1053-7 (Case rep.)
Sandmann W (*see* Eckstein et al). 2002;36:997-1004
Sarac TP, Clair DG, Hertzer NR, Greenberg RK, Krajewski LP, O'Hara PJ, Ouriel K. Contemporary results of juxtarenal aneurysm repair. 2002;36:1104-11
Sarkar R (*see* Brevetti et al). 2002;36:263-70
Sarkar R (*see* Pack et al). 2002;36:172-9
Sarmento C (*see* Carmo et al). 2002;36:404-7 (Tech. note)
Sasaki H (*see* Matsumoto et al). 2002;36:57-61
Sassi C (*see* Neri et al). 2002;36:738-45
Satoh T (*see* Sakamaki et al). 2002;36:35-40
Sawhney R (*see* Abraham et al). 2002;36:217-25
Scalise G (*see* Ghiselli et al). 2002;36:1027-30
Schaub RG (*see* Myers et al). 2002;36:928-38
Scher L (*see* James et al). 2002;36:1069-70 (Case rep.)
Schermerhorn ML, Finlayson SRG, Fillinger MF, Buth J, Marrewijk CV, Cronenwett JL. Life expectancy after endovascular versus open abdominal aortic aneurysm repair: results of a decision analysis model on the basis of data from EUROSTAR. 2002;36:1112-20
Schermerhorn ML (*see* Rzucidlo et al). 2002;36:975-81
Schermerhorn ML (*see* Wyers et al). 2002;36:1138-45
Schillie S (*see* Miedema et al). 2002;36:19-24
Schillinger M, Domanovits H, Ignatescu M, Exner M, Bayegan K, Sedivy R, Polterauer P, Laggner AN, Minar E, Kostner K. Lipoprotein (a) in patients with aortic aneurysmal disease. 2002;36:25-30
Schmidli J, Heller G, Englberger L, Eckstein FS, Carrel TP. First clinical experience with an anastomotic device to facilitate aortomesenteric saphenous vein bypass. 2002;36:859-62 (Tech. note)
Schneider F (*see* Böhner and Schneider). 2002;36:425-6 (Letter)
Schoder M, Grabenwöger M, Hölzenbein T, Domanovits H, Fleischmann D, Wolf F, Cejna M, Lammer J. Endovascular stent–graft repair of complicated penetrating atherosclerotic ulcers of the descending thoracic aorta. 2002;36:720-6
Schoneveld AH (*see* Vink et al). 2002;36:1194-7
Schubart PJ (*see* Zarins et al). 2002;36:226-33
Schwartz LB (*see* Rossi et al). 2002;36:839-43 (Case rep.)
Scolletta S (*see* Neri et al). 2002;36:738-45
Scott AP (*see* Wilmink et al). 2002;36:751-7
Scott DJ (*see* Valentine et al). 2002;36:351-6
Scott DJA (*see* Parry et al). 2002;36:105-10, 396-400 (Case rep.)
Scultetus AH, Villavicencio JL, Gillespie DL, Kao TC, Rich NM. The pelvic venous syndromes: analysis of our experience with 57 patients. 2002;36:881-8
Sedivy R (*see* Schillinger et al). 2002;36:25-30
Seeger JM (*see* Huber et al). 2002;36:452-9
Segesser LKV (*see* Marty et al). 2002;36:1062-5 (Case rep.)
Semel L. Regarding "The effect of long saphenous vein stripping on quality of life." 2002;36:1311 (Letter)
Setacci C (*see* Neri et al). 2002;36:738-45
Sethi A (*see* Bismuth et al). 2002;36:1005-10
Shah DM (*see* Roddy et al). 2002;36:325-9, 555-8
Shah PM (*see* Goyal et al). 2002;36:708-12
Shaver DM (*see* Zarins et al). 2002;36:226-33
Shaw PM (*see* Tanquilut et al). 2002;36:41-6
Sheahan M (*see* Ramdev et al). 2002;36:969-74
Sherck JP (*see* Oakes et al). 2002;36:346-50
Sherman A (*see* Pruitt et al). 2002;36:625-8 (Case rep.)
Shiota J (*see* Hayakawa et al). 2002;36:635-8 (Tech. note)
Shitrit ABG (*see* Shitrit et al). 2002;36:856-8 (Case rep.)
Shitrit D, Shitrit ABG, Starobin D, Izbicki G, Belenky A, Kaufman N, Kramer MR. Large vessel aneurysms in Wegener's granulomatosis. 2002;36:856-8 (Case rep.)
Shyy JYJ (*see* Yajima et al). 2002;36:379-85
Sicklick JK (*see* Kakkis et al). 2002;36:1071-5 (Case rep.)
Sidawy AN (*see* Carmody et al). 2002;36:833-8
Sigaudo-Roussel D, Evans DH, Naylor AR, Panerai RB, London NL, Bell P, Gaunt ME. Deterioration in carotid baroreflex during carotid endarterectomy. 2002;36:793-8
Sillesen H (*see* Bismuth et al). 2002;36:1005-10
Sillesen H (*see* Kofoed et al). 2002;36:783-92
Silva MB Jr. Regarding "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess." 2002;36:202 (Letter reply)
Silver D (*see* Miedema et al). 2002;36:19-24
Simmons JW (*see* Miedema et al). 2002;36:19-24
Simms MH (*see* Mahmood et al). 2002;36:772-8

Simone ST (*see* McIntyre et al). 2002;36:393-5 (Case rep.)
Simosa HF (*see* Conte et al). 2002;36:1040-52
Sintler M (*see* Mahmood et al). 2002;36:772-8
Skelly CL (*see* Rossi et al). 2002;36:839-43 (Case rep.)
Skillern CS, Stevens SL, Piercy KT, Donnell RJ, Freeman MB, Goldman MH. Endotension in an experimental aneurysm model. 2002;36:814-17
Sladen JG (*see* Palerme et al). 2002;36:330-5
Smith RB III (*see* Pruitt et al). 2002;36:625-8 (Case rep.)
Smith SRG (*see* Mahmood et al). 2002;36:772-8
Snyder B (*see* Sullivan et al). 2002;36:143-9
Snyder BA (*see* Bolton et al). 2002;36:464-8
Snyder BA (*see* Langan et al). 2002;36:132-6
Snyder BA (*see* Sullivan et al). 2002;36:514-19
Soares G (*see* McNeil et al). 2002;36:187-90 (Case rep.)
Solis MM, Ayerdi J, Babcock GA, Parra JR, Lafferty RB, Gruneiro LA, Ramsey DE, Hodgson KJ. Mechanism of failure in the treatment of type II endoleak with percutaneous coil embolization. 2002;36:485-91
Solis MM (*see* McLafferty et al). 2002;36:100-4
Solomon J (*see* Larson et al). 2002;36:1260-3 (Case rep.)
Sood J (*see* LeSar et al). 2002;36:1154-60
Spittell PC (*see* Kral et al). 2002;36:565-70
Sprague E (*see* Palmaz et al). 2002;36:1031-9
Sprouse LR II, Hamilton IN Jr. The endovascular treatment of a renal arteriovenous fistula: placement of a covered stent. 2002;36:1066-8 (Case rep.)
Srivastava S (*see* Abu-Ghaida et al). 2002;36:111-17
Stahlfeld KR (*see* McIntyre et al). 2002;36:393-5 (Case rep.)
Stanley J (*see* Froehlich et al). 2002;36:758-63
Stanley JC (*see* Anand et al). 2002;36:690-5
Stanley JC (*see* Eagleton et al). 2002;36:912-16
Stanley JC (*see* Henke et al). 2002;36:1083-91
Stanley JC (*see* Moore et al). 2002;36:1276-82
Starobin D (*see* Shitrit et al). 2002;36:856-8 (Case rep.)
Steffen G (*see* Erzurum et al). 2002;36:663-7
Steiner A (*see* Fink et al). 2002;36:357-60
Sternbach Y (*see* Lyden et al). 2002;36:674-8
Sternbergh WC III, York JW, Conners MS, Money SR. Trends in aortic aneurysm surgical training for general and vascular surgery residents in the era of endovasclar abdominal aortic aneurysm repair. 2002;36:685-9
Sternbergh WC III (*see* Conners et al). 2002;36:476-84, 992-6
Sternjakob S (*see* Biasi et al). 2002;36:271-7
Stevens SL (*see* Skillern et al). 2002;36:814-17
Stevens SL (*see* Timaran et al). 2002;36:507-13
Stierli P (*see* Beldi et al). 2002;36:632-4 (Case rep.)
Stone WM, Abbas M, Cherry KJ, Fowl RJ, Gloviczki P. Superior mesenteric artery aneurysms: is presence an indication for intervention?. 2002;36:234-7
Stoney RJ (*see* Wahlberg et al). 2002;36:13-18
Stordahl N (*see* Back et al). 2002;36:526-33
Su W (*see* Rockman et al). 2002;36:668-73
Suggs WD (*see* Gargiulo et al). 2002;36:1161-6
Suggs WD (*see* Ohki et al). 2002;36:1175-85
Suggs WD (*see* Tanquilut et al). 2002;36:41-6
Sullivan TM, Ainsworth SD, Langan EM, Taylor S, Snyder B, Cull D, Youkey J, Laberge M. Effect of endovascular stent strut geometry on vascular injury, myointimal hyperplasia, and restenosis. 2002;36:143-9
Sullivan TM. Regarding "Carotid artery stenting in a vascular surgery practice." 2002;36:1094 (Letter)
Sullivan TM, Taylor SM, Blackhurst DW, Langan EM III, Cull DL, Carsten CG III, Gray BH, Snyder BA, Youkey JR. Has endovascular surgery reduced the number of open vascular operations performed by an established surgical practice?. 2002;36:514-19
Sullivan TM (*see* Bolton et al). 2002;36:464-8
Sullivan TM (*see* Langan et al). 2002;36:132-6
Sumner DS. Regarding "Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model." 2002;36:196-8 (Invited comment)
Susarla S (*see* Bernik et al). 2002;36:1231-6
Sybrandy JEM, Wittens CHA. Initial experiences in endovenous treatment of saphenous vein reflux. 2002;36:1207-12

T

Tabata M (*see* Miyata and Tabata). 2002;36:201 (Letter reply)
Tambiah J, Powell JT. *Chlamydia pneumoniae* antigens facilitate experimental aortic dilatation: prevention with azithromycin. 2002;36:1011-17
Tanaka A (*see* Hayakawa et al). 2002;36:635-8 (Tech. note), 946-7
Tanaka S (*see* Hayakawa et al). 2002;36:635-8 (Tech. note), 946-7
Tangelder MJD (*see* Borst et al). 2002;36:336-40
Tanquilut EM, Veith FJ, Ohki T, Lipsitz EC, Shaw PM, Suggs WD, Wain RA, Mehta M, Cayne NS, McKay J. Nonoperative management with selective delayed surgery for large abdominal aortic aneurysms in patients at high risk. 2002;36:41-6
Tatar H (*see* Kuralay et al). 2002;36:1213-18
Taylor LM Jr (*see* Landry et al). 2002;36:238-44
Taylor LM Jr (*see* Yeager et al). 2002;36:245-9
Taylor S (*see* Sullivan et al). 2002;36:143-9
Taylor SM (*see* Bolton et al). 2002;36:464-8
Taylor SM (*see* Langan et al). 2002;36:132-6
Taylor SM (*see* Sullivan et al). 2002;36:514-19
Tazelaar HD (*see* Kral et al). 2002;36:565-70
Teodorescu V (*see* Carroccio et al). 2002;36:679-84
Terramani TT, Salim A, Hood DB, Rowe VL, Weaver FA. Hypoplasia of the descending thoracic and abdominal aorta: a report of two cases and review of the literature. 2002;36:844-8 (Case rep.)
Terramani TT (*see* Lin et al). 2002;36:500-6
Terramani TT (*see* Najibi et al). 2002;36:732-7
Teruya TH (*see* Ballard et al). 2002;36:211-16
Thanaporn P (*see* Myers et al). 2002;36:928-38
Thiele SP (*see* AbuRahma et al). 2002;36:437-42
Thomas DD (*see* Johanning et al). 2002;36:877-80
Thompson MM (*see* Porter et al). 2002;36:150-7
Thompson RW (*see* Baxter et al). 2002;36:1-12
Thorniley MS (*see* Egun et al). 2002;36:89-93
Thourani V (*see* Pruitt et al). 2002;36:625-8 (Case rep.)
Tillich M (*see* Wolf et al). 2002;36:305-9
Timaran CH, Stevens SL, Freeman MB, Goldman MH. Predictors for adverse outcome after iliac angioplasty and stenting for limb-threatening ischemia. 2002;36:507-13
Tomas JJ (*see* Ryomoto et al). 2002;36:613-21
Tomlinson G (*see* Etchells et al). 2002;36:534-40
Tongeren RBMV (*see* Hagenaars et al). 2002;36:318-24
Tonnessen BH (*see* Conners et al). 2002;36:476-84, 992-6
Torella F, Haynes SL, Kirwan CC, Bhatt AN, McCollum CN. Acute normovolemic hemodilution and intraoperative cell salvage in aortic surgery. 2002;36:30-4
Torella F (*see* Egun et al). 2002;36:89-93
Tracey KJ (*see* Bernik et al). 2002;36:1231-6
Tsay YG (*see* Hsu et al). 2002;36:746-50

Tschoepl M (*see* Degischer et al). 2002;36:83-8
Tsuha M (*see* Hayakawa et al). 2002;36:635-8 (Tech. note)
Turmel-Rodrigues L. Regarding "Impact of secondary procedures in autogenous fistula maturation and maintenance." 2002;36: 867-8 (Letter)
Turnage RH (*see* Sadjadi et al). 2002;36:386-92
Turner NA (*see* Porter et al). 2002;36:150-7
Turnipseed WD (*see* Grazziotin and Turnipseed). 2002;36:191-3 (Case rep.)

U

Ubbink DT (*see* Coffi et al). 2002;36:575-80
Uchida T (*see* Killewich et al). 2002;36:953-8
Uchida T (*see* Murakami et al). 2002;36:917-21
Ueyama T (*see* Matsumoto et al). 2002;36:57-61
Uflacker R (*see* Baker et al). 2002;36:180-3 (Case rep.)
Unno N (*see* Yamamoto et al). 2002;36:1225-30
Upchurch GR Jr (*see* Anand et al). 2002;36:690-5
Upchurch GR Jr (*see* Baxter et al). 2002;36:1-12
Upchurch GR Jr (*see* Eagleton et al). 2002;36:912-16
Ursell PC (*see* Paek et al). 2002;36:172-9
Ustunsoz B (*see* Lopera et al). 2002;36:1058-61 (Case rep.)
Uto K (*see* Nagashima et al). 2002;36:818-23

V

Valentine RJ, Bouch CW, Scott DJ, Li S, Jackson MR, Modrall JG, Clagett GP. Do preoperative finger pressures predict early arterial steal in hemodialysis access patients? A prospective analysis. 2002;36:351-6
Valladares J (*see* Ohki et al). 2002;36:1175-85
Van Heck GLL (*see* Breek et al). 2002;36:94-9
Vardulaki KA (*see* Wilmink et al). 2002;36:751-7
Veith FJ (*see* Gargiulo et al). 2002;36:1161-6
Veith FJ (*see* Moore et al). 2002;36:1276-82
Veith FJ (*see* Ohki et al). 2002;36:1175-85
Veith FJ (*see* Tanquilut et al). 2002;36:41-6
Velazquez OC (*see* Fairman et al). 2002;36:118-26
Veves A. Regarding "Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization." 2002;36: 868-9 (Letter reply)
Villavicencio JL (*see* Scultetus et al). 2002;36:881-8
Vink A, Schoneveld AH, Borst C, Pasterkamp G. The contribution of plaque and arterial remodeling to de novo atherosclerotic luminal narrowing in the femoral artery. 2002;36:1194-7
Virgilio CD, Romero L, Donayre C, Meek K, Lewis RJ, Lippmann M, Rodriguez C, White R. Endovascular abdominal aortic aneurysm repair with general versus local anesthesia: a comparison of cardiopulmonary morbidity and mortality rates. 2002; 36:988-91
Vliet JAVD (*see* Borst et al). 2002;36:336-40
Vohra RK (*see* Mahmood et al). 2002;36:772-8
Volkmann R (*see* Zachrisson et al). 2002;36:285-90
Vorp DA (*see* Wang et al). 2002;36:598-604
Vranic M (*see* Olsen et al). 2002;36:779-82
Vries JD (*see* Breek et al). 2002;36:94-9

W

Waas JK (*see* Brings et al). 2002;36:853-5 (Case rep.)
Wagner RJ (*see* Proia et al). 2002;36:164-71
Wagner WH (*see* Farber et al). 2002;36:205-10
Wahlberg E, DiMuzio PJ, Stoney RJ. Aortic clamping during elective operations for infrarenal disease: the influence of clamping time on renal function. 2002;36:13-18
Wain RA (*see* Gargiulo et al). 2002;36:1161-6
Wain RA (*see* Tanquilut et al). 2002;36:41-6
Wakefield MC (*see* Carmody et al). 2002;36:833-8
Wakefield T (*see* Froehlich et al). 2002;36:758-63
Wakefield TW (*see* Eagleton et al). 2002;36:581-8, 912-16
Wakefield TW (*see* Myers et al). 2002;36:928-38
Waldman DL (*see* Lyden et al). 2002;36:674-8
Wallace H (*see* Krupski et al). 2002;36:257-62
Walsh DB (*see* Farber et al). 2002;36:205-10
Walsh DB (*see* Rzucidlo et al). 2002;36:975-81
Walsh DB (*see* Wyers et al). 2002;36:1138-45
Walterbusch G (*see* Mumme et al). 2002;36:1219-24
Waltke EA (*see* Baxter et al). 2002;36:1-12
Wang DHJ, Makaroun MS, Webster MW, Vorp DA. Effect of intraluminal thrombus on wall stress in patient-specific models of abdominal aortic aneurysm. 2002;36:598-604
Wang SS (*see* Hsu et al). 2002;36:746-50
Weaver FA (*see* Bowdish et al). 2002;36:713-19
Weaver FA (*see* Terramani et al). 2002;36:844-8 (Case rep.)
Weber M (*see* Carmody et al). 2002;36:833-8
Webster MW (*see* Moore et al). 2002;36:1276-82
Webster MW (*see* Wang et al). 2002;36:598-604
Weiss VJ (*see* Najibi et al). 2002;36:732-7
Welborn MB III (*see* Sadjadi et al). 2002;36:386-92
Wendell-Smith CP (*see* Caggiati et al). 2002;36:416-22
Weston M (*see* Parry et al). 2002;36:396-400 (Case rep.)
White JV. Regarding "Laparoscopic remodeling of abdominal aortic aneurysms after endovascular exclusion: a technical description." 2002;36:1271-3 (Invited comment)
White R (*see* Virgilio et al). 2002;36:988-91
Whitehill TA (*see* Krupski et al). 2002;36:257-62
Wicky S (*see* Marty et al). 2002;36:1062-5 (Case rep.)
Wieneke GH (*see* Laman et al). 2002;36:278-84
Wilcox JN (*see* Li et al). 2002;36:361-70
Wiley LA (*see* Killewich et al). 2002;36:953-8
Wiley LA (*see* Murakami et al). 2002;36:917-21
Wilhjelm JE (*see* Kofoed et al). 2002;36:783-92
Williams DM (*see* Anand et al). 2002;36:690-5
Williams DM (*see* Eagleton et al). 2002;36:912-16
Williams DT. Regarding "Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization." 2002;36:868-9 (Letter)
Williams GM (*see* Dardik et al). 2002;36:47-50, 696-703
Williams GM (*see* Matsen et al). 2002;36:1146-53
Williford W (*see* Kibbe et al). 2002;36:1198-206
Wilmink ABM, Vardulaki KA, Hubbard CS, Day NE, Ashton HA, Scott AP, Quick CRG. Are antihypertensive drugs associated with abdominal aortic aneurysms?. 2002;36:751-7
Wise C (*see* Froehlich et al). 2002;36:758-63
Wisselink W, Cuesta MA, Gracia C, Rauwerda JA. Robot-assisted laparoscopic aortobifemoral bypass for aortoiliac occlusive disease: a report of two cases. 2002;36:1079-82 (Tech. note)
Wittens CHA (*see* Hagenaars et al). 2002;36:318-24
Wittens CHA (*see* Sybrandy and Wittens). 2002;36:1207-12
Wolf F (*see* Schoder et al). 2002;36:720-6
Wolf YG, Tillich M, Lee WA, Fogarty TJ, Zarins CK, Rubin GD. Changes in aneurysm volume after endovascular repair of abdominal aortic aneurysm. 2002;36:305-9
Wolff RA (*see* Ryomoto et al). 2002;36:613-21
Wolpert LM (*see* Rahmani et al). 2002;36:1264-6 (Case rep.)

Wrobleski SK (*see* Myers et al). 2002;36:928-38
Wulu JT Jr (*see* AbuRahma et al). 2002;36:437-42
Wyers MC, Schermerhorn ML, Fillinger MF, Powell RJ, Rzucidlo EM, Walsh DB, Zwolak RM, Cronenwett JL. Internal iliac occlusion without coil embolization during endovascular abdominal aortic aneurysm repair. 2002;36:1138-45

X

Xu C, Zarins CK, Glagov S. Biphasic response of tropoelastin at the poststenotic dilation segment of the rabbit aorta. 2002;36:605-12
Xu CP (*see* Li et al). 2002;36:361-70

Y

Yajima N, Masuda M, Miyazaki M, Nakajima N, Chien S, Shyy JYJ. Oxidative stress is involved in the development of experimental abdominal aortic aneurysm: a study of the transcription profile with complementary DNA microarray. 2002;36:379-85
Yamamoto N, Unno N, Mitsuoka H, Saito T, Miki K, Ishimaru K, Kaneko H, Nakamura S. Preoperative and intraoperative evaluation of diameter-reflux relationship of calf perforating veins in patients with primary varicose vein. 2002;36:1225-30
Yeager RA, Moneta GL, Edwards JM, Landry GJ, Taylor LM Jr, McConnell DB, Porter JM. Relationship of hemodialysis access to finger gangrene in patients with end-stage renal disease. 2002;36:245-9
Yeager RA (*see* Landry et al). 2002;36:238-44
Yildirim V (*see* Kuralay et al). 2002;36:1213-18
York JW (*see* Sternbergh et al). 2002;36:685-9
Yoselevitz M (*see* Conners et al). 2002;36:476-84, 992-6
Youkey J (*see* Sullivan et al). 2002;36:143-9
Youkey JR (*see* Bolton et al). 2002;36:464-8
Youkey JR (*see* Langan et al). 2002;36:132-6
Youkey JR (*see* Sullivan et al). 2002;36:514-19

Z

Zaccardi M (*see* Patterson et al). 2002;36:639-41
Zachrisson H, Blomstrand C, Holm J, Mattsson E, Volkmann R. Changes in middle cerebral artery blood flow after carotid endarterectomy as monitored by transcranial Doppler. 2002;36:285-90
Zarins CK, Shaver DM, Arko FR, Schubart PJ, Lengle SJ, Dixon SM. Introduction of endovascular aneurysm repair into community practice: initial results with a new Food and Drug Administration–approved device. 2002;36:226-33
Zarins CK (*see* Arko et al). 2002;36:297-304
Zarins CK (*see* Wolf et al). 2002;36:305-9
Zarins CK (*see* Xu et al). 2002;36:605-12
Zegelman M (*see* Eckstein et al). 2002;36:997-1004
Zeitlin R (*see* Saarinen et al). 2002;36:959-64
Zelenock G (*see* Froehlich et al). 2002;36:758-63
Zhang L, Hagen PO, Kisslo J, Peppel K, Freedman NJ. Neointimal hyperplasia rapidly reaches steady state in a novel murine vein graft model. 2002;36:824-32
Zipfel B (*see* Pasic et al). 2002;36:184-6 (Case rep.)
Zukowski A (*see* Hosoi et al). 2002;36:137-42
Zwiers I (*see* Coffi et al). 2002;36:575-80
Zwolak RM (*see* Rzucidlo et al). 2002;36:975-81
Zwolak RM (*see* Wyers et al). 2002;36:1138-45

*Subject index**

A

Adenoviruses
Effect of adenoviral titer and instillation pressure on gene transfer efficiency to arterial and venous grafts ex-vivo (Brevetti et al). 2002;36:263-70

Advance directives
Complying with advance directives in the operating room (Jones and McCullough). 2002;36:199-200

Aged
Prevalence of renovascular disease in the elderly: a population-based study (Hansen et al). 2002;36:443-51
Thoracoabdominal and descending thoracic aortic aneurysm surgery in patients aged 79 years or older (Huynh et al). 2002;36:469-75

Alpha-lipoproteins; *see* Lipoproteins, HDL

American Venous Forum
Presidential address: There really is a pony in there (Moneta). 2002;36:873-6

Aminopropionitrile
An angiotensin-converting enzyme inhibitor, not an angiotensin II type-1 receptor blocker, prevents B-aminopropionitrile monofumarate–induced aortic dissection in rats (Nagashima et al). 2002;36:818-23

Anastomosis, surgical
First clinical experience with an anastomotic device to facilitate aortomesenteric saphenous vein bypass (Schmidli et al). 2002;36:859-62
Small bowel motility and transit after aortic surgery (Miedema et al). 2002;36:19-24

Anesthesia
Endovascular abdominal aortic aneurysm repair with general versus local anesthesia: a comparison of cardiopulmonary morbidity and mortality rates (Virgilio et al). 2002;36:988-91

Aneurysm
Intraoperative thrombin occlusion of a visceral artery aneurysm (McIntyre et al). 2002;36:393-5 (Case rep.)
Introduction of endovascular aneurysm repair into community practice: initial results with a new Food and Drug Administration–approved device (Zarins et al). 2002;36:226-33
Large vessel aneurysms in Wegener's granulomatosis (Shitrit et al). 2002;36:856-8 (Case rep.)
Regarding "Extracranial carotid aneurysm in Takayasu's arteritis" (Odero and Regina) (Letter); (Miyata and Tabata) (Reply). 2002;36:201
Stent graft repair of visceral artery aneurysms (Larson et al). 2002;36:1260-3 (Case rep.)
Superficial femoral artery aneurysms: an unusual entity? (Jarrett et al). 2002;36:571-4
Superior mesenteric artery aneurysms: is presence an indication for intervention? (Stone et al). 2002;36:234-7

Aneurysm, dissecting
Delayed retrograde aortic dissection after endovascular stenting of the descending thoracic aorta (Pasic et al). 2002;36:184-6 (Case rep.)

Aneurysm, false
Distal septic emboli and fatal brachiocephalic artery mycotic pseudoaneurysm as a complication of stenting (Pruitt et al). 2002;36:625-8 (Case rep.)
Endovascular repair of a ruptured chronic type B aortic dissection (Hinchliffe et al). 2002;36:401-3 (Case rep.)
Percutaneous coil embolization of postcatheterization arterial femoral pseudoaneurysms (Kobeiter et al). 2002;36:127-31
A prospective study of ultrasound scan–guided thrombin injection of femoral pseudoaneurysm: a trend toward minimal medication (Olsen et al). 2002;36:779-82
Successful endovascular therapy of a penetrating zone III internal carotid injury (McNeil et al). 2002;36:187-90 (Case rep.)

Aneurysm, infected
Surgical treatment for primary infected aneurysm of the descending thoracic aorta, abdominal aorta, and iliac arteries (Hsu et al). 2002;36:746-50

Aneurysm, ruptured
Capturing an accurate measure of success—outcomes and endpoints in endovascular aneurysm repair (Chaikof). 2002;36:410-11 (Invited comment)
In vivo analysis of mechanical wall stress and abdominal aortic aneurysm rupture risk (Fillinger et al). 2002;36:589-97
Ruptured abdominal aortic aneurysm in a well-defined geographic area (Heikkinen et al). 2002;36:291-6
Spontaneous rupture of collateral venous aneurysm in a patient with agenesis of the inferior vena cava: a case report (Balzer et al). 2002;36:1053-7 (Case rep.)
Superior mesenteric artery aneurysms: is presence an indication for intervention? (Stone et al). 2002;36:234-7

Angiography, digital subtraction
Overestimation of carotid artery stenosis with magnetic resonance angiography compared with digital subtraction angiography (Nederkoorn et al). 2002;36:806-13

Angioplasty
Air plethysmographic assessment of external valvuloplasty in patients with valvular incompetence of the saphenous and deep veins (Sakuda et al). 2002;36:922-7
Aneurysm-related death: primary endpoint analysis for comparison of open and endovascular repair (Arko et al). 2002;36:297-304
Distal vertebral artery reconstruction: long-term outcome (Kieffer et al). 2002;36:549-54
Has endovascular surgery reduced the number of open vascular operations performed by an established surgical practice? (Sullivan et al). 2002;36:514-19
Is the nihilistic approach to surgical reduction of superficial and perforator vein incompetence for venous ulcer justified? (Iafrati et al). 2002;36:1167-74
Nine-year experience of bovine pericardium patch angioplasty during carotid endarterectomy (Biasi et al). 2002;36:271-7
Outcome of nonoperative management of asymptomatic high-grade carotid stenosis (Erzurum et al). 2002;36:663-7
Predictors for adverse outcome after iliac angioplasty and stenting for limb-threatening ischemia (Timaran et al). 2002;36:507-13

Angioplasty, balloon
Effect of endovascular stent strut geometry on vascular injury, myointimal hyperplasia, and restenosis (Sullivan et al). 2002;36:143-9
Endoluminal versus open treatment of descending thoracic aortic aneurysms (Najibi et al). 2002;36:732-7
Regulation of syndecan-4 expression with mechanical stress during the development of angioplasty-induced intimal thickening (Li et al). 2002;36:361-70
Safety maneuvers to prevent embolism complicating endovas-

* July, pp. 1-204; August, pp. 205-428; September, pp. 429-656; October, pp. 657-872; November, pp. 873-1096; December, pp. 1097-1352.

cular aortic repair (Parodi et al). 2002;36:1076-8 (Tech. note.)

Angioplasty, transluminal, percutaneous coronary
Gamma radiation induces positive vascular remodeling after balloon angioplasty: a prospective, randomized intravascular ultrasound scan study (Hagenaars et al). 2002;36:318-24
Limitations in the cardiac risk reduction provided by coronary revascularization prior to elective vascular surgery (Back et al). 2002;36:526-33

Angiotensin-converting enzyme inhibitors
An angiotensin-converting enzyme inhibitor, not an angiotensin II type-1 receptor blocker, prevents B-aminopropionitrile monofumarate–induced aortic dissection in rats (Nagashima et al). 2002;36:818-23
Are antihypertensive drugs associated with abdominal aortic aneurysms? (Wilmink et al). 2002;36:751-7

Angiotensin II
Upregulation of autocrine-paracrine renin-angiotensin systems in chronic renovascular hypertension (Sadjadi et al). 2002;36:386-92

Anti-infective agents
Temporin A as a prophylactic agent against methicillin sodium–susceptible and methicillin sodium–resistant *Staphylococcus epidermidis* vascular graft infection (Ghiselli et al). 2002;36:1027-30

Anticoagulants
Anticoagulation is an effective treatment for aortic mural thrombi (Bowdish et al). 2002;36:713-19

Antihypertensive agents
Are antihypertensive drugs associated with abdominal aortic aneurysms? (Wilmink et al). 2002;36:751-7

Anus diseases
Distal inferior mesenteric veins to renal vein shunt for treatment of bleeding anorectal varices: case report and review of literature (Rahmani et al). 2002;36:1264-6 (Case rep.)

Aorta
Anticoagulation is an effective treatment for aortic mural thrombi (Bowdish et al). 2002;36:713-19
Aortic clamping during elective operations for infrarenal disease: the influence of clamping time on renal function (Wahlberg et al). 2002;36:13-18
First clinical experience with an anastomotic device to facilitate aortomesenteric saphenous vein bypass (Schmidli et al). 2002;36:859-62
Ingrowth of aorta vascular cells into basic fibroblast growth factor–impregnated vascular prosthesis material: a porcine and human in vitro study on blood vessel prosthesis healing (Bas et al). 2002;36:1237-47
Regarding "Transient advanced mental impairment: an underappreciated morbidity after aortic surgery" (Böhner and Schneider) (Letter); (Rosen) (Reply). 2002;36:425-6
Small bowel motility and transit after aortic surgery (Miedema et al). 2002;36:19-24

Aorta, abdominal
Endovascular treatment of embolization of aortic plaque with covered stents (Dougherty and Calligaro). 2002;36:727-31
Hypoplasia of the descending thoracic and abdominal aorta: a report of two cases and review of the literature (Terramani et al). 2002;36:844-8 (Case rep.)
Isolated dissection of the abdominal aorta: clinical presentation and therapeutic options (Farber et al). 2002;36:205-10
Mural thrombus of the aorta in association with homozygous plasminogen activator inhibitor type 1 (PAI-1)-675(4G) and heterozygous CP Ia 807C/T genotypes (Beldi et al). 2002;36:632-4 (Case rep.)

Aorta, thoracic
Biphasic response of tropoelastin at the poststenotic dilation segment of the rabbit aorta (Xu et al). 2002;36:605-12
Endovascular stent–graft repair of complicated penetrating atherosclerotic ulcers of the descending thoracic aorta (Schoder et al). 2002;36:720-6
Hypoplasia of the descending thoracic and abdominal aorta: a report of two cases and review of the literature (Terramani et al). 2002;36:844-8 (Case rep.)
Operative mortality rate for elective abdominal aortic aneurysm repair is not increased by the presence of a previous or concurrent thoracic or thoracoabdominal aortic dissection (Anand). 2002;36:690-5
Regarding "Surgical treatment of nonaneurysmal arch lesions in patients with systemic embolizations" (Safi et al). 2002;36:1274-5 (Invited comment)
Surgical treatment of nonaneurysmal arch lesions in patients with systemic embolization (Gouëffic et al). 2002;36:1186-93

Aortic aneurysm
Acute normovolemic hemodilution and intraoperative cell salvage in aortic surgery (Torella et al). 2002;36:31-4
Safety maneuvers to prevent embolism complicating endovascular aortic repair (Parodi et al). 2002;36:1076-8 (Tech. note.)

Aortic aneurysm, abdominal
Abdominal aortic aneurysm repair with the Zenith stent graft: short to midterm results (Abraham et al). 2002;36:217-25
Analysis of medical risk factors and outcomes in patients undergoing open versus endovascular abdominal aortic aneurysm repair (Ligush et al). 2002;36:492-9
Aneurysm-related death: primary endpoint analysis for comparison of open and endovascular repair (Arko et al). 2002;36:297-304
Are antihypertensive drugs associated with abdominal aortic aneurysms? (Wilmink et al). 2002;36:751-7
Broadening the applicability of endovascular aneurysm repair: the use of iliac conduits (Abu-Ghaida et al). 2002;36:111-17
Capturing an accurate measure of success—outcomes and endpoints in endovascular aneurysm repair (Chaikof). 2002;36:410-11 (Invited comment)
Changes in aneurysm volume after endovascular repair of abdominal aortic aneurysm (Wolf et al). 2002;36:305-9
Chlamydia pneumoniae antigens facilitate experimental aortic dilatation: prevention with azithromycin (Tambiah and Powell). 2002;36:1011-17
Contemporary results of juxtarenal aneurysm repair (Sarac et al). 2002;36:1104-11
Effect of intraluminal thrombus on wall stress in patient-specific models of abdominal aortic aneurysm (Wang et al). 2002;36:598-604
Endograft migration one to four years after endovascular abdominal aortic aneurysm repair with the AneuRX device: a cautionary note (Conners et al). 2002;36:476-84
Endotension in an experimental aneurysm model (Skillern et al). 2002;36:814-17
Endovascular abdominal aortic aneurysm repair with general versus local anesthesia: a comparison of cardiopulmonary morbidity and mortality rates (Virgilio et al). 2002;36:988-91
Endovascular treatment of abdominal aortic aneurysm is asso-

ciated with a low incidence of deep venous thrombosis (Eagleton et al). 2002;36:912-06

Higher prevalence of obstructive airway disease in patients with thoracic or abdominal aortic aneurysm (Sakamaki et al). 2002;36:35-40

A 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, cerivastatin, suppresses production of matrix metalloproteinase–9 in human abdominal aortic aneurysm wall (Nagashima et al). 2002;36:158-63

In vivo analysis of mechanical wall stress and abdominal aortic aneurysm rupture risk (Fillinger et al). 2002;36:589-97

Internal iliac occlusion without coil embolization during endovascular abdominal aortic aneurysm repair (Wyers et al). 2002;36:1138-45

Laparoscopic remodeling of abdominal aortic aneurysms after endovascular exclusion: a technical description (Kolvenbach et al). 2002;36:1267-70 (Tech. note)

Life expectancy after endovascular versus open abdominal aortic aneurysm repair: results of a decision analysis model on the basis of data from EUROSTAR (Schermerhorn et al). 2002;36:1112-20

Lipoprotein (a) in patients with aortic aneurysmal disease (Schillinger et al). 2002;36:25-30

Mechanism of failure in the treatment of type II endoleak with percutaneous coil embolization (Solis et al). 2002;36:485-91

Multicenter trial of the PowerLink bifurcated system for endovascular aortic aneurysm repair (Carpenter). 2002;36:1129-37

Nonoperative management with selective delayed surgery for large abdominal aortic aneurysms in patients at high risk (Tanquilut et al). 2002;36:41-6

Operative mortality rate for elective abdominal aortic aneurysm repair is not increased by the presence of a previous or concurrent thoracic or thoracoabdominal aortic dissection (Anand). 2002;36:690-5

Outcome of common iliac arteries after aortoaortic graft placement during elective repair of infrarenal abdominal aortic aneurysms (Sala et al). 2002;36:982-7

Oxidative stress is involved in the development of experimental abdominal aortic aneurysm: a study of the transcription profile with complementary DNA microarray (Yajima et al). 2002;36:379-85

Paracrine effect of vascular smooth muscle cells in the prevention of aortic aneurysm formation (Allaire et al). 2002;36:1018-26

Prolonged administration of doxycycline in patients with small asymptomatic abdominal aortic aneurysms: report of a prospective (Phase II) multicenter study (Baxter et al). 2002;36:1-12

Regarding "Changes in aneurysm volume after endovascular repair of abdominal aortic aneurysm" (Blankensteijn). 2002;36:412-13 (Invited comment)

Regarding "Endograft limb occlusion and stenosis after ANCURE endovascular abdominal aneurysm repair" (Kasirajan et al) (Letter); (Parent) (Reply). 2002;36:869-70

Regarding "Laparoscopic remodeling of abdominal aortic aneurysms after endovascular exclusion: a technical description" (White). 2002;36:1271-3 (Invited comment)

Ruptured abdominal aortic aneurysm in a well-defined geographic area (Heikkinen et al). 2002;36:291-6

Secondary procedures after endovascular aortic aneurysm repair (Conners et al). 2002;36:992-6

Stent graft infection after abdominal aortic aneurysm repair: a case report (Baker et al). 2002;36:180-3 (Case rep.)

Subdural hematoma after thoracoabdominal aortic aneurysm repair: an underreported complication of spinal fluid drainage? (Dardik et al). 2002;36:47-50

Surgical treatment for primary infected aneurysm of the descending thoracic aorta, abdominal aorta, and iliac arteries (Hsu et al). 2002;36:746-50

Technical considerations for late removal of aortic endografts (Lyden et al). 2002;36:674-8

Trends in aortic aneurysm surgical training for general and vascular surgery residents in the era of endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2002;36:685-9

Type II endoleaks: predictable, preventable, and sometimes treatable? (Parry et al). 2002;36:105-10

The use of color-flow duplex scan for detection of endoleaks (McLafferty et al). 2002;36:100-4

Aortic aneurysm, thoracic

Delayed retrograde aortic dissection after endovascular stenting of the descending thoracic aorta (Pasic et al). 2002;36:184-6 (Case rep.)

Durability of thoracoabdominal aortic aneurysm repair in patients with connective tissue disorders (Dardik et al). 2002;36:696-703

Endoluminal versus open treatment of descending thoracic aortic aneurysms (Najibi et al). 2002;36:732-7

Higher prevalence of obstructive airway disease in patients with thoracic or abdominal aortic aneurysm (Sakamaki et al). 2002;36:35-40

Lipoprotein (a) in patients with aortic aneurysmal disease (Schillinger et al). 2002;36:25-30

Stent graft repair in the aortic arch and descending thoracic aorta: a 4-year experience (Criado et al). 2002;36:1121-8

Subdural hematoma after thoracoabdominal aortic aneurysm repair: an underreported complication of spinal fluid drainage? (Dardik et al). 2002;36:47-50

Surgical treatment for primary infected aneurysm of the descending thoracic aorta, abdominal aorta, and iliac arteries (Hsu et al). 2002;36:746-50

Thoracoabdominal and descending thoracic aortic aneurysm surgery in patients aged 79 years or older (Huynh et al). 2002;36:469-75

Type III and IV thoracoabdominal aortic aneurysm repair: results of a trifurcated/two-graft technique (Ballard et al). 2002;36:211-16

Aortic arch; *see* Aorta, thoracic

Aortic coarctation

Biphasic response of tropoelastin at the poststenotic dilation segment of the rabbit aorta (Xu et al). 2002;36:605-12

Hypoplasia of the descending thoracic and abdominal aorta: a report of two cases and review of the literature (Terramani et al). 2002;36:844-8 (Case rep.)

Aortic rupture

An angiotensin-converting enzyme inhibitor, not an angiotensin II type-1 receptor blocker, prevents B-aminopropionitrile monofumarate–induced aortic dissection in rats (Nagashima et al). 2002;36:818-23

Endovascular repair of a ruptured chronic type B aortic dissection (Hinchliffe et al). 2002;36:401-3 (Case rep.)

Isolated dissection of the abdominal aorta: clinical presentation and therapeutic options (Farber et al). 2002;36:205-10

Nonocclusive intestinal ischemia in patients with acute aortic dissection (Neri et al). 2002;36:738-45

Operative mortality rate for elective abdominal aortic aneurysm repair is not increased by the presence of a previous or

concurrent thoracic or thoracoabdominal aortic dissection (Anand). 2002;36:690-5
Stent graft repair in the aortic arch and descending thoracic aorta: a 4-year experience (Criado et al). 2002;36:1121-8

Apoptosis
Flow-induced neointimal regression in baboon polytetrafluoroethylene grafts is associated with decreased cell proliferation and increased apoptosis (Berceli et al). 2002;36:1248-55
Perigraft adventitia and intima remodeling after synthetic patch implantation in sheep carotid artery: role of apoptosis and proliferation (Huang et al). 2002;36:371-8

Arterial occlusive diseases
The contribution of plaque and arterial remodeling to de novo atherosclerotic luminal narrowing in the femoral artery (Vink et al). 2002;36:1194-7
Distal revascularization–interval ligation: a durable and effective treatment for ischemic steal syndrome after hemodialysis access (Knox et al). 2002;36:250-6
Distal vertebral artery reconstruction: long-term outcome (Kieffer et al). 2002;36:549-54
Do preoperative finger pressures predict early arterial steal in hemodialysis access patients? A prospective analysis (Valentine et al). 2002;36:351-6
Improved assessment of the hemodynamic significance of borderline iliac stenoses with use of hyperemic duplex scanning (Coffi et al). 2002;36:575-80
A new approach for the surgical management of unilateral iliac artery occlusive disease: the iliofemoral crossover transposition (Carmo et al). 2002;36:404-7 (Tech. note)
Obstructive external iliac arteriopathy in avid bicyclists: new and variable histopathologic features in four women (Kral et al). 2002;36:565-70
Paravisceral aortic thrombus as a source of peripheral embolization—report of three cases and review of the literature (Rossi et al). 2002;36:839-43 (Case rep.)
Pharmacologic therapy for peripheral arterial disease and claudication (Hiatt). 2002;36:1283-91
Popliteal-crural bypass through the posterior approach with lesser saphenous vein for limb salvage (Goyal et al). 2002;36:708-12
Predictors for adverse outcome after iliac angioplasty and stenting for limb-threatening ischemia (Timaran et al). 2002;36:507-13
Prevalence and progression of internal carotid artery stenosis in patients with peripheral arterial occlusive disease (Cin et al). 2002;36:75-82
A reassessment of carotid endarterectomy in the face of contralateral carotid occlusion: surgical results in symptomatic and asymptomatic patients (Rockman et al). 2002;36:668-73
Robot-assisted laparoscopic aortobifemoral bypass for aortoiliac occlusive disease: a report of two cases (Wisselink et al). 2002;36:1079-82 (Tech. note.)
Spontaneous recanalization of arterial occlusions: an unusual mechanism for symptomatic improvement (Gargiulo et al). 2002;36:1161-6

Arteries
Persistent sciatic vessels, varicose veins, and lower limb hypertrophy: an unusual case or discrete clinical syndrome? (Parry et al). 2002;36:396-400 (Case rep.)

Arteriovenous fistula
Arteriovenous graft featuring end-to-end anastomosis to a deep vein for hemodialysis (Hayakawa et al). 2002;36:946-7
The endovascular treatment of a renal arteriovenous fistula: placement of a covered stent (Sprouse and Hamilton). 2002;36:1066-8 (Case rep.)
A metaanalysis comparing surgical thrombectomy, mechanical thrombectomy, and pharmacomechanical thrombolysis for thrombosed dialysis grafts (Green et al). 2002;36:939-45
New method to create a vascular arteriovenous fistula in the arm with an endoscopic technique (Hayakawa et al). 2002;36:635-8 (Tech. note)
A new operation with inadequate Brescia fistulae for preservation of more proximal veins (Oakes et al). 2002;36:346-50
Prediction of wrist arteriovenous fistula maturation with preoperative vein mapping with ultrasonography (Mendes et al). 2002;36:460-3
Prospective validation of an algorithm to maximize native arteriovenous fistulae for chronic hemodialysis access (Huber et al). 2002;36:452-9
Regarding "Impact of secondary procedures in autogenous fistula maturation and maintenance" (Turmel-Rodrigues) (Letter); (Berman and Gentile) (Reply. 2002;36:867-8
Relationship of hemodialysis access to finger gangrene in patients with end-stage renal disease (Yeager et al). 2002;36:245-9
Results of prosthetic-vein composite graft with remote popliteal arteriovenous fistula in infragenicular bypass (Palerme et al). 2002;36:330-5

Arteriovenous malformations
Spontaneous rupture of collateral venous aneurysm in a patient with agenesis of the inferior vena cava: a case report (Balzer et al). 2002;36:1053-7 (Case rep.)

Arteritis, temporal; *see* Temporal arteritis

Atherosclerosis
The contribution of plaque and arterial remodeling to de novo atherosclerotic luminal narrowing in the femoral artery (Vink et al). 2002;36:1194-7
Endovascular treatment of embolization of aortic plaque with covered stents (Dougherty and Calligaro). 2002;36:727-31
Lipoprotein (a) in patients with aortic aneurysmal disease (Schillinger et al). 2002;36:25-30
Prospective controlled study of the natural history of asymptomatic 60% to 69% carotid stenosis according to ultrasonic plaque morphology (AbuRahma et al). 2002;36:437-42

Azithromycin
Chlamydia pneumoniae antigens facilitate experimental aortic dilatation: prevention with azithromycin (Tambiah and Powell). 2002;36:1011-17

B

Bandages
Does thigh compression improve venous hemodynamics in chronic venous insufficiency? (Partsch et al). 2002;36:948-52
The effect of external pneumatic compression on regional fibrinolysis in a prospective randomized trial (Killewich et al). 2002;36:953-8
External pneumatic compression does not increase urokinase plasminogen activator after abdominal surgery (Murakami et al). 2002;36:917-21

Baroreflex
Deterioration in carotid baroreflex during carotid endarterectomy (Sigaudo-Roussel et al). 2002;36:793-8

Benchmarking
Outcomes of carotid endarterectomy: how does the Australian

state of New South Wales compare with international benchmarks? (Middleton and Donnelly). 2002;36:62-9

Bicycling

Obstructive external iliac arteriopathy in avid bicyclists: new and variable histopathologic features in four women (Kral et al). 2002;36:565-70

Biomedical technology

Strategic issues for biomedical technology development (Gertler and Brown). 2002;36:649-54 (Review)

Blood coagulation factor inhibitors

Successful management of life-threatening hemorrhage in a patient with synchronous lupus anticoagulant and factor VIII inhibitor (Brings et al). 2002;36:853-5 (Case rep.)

Blood flow velocity

Changes in middle cerebral artery blood flow after carotid endarterectomy as monitored by transcranial Doppler (Zachrisson et al). 2002;36:285-90

A quantitative approach to lower extremity vein repair (Kuralay et al). 2002;36:1213-18

Blood pressure monitoring, ambulatory

Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model (Hosoi et al). 2002;36:137-42

Regarding "Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model" (Sumner). 2002;36:196-8 (Invited comment)

Blood transfusion, autologous

Acute normovolemic hemodilution and intraoperative cell salvage in aortic surgery (Torella et al). 2002;36:31-4

Blood vessel prosthesis

Broadening the applicability of endovascular aneurysm repair: the use of iliac conduits (Abu-Ghaida et al). 2002;36:111-17

Composite sequential arterial reconstruction for limb salvage (Roddy et al). 2002;36:325-9

Composite sequential grafts for femorocrural bypass reconstruction: experience with a modified technique (Mahmood et al). 2002;36:772-8

Endograft migration one to four years after endovascular abdominal aortic aneurysm repair with the AneuRX device: a cautionary note (Conners et al). 2002;36:476-84

Endoluminal versus open treatment of descending thoracic aortic aneurysms (Najibi et al). 2002;36:732-7

Endovascular repair of a ruptured chronic type B aortic dissection (Hinchliffe et al). 2002;36:401-3 (Case rep.)

Endovascular stent–graft repair of complicated penetrating atherosclerotic ulcers of the descending thoracic aorta (Schoder et al). 2002;36:720-6

Endovascular treatment of abdominal aortic aneurysm is associated with a low incidence of deep venous thrombosis (Eagleton et al). 2002;36:912-06

Ingrowth of aorta vascular cells into basic fibroblast growth factor–impregnated vascular prosthesis material: a porcine and human in vitro study on blood vessel prosthesis healing (Bas et al). 2002;36:1237-47

Introduction of endovascular aneurysm repair into community practice: initial results with a new Food and Drug Administration–approved device (Zarins et al). 2002;36:226-33

Limb interventions in patients undergoing treatment with an unsupported bifurcated aortic endograft system: a review of the Phase II EVT Trial (Fairman et al). 2002;36:118-26

Multicenter trial of the PowerLink bifurcated system for endovascular aortic aneurysm repair (Carpenter). 2002;36:1129-37

A new operation with inadequate Brescia fistulae for preservation of more proximal veins (Oakes et al). 2002;36:346-50

Outcome of common iliac arteries after aortoaortic graft placement during elective repair of infrarenal abdominal aortic aneurysms (Sala et al). 2002;36:982-7

Predicting iliac limb occlusion after bifurcated aortic stent grafting: anatomic and device-related causes (Carroccio et al). 2002;36:679-84

Results of prosthetic-vein composite graft with remote popliteal arteriovenous fistula in infragenicular bypass (Palerme et al). 2002;36:330-5

Safety maneuvers to prevent embolism complicating endovascular aortic repair (Parodi et al). 2002;36:1076-8 (Tech. note.)

Secondary procedures after endovascular aortic aneurysm repair (Conners et al). 2002;36:992-6

Successful endovascular therapy of a penetrating zone III internal carotid injury (McNeil et al). 2002;36:187-90 (Case rep.)

Book reviews

Book reviews. 2002;36:203-4, 427, 871-2, 1095-6, 1312-13

Brachial artery

Distal septic emboli and fatal brachiocephalic artery mycotic pseudoaneurysm as a complication of stenting (Pruitt et al). 2002;36:625-8 (Case rep.)

A new operation with inadequate Brescia fistulae for preservation of more proximal veins (Oakes et al). 2002;36:346-50

Brachytherapy

Gamma radiation induces positive vascular remodeling after balloon angioplasty: a prospective, randomized intravascular ultrasound scan study (Hagenaars et al). 2002;36:318-24

C

C-reactive protein

Serum lipids act as inverse acute phase reactants and are falsely low in patients with critical limb ischemia (Bismuth et al). 2002;36:1005-10

Calcium channel blockers

Are antihypertensive drugs associated with abdominal aortic aneurysms? (Wilmink et al). 2002;36:751-7

Capital financing

Strategic issues for biomedical technology development (Gertler and Brown). 2002;36:649-54 (Review)

Cardiovascular diseases

The impact of walking impairment, cardiovascular risk factors, and comorbidity on quality of life in patients with intermittent claudication (Breek et al). 2002;36:94-9

Carotid arteries

Deterioration in carotid baroreflex during carotid endarterectomy (Sigaudo-Roussel et al). 2002;36:793-8

A reassessment of carotid endarterectomy in the face of contralateral carotid occlusion: surgical results in symptomatic and asymptomatic patients (Rockman et al). 2002;36:668-73

Regarding "Extracranial carotid aneurysm in Takayasu's arteritis" (Odero and Regina) (Letter); (Miyata and Tabata) (Reply). 2002;36:201

Carotid artery, internal

Early control of the distal internal carotid artery during endarterectomy: achievability and results (Bourke and Crimmins). 2002;36:70-4

Prevalence and progression of internal carotid artery stenosis in patients with peripheral arterial occlusive disease (Cin et al). 2002;36:75-82

Successful endovascular therapy of a penetrating zone III internal carotid injury (McNeil et al). 2002;36:187-90 (Case rep.)

Carotid stenosis
Can carotid endarterectomy improve metabolic status in patients with asymptomatic internal carotid artery flow lesion? Studies with localized in vivo proton magnetic resonance spectroscopy (Kim et al). 2002;36:559-64
Echolucent, rupture-prone carotid plaques associated with elevated triglyceride-rich lipoproteins, particularly in women (Kofoed et al). 2002;36:783-92
Initial experience with cerebral protection devices to prevent embolization during carotid artery stenting (Ohki et al). 2002;36:1175-85
Magnetic resonance angiography of collateral compensation in asymptomatic and symptomatic internal carotid artery stenosis (Hendrikse et al). 2002;36:799-805
Medical management versus investigate-and-operate strategy in asymptomatic carotid stenosis: a decision analysis (Clase and Cin). 2002;36:541-8
Outcome of nonoperative management of asymptomatic high-grade carotid stenosis (Erzurum et al). 2002;36:663-7
Overestimation of carotid artery stenosis with magnetic resonance angiography compared with digital subtraction angiography (Nederkoorn et al). 2002;36:806-13
Prevalence and progression of internal carotid artery stenosis in patients with peripheral arterial occlusive disease (Cin et al). 2002;36:75-82
Prospective controlled study of the natural history of asymptomatic 60% to 69% carotid stenosis according to ultrasonic plaque morphology (AbuRahma et al). 2002;36:437-42
Regarding "Can carotid endarterectomy improve metabolic status in patients with asymptomatic internal carotid artery flow lesion? Studies with localized in vivo proton magnetic resonance spectroscopy" (Lynch et al). 2002;36:646-8 (Invited comment)
Regarding "Carotid artery stenting in a vascular surgery practice" (Sullivan) (Letter); (Criado) (Reply). 2002;36:1094

Case reports
Case reports. 2002;36:180-93, 393-403, 622-34, 839-58, 1053-75, 1256-66

Catheterization
Percutaneous coil embolization of postcatheterization arterial femoral pseudoaneurysms (Kobeiter et al). 2002;36:127-31

Celiac artery
Intraoperative thrombin occlusion of a visceral artery aneurysm (McIntyre et al). 2002;36:393-5 (Case rep.)

Cell division
Flow-induced neointimal regression in baboon polytetrafluoroethylene grafts is associated with decreased cell proliferation and increased apoptosis (Berceli et al). 2002;36:1248-55
Perigraft adventitia and intima remodeling after synthetic patch implantation in sheep carotid artery: role of apoptosis and proliferation (Huang et al). 2002;36:371-8

Cell migration inhibition
The effect of endothelial cell overexpression of plasminogen activator inhibitor-1 on smooth muscle cell migration (Proia et al). 2002;36:164-71
Simvastatin inhibits human saphenous vein neointima formation via inhibition of smooth muscle cell proliferation and migration (Porter et al). 2002;36:150-7

Cerebral infarction
The Carotid Surgery for Ischemic Stroke trial: a prospective observational study on carotid endarterectomy in the early period after ischemic stroke (Eckstein et al). 2002;36:997-1004

Cerebrospinal fluid shunts
Subdural hematoma after thoracoabdominal aortic aneurysm repair: an underreported complication of spinal fluid drainage? (Dardik et al). 2002;36:47-50

Cerebrovascular accident
The Carotid Surgery for Ischemic Stroke trial: a prospective observational study on carotid endarterectomy in the early period after ischemic stroke (Eckstein et al). 2002;36:997-1004
High embolic rate early after carotid endarterectomy is associated with early cerebrovascular complications, especially in women (Laman et al). 2002;36:278-84
Regarding "High embolic rate early after carotid endarterectomy is associated with early cerebrovascular complications, especially in women" (Naylor). 2002;36:408-9 (Invited comment)

Chlamydia pneumoniae
Chlamydia pneumoniae antigens facilitate experimental aortic dilatation: prevention with azithromycin (Tambiah and Powell). 2002;36:1011-17

Chronic obstructive pulmonary disease; *see* Lung diseases, obstructive

Clamping; *see* Constriction

Clavicle
Subclavian vein thrombosis caused by an unusual congenital clavicular anomaly in an atypical anatomic position (Filis et al). 2002;36:629-31 (Case rep.)

Collateral circulation
Magnetic resonance angiography of collateral compensation in asymptomatic and symptomatic internal carotid artery stenosis (Hendrikse et al). 2002;36:799-805

Color flow echocardiography; *see* Echocardiography, Doppler, color

Comorbidity
The impact of walking impairment, cardiovascular risk factors, and comorbidity on quality of life in patients with intermittent claudication (Breek et al). 2002;36:94-9
Nonoperative management with selective delayed surgery for large abdominal aortic aneurysms in patients at high risk (Tanquilut et al). 2002;36:41-6

Compartment syndromes
Lower extremity compartment syndrome after coronary artery bypass (James et al). 2002;36:1069-70 (Case rep.)

Confidentiality
The public's right to know? Surgical treatment of public figures (Jones et al). 2002;36:865-6

Conflict of interest
Nonmonetary conflicts of interest (McCullough et al). 2002;36:1309-10

Connective tissue diseases
Durability of thoracoabdominal aortic aneurysm repair in patients with connective tissue disorders (Dardik et al). 2002;36:696-703

Constriction
Aortic clamping during elective operations for infrarenal disease: the influence of clamping time on renal function (Wahlberg et al). 2002;36:13-18
Contemporary results of juxtarenal aneurysm repair (Sarac et al). 2002;36:1104-11

Coronary angiography
Limitations in the cardiac risk reduction provided by coronary

revascularization prior to elective vascular surgery (Back et al). 2002;36:526-33

Coronary artery bypass

Combined coronary artery bypass with carotid endarterectomy: do women have worse outcomes? (Roddy et al). 2002;36:555-8

Coronary revascularization prior to elective vascular surgery: does it reduce cardiac risk? (Mukherjee and Eagle). 2002; 36:644-5 (Invited comment)

Limitations in the cardiac risk reduction provided by coronary revascularization prior to elective vascular surgery (Back et al). 2002;36:526-33

Lower extremity compartment syndrome after coronary artery bypass (James et al). 2002;36:1069-70 (Case rep.)

Coronary disease

Update on perioperative evaluation and management of cardiac disease in vascular surgery patients (Krupski). 2002;36: 1292-308

Correction

Book review of "Operating within the law: a practice guide for surgeons and lawyers" (Brown OW. 2002;35:1308). 2002; 36:643

Comparison of the resistance to infection of rifampin-bonded gelatin-sealed and silver/collagen-coated polyester prostheses (Goëau-Brissonnire et al) (2002;35:1260-3). 2002; 36:916, 1236

Endovenous treatment of the greater saphenous vein with a 940-nm diode laser: thrombotic occlusion after endoluminal thermal damage by laser-generated steam bubbles (Probst et al) (2002;35:729-36). 2002;36:858

Rupture of abdominal aortic aneurysm with tear of inferior vena cava in a patient with prior endograft (Tuma and Hans) (2002;35:798-800). 2002;36:848

Correspondence; *see* Letters to the Editor

Cost-benefit analysis

American College of Cardiology/American Heart Association preoperative assessment guidelines reduce resource utilization before aortic surgery (Froehlich et al). 2002;36:758-63

Cryopreservation

The use of cryopreserved femoral vein grafts for hemodialysis access in patients at high risk for infection: a word of caution (Bolton et al). 2002;36:464-8

Cytokines

Cholinergic antiinflammatory pathway inhibition of tumor necrosis factor during ischemia reperfusion (Bernik et al). 2002;36:1231-6

D

Data interpretation, statistical

A brief note on overlapping confidence intervals (Austin and Hux). 2002;36:194-5

Decision support techniques

Life expectancy after endovascular versus open abdominal aortic aneurysm repair: results of a decision analysis model on the basis of data from EUROSTAR (Schermerhorn et al). 2002;36:1112-20

Medical management versus investigate-and-operate strategy in asymptomatic carotid stenosis: a decision analysis (Clase and Cin). 2002;36:541-8

Delirium

Regarding "Transient advanced mental impairment: an underappreciated morbidity after aortic surgery" (Böhner and Schneider) (Letter); (Rosen) (Reply). 2002;36:425-6

Diabetic foot

Regarding "Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization" (Williams) (Letter); (Veves) (Reply). 2002;36:867-8

Dipyridamole

Semiquantitative dipyridamole myocardial stress perfusion imaging for cardiac risk assessment before noncardiac vascular surgery: a metaanalysis (Etchells et al). 2002;36:534-40

Disease models, animal

Correlation of a simple direct measurement of muscle pO_2 to a clinical ischemia index and histology in a rat model of chronic severe hindlimb ischemia (Paek et al). 2002;36: 172-9

Endotension in an experimental aneurysm model (Skillern et al). 2002;36:814-17

Neointimal hyperplasia rapidly reaches steady state in a novel murine vein graft model (Zhang et al). 2002;36:824-32

Doxycycline

Prolonged administration of doxycycline in patients with small asymptomatic abdominal aortic aneurysms: report of a prospective (Phase II) multicenter study (Baxter et al). 2002; 36:1-12

Drug therapy

Pharmacologic therapy for peripheral arterial disease and claudication (Hiatt). 2002;36:1283-91

Dysmenorrhea

The pelvic venous syndromes: analysis of our experience with 57 patients (Scultetus et al). 2002;36:881-8

E

Eastern Vascular Society

Regeneration (Brener). 2002;36:1097-103

Echocardiography, Doppler, color

The use of color-flow duplex scan for detection of endoleaks (McLafferty et al). 2002;36:100-4

Editorials

Web-based submission and review of manuscripts will start November 15. 2002;36:429

Education, graduate

Relevance of basic laboratory and clinical research activities as part of the vascular surgery fellowship: an assessment of program directors and postfellowship surgeons (Henke et al). 2002;36:1083-91

Education, medical

Trends in aortic aneurysm surgical training for general and vascular surgery residents in the era of endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2002;36: 685-9

Education, medical, continuing

Presidential address: On old dogs and new tricks (Ricotta). 2002;36:657-62

Embolism

Endovascular treatment of embolization of aortic plaque with covered stents (Dougherty and Calligaro). 2002;36:727-31

High embolic rate early after carotid endarterectomy is associated with early cerebrovascular complications, especially in women (Laman et al). 2002;36:278-84

Paravisceral aortic thrombus as a source of peripheral embolization—report of three cases and review of the literature (Rossi et al). 2002;36:839-43 (Case rep.)

Regarding "High embolic rate early after carotid endarterectomy is associated with early cerebrovascular complications,

especially in women" (Naylor). 2002;36:408-9 (Invited comment)
Regarding "Surgical treatment of nonaneurysmal arch lesions in patients with systemic embolizations" (Safi et al). 2002; 36:1274-5 (Invited comment)
Surgical treatment of nonaneurysmal arch lesions in patients with systemic embolization (Gouëffic et al). 2002;36:1186-93

Embolism, cholesterol
Atheroembolization: a harmful complication of therapeutic internal iliac artery occlusion (Marty et al). 2002;36:1062-5 (Case rep.)
Safety maneuvers to prevent embolism complicating endovascular aortic repair (Parodi et al). 2002;36:1076-8 (Tech. note.)

Embolism, tumor; *see* Neoplasm circulating cells

Embolization, therapeutic
Atheroembolization: a harmful complication of therapeutic internal iliac artery occlusion (Marty et al). 2002;36:1062-5 (Case rep.)
Internal iliac occlusion without coil embolization during endovascular abdominal aortic aneurysm repair (Wyers et al). 2002;36:1138-45
Intraoperative thrombin occlusion of a visceral artery aneurysm (McIntyre et al). 2002;36:393-5 (Case rep.)
Mechanism of failure in the treatment of type II endoleak with percutaneous coil embolization (Solis et al). 2002;36:485-91
Percutaneous coil embolization of postcatheterization arterial femoral pseudoaneurysms (Kobeiter et al). 2002;36:127-31
A prospective evaluation of hypogastric artery embolization in endovascular aortoiliac aneurysm repair (Lin et al). 2002; 36:500-6
Type II endoleaks: predictable, preventable, and sometimes treatable? (Parry et al). 2002;36:105-10

Emergency medical services
The impact of the development of a program to reduce urgent (off-hours) venous duplex ultrasound scan studies (Langan et al). 2002;36:132-6

End-stage renal disease; *see* Kidney failure, chronic

Endarterectomy
Regarding "Surgical treatment of nonaneurysmal arch lesions in patients with systemic embolizations" (Safi et al). 2002; 36:1274-5 (Invited comment)
Surgical treatment of nonaneurysmal arch lesions in patients with systemic embolization (Gouëffic et al). 2002;36:1186-93

Endarterectomy, carotid
Can carotid endarterectomy improve metabolic status in patients with asymptomatic internal carotid artery flow lesion? Studies with localized in vivo proton magnetic resonance spectroscopy (Kim et al). 2002;36:559-64
The Carotid Surgery for Ischemic Stroke trial: a prospective observational study on carotid endarterectomy in the early period after ischemic stroke (Eckstein et al). 2002;36:997-1004
Changes in middle cerebral artery blood flow after carotid endarterectomy as monitored by transcranial Doppler (Zachrisson et al). 2002;36:285-90
Combined coronary artery bypass with carotid endarterectomy: do women have worse outcomes? (Roddy et al). 2002;36:555-8
Deterioration in carotid baroreflex during carotid endarterectomy (Sigaudo-Roussel et al). 2002;36:793-8
The distribution of carotid endarterectomy procedures among surgeons and hospitals in New York state: is regionalization of specialized vascular care occurring? (Matsen et al). 2002; 36:1146-53
Early control of the distal internal carotid artery during endarterectomy: achievability and results (Bourke and Crimmins). 2002;36:70-4
High embolic rate early after carotid endarterectomy is associated with early cerebrovascular complications, especially in women (Laman et al). 2002;36:278-84
Nine-year experience of bovine pericardium patch angioplasty during carotid endarterectomy (Biasi et al). 2002;36:271-7
Outcomes of carotid endarterectomy: how does the Australian state of New South Wales compare with international benchmarks? (Middleton and Donnelly). 2002;36:62-9
A reassessment of carotid endarterectomy in the face of contralateral carotid occlusion: surgical results in symptomatic and asymptomatic patients (Rockman et al). 2002;36:668-73
Regarding "Can carotid endarterectomy improve metabolic status in patients with asymptomatic internal carotid artery flow lesion? Studies with localized in vivo proton magnetic resonance spectroscopy" (Lynch et al). 2002;36:646-8 (Invited comment)
Regarding "High embolic rate early after carotid endarterectomy is associated with early cerebrovascular complications, especially in women" (Naylor). 2002;36:408-9 (Invited comment)

Endoleakage; *see* Postoperative complications

Endoscopy
Endoscopic thoracic sympathicotomy for Raynaud's phenomenon (Matsumoto et al). 2002;36:57-61
New method to create a vascular arteriovenous fistula in the arm with an endoscopic technique (Hayakawa et al). 2002; 36:635-8 (Tech. note)

Enoxaparin
Anticoagulation with enoxaparin versus intravenous unfractionated heparin in postoperative vascular surgery patients (Hingorani et al). 2002;36:341-5

Epidemiologic studies
Prevalence of renovascular disease in the elderly: a population-based study (Hansen et al). 2002;36:443-51

Equipment design
Influence of stent design and material composition on procedure outcome (Palmaz et al). 2002;36:1031-9

Estradiol
17B-estradiol attenuates intimal hyperplasia and macrophage accumulation with a reduction in monocyte chemoattractant protein 1 expression in a vein graft model (Ryomoto et al). 2002;36:613-21

Ethics, medical
Complying with advance directives in the operating room (Jones and McCullough). 2002;36:199-200
Consent for residents to perform surgery (Jones and McCullough). 2002;36:655-6
Nonmonetary conflicts of interest (McCullough et al). 2002; 36:1309-10
Professional self-regulation: eyewitness to incompetent surgery (Jones et al). 2002;36:1092-3
The public's right to know? Surgical treatment of public figures (Jones et al). 2002;36:865-6
When does conventional surgical therapy become research? (Jones and McCullough). 2002;36:423-4

Exercise test
Reproducibility of constant-load treadmill testing with various

treadmill protocols and predictability of treadmill test results in patients with intermittent claudication (Degischer et al). 2002;36:83-8

The severity of muscle ischemia during intermittent claudication (Egun et al). 2002;36:89-93

F

Factor VIII

Successful management of life-threatening hemorrhage in a patient with synchronous lupus anticoagulant and factor VIII inhibitor (Brings et al). 2002;36:853-5 (Case rep.)

Fellowships and scholarships

Relevance of basic laboratory and clinical research activities as part of the vascular surgery fellowship: an assessment of program directors and postfellowship surgeons (Henke et al). 2002;36:1083-91

Femoral artery

The contribution of plaque and arterial remodeling to de novo atherosclerotic luminal narrowing in the femoral artery (Vink et al). 2002;36:1194-7

Gamma radiation induces positive vascular remodeling after balloon angioplasty: a prospective, randomized intravascular ultrasound scan study (Hagenaars et al). 2002;36:318-24

The influence of hyperhomocysteinemia on graft patency after infrainguinal bypass surgery in the Dutch BOA Study (Borst et al). 2002;36:336-40

Percutaneous coil embolization of postcatheterization arterial femoral pseudoaneurysms (Kobeiter et al). 2002;36:127-31

A prospective study of ultrasound scan–guided thrombin injection of femoral pseudoaneurysm: a trend toward minimal medication (Olsen et al). 2002;36:779-82

Superficial femoral artery aneurysms: an unusual entity? (Jarrett et al). 2002;36:571-4

Femoral vein

A quantitative approach to lower extremity vein repair (Kuralay et al). 2002;36:1213-18

The use of cryopreserved femoral vein grafts for hemodialysis access in patients at high risk for infection: a word of caution (Bolton et al). 2002;36:464-8

Fibrinolysis

The effect of external pneumatic compression on regional fibrinolysis in a prospective randomized trial (Killewich et al). 2002;36:953-8

Fibroblast growth factor

Ingrowth of aorta vascular cells into basic fibroblast growth factor–impregnated vascular prosthesis material: a porcine and human in vitro study on blood vessel prosthesis healing (Bas et al). 2002;36:1237-47

Fingers

Do preoperative finger pressures predict early arterial steal in hemodialysis access patients? A prospective analysis (Valentine et al). 2002;36:351-6

Relationship of hemodialysis access to finger gangrene in patients with end-stage renal disease (Yeager et al). 2002;36:245-9

G

Gangrene

Relationship of hemodialysis access to finger gangrene in patients with end-stage renal disease (Yeager et al). 2002;36:245-9

Gastrointestinal motility

Small bowel motility and transit after aortic surgery (Miedema et al). 2002;36:19-24

Gene expression

Biphasic response of tropoelastin at the poststenotic dilation segment of the rabbit aorta (Xu et al). 2002;36:605-12

Gene therapy

Genetic interventions for vein bypass graft disease: a review (Conte et al). 2002;36:1040-52

Gene transfer

Effect of adenoviral titer and instillation pressure on gene transfer efficiency to arterial and venous grafts ex-vivo (Brevetti et al). 2002;36:263-70

Genetic markers

Can screening for genetic markers improve peripheral artery bypass patency? (Kibbe et al). 2002;36:1194-7

Graft occlusion, vascular

Choice of autogenous conduit for lower extremity vein graft revisions (Landry et al). 2002;36:238-44

Effect of endovascular stent strut geometry on vascular injury, myointimal hyperplasia, and restenosis (Sullivan et al). 2002;36:143-9

17B-estradiol attenuates intimal hyperplasia and macrophage accumulation with a reduction in monocyte chemoattractant protein 1 expression in a vein graft model (Ryomoto et al). 2002;36:613-21

Internal iliac occlusion without coil embolization during endovascular abdominal aortic aneurysm repair (Wyers et al). 2002;36:1138-45

Neointimal hyperplasia rapidly reaches steady state in a novel murine vein graft model (Zhang et al). 2002;36:824-32

Predicting iliac limb occlusion after bifurcated aortic stent grafting: anatomic and device-related causes (Carroccio et al). 2002;36:679-84

Prediction of early graft failure with intraoperative completion duplex ultrasound scan (Rzucidlo et al). 2002;36:975-81

Regarding "Endograft limb occlusion and stenosis after ANCURE endovascular abdominal aneurysm repair" (Kasirajan et al) (Letter); (Parent) (Reply). 2002;36:869-70

Graft survival

Can screening for genetic markers improve peripheral artery bypass patency? (Kibbe et al). 2002;36:1194-7

Composite sequential arterial reconstruction for limb salvage (Roddy et al). 2002;36:325-9

Durability of thoracoabdominal aortic aneurysm repair in patients with connective tissue disorders (Dardik et al). 2002;36:696-703

Genetic interventions for vein bypass graft disease: a review (Conte et al). 2002;36:1040-52

The influence of hyperhomocysteinemia on graft patency after infrainguinal bypass surgery in the Dutch BOA Study (Borst et al). 2002;36:336-40

Limb interventions in patients undergoing treatment with an unsupported bifurcated aortic endograft system: a review of the Phase II EVT Trial (Fairman et al). 2002;36:118-26

Regarding "Impact of secondary procedures in autogenous fistula maturation and maintenance" (Turmel-Rodrigues) (Letter); (Berman and Gentile) (Reply. 2002;36:867-8

Guidelines

American College of Cardiology/American Heart Association preoperative assessment guidelines reduce resource utilization before aortic surgery (Froehlich et al). 2002;36:758-63

Guidelines for hospital privileges in vascular surgery: an update by an ad hoc committee of the American Association for

Vascular Surgery and the Society for Vascular Surgery (Moore et al). 2002;36:1276-82

H

Health services accessibility
The Titanic revisited: professional liability and access to care (Oblath). 2002;36:642-3

Hematoma, subdural
Subdural hematoma after thoracoabdominal aortic aneurysm repair: an underreported complication of spinal fluid drainage? (Dardik et al). 2002;36:47-50

Hemodialysis
Arteriovenous graft featuring end-to-end anastomosis to a deep vein for hemodialysis (Hayakawa et al). 2002;36:946-7
A decade experience with infrainguinal revascularization in a dialysis-dependent patient population (Ramdev et al). 2002;36:969-74
Distal revascularization–interval ligation: a durable and effective treatment for ischemic steal syndrome after hemodialysis access (Knox et al). 2002;36:250-6
Do preoperative finger pressures predict early arterial steal in hemodialysis access patients? A prospective analysis (Valentine et al). 2002;36:351-6
A metaanalysis comparing surgical thrombectomy, mechanical thrombectomy, and pharmacomechanical thrombolysis for thrombosed dialysis grafts (Green et al). 2002;36:939-45
Prospective validation of an algorithm to maximize native arteriovenous fistulae for chronic hemodialysis access (Huber et al). 2002;36:452-9
Regarding "Impact of secondary procedures in autogenous fistula maturation and maintenance" (Turmel-Rodrigues) (Letter); (Berman and Gentile) (Reply. 2002;36:867-8
Regarding "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess" (Cikirikcioglu and Duran) (Letter); (Silva) (Reply). 2002;36:202
Relationship of hemodialysis access to finger gangrene in patients with end-stage renal disease (Yeager et al). 2002;36:245-9
The use of cryopreserved femoral vein grafts for hemodialysis access in patients at high risk for infection: a word of caution (Bolton et al). 2002;36:464-8

Hemodilution
Acute normovolemic hemodilution and intraoperative cell salvage in aortic surgery (Torella et al). 2002;36:31-4

Hemodynamics
Does thigh compression improve venous hemodynamics in chronic venous insufficiency? (Partsch et al). 2002;36:948-52

Hemorrhage
Successful management of life-threatening hemorrhage in a patient with synchronous lupus anticoagulant and factor VIII inhibitor (Brings et al). 2002;36:853-5 (Case rep.)

Heparan sulfate proteoglycan
Regulation of syndecan-4 expression with mechanical stress during the development of angioplasty-induced intimal thickening (Li et al). 2002;36:361-70

Heparin
Anticoagulation with enoxaparin versus intravenous unfractionated heparin in postoperative vascular surgery patients (Hingorani et al). 2002;36:341-5

Hepatic artery
Stent graft repair of visceral artery aneurysms (Larson et al). 2002;36:1260-3 (Case rep.)

Hindlimb
Correlation of a simple direct measurement of muscle pO_2 to a clinical ischemia index and histology in a rat model of chronic severe hindlimb ischemia (Paek et al). 2002;36:172-9

History of medicine
Presidential address: Thirteen days in May (Rosenthal). 2002;36:430-6

Hydroxymethylglutaryl-CoA reductase inhibitors
A 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, cerivastatin, suppresses production of matrix metalloproteinase–9 in human abdominal aortic aneurysm wall (Nagashima et al). 2002;36:158-63

Hyperglycemia
Progesterone inhibits human infragenicular arterial smooth muscle cell proliferation induced by high glucose and insulin concentrations (Carmody et al). 2002;36:824-32

Hyperhomocysteinemia
The influence of hyperhomocysteinemia on graft patency after infrainguinal bypass surgery in the Dutch BOA Study (Borst et al). 2002;36:336-40

Hyperinsulinemia
Progesterone inhibits human infragenicular arterial smooth muscle cell proliferation induced by high glucose and insulin concentrations (Carmody et al). 2002;36:824-32

Hyperplasia
Inflammation and intimal hyperplasia associated with experimental pulmonary embolism (Eagleton et al). 2002;36:581-8

Hypertension, renovascular
Upregulation of autocrine-paracrine renin-angiotensin systems in chronic renovascular hypertension (Sadjadi et al). 2002;36:386-92

I

Iliac aneurysm
Atheroembolization: a harmful complication of therapeutic internal iliac artery occlusion (Marty et al). 2002;36:1062-5 (Case rep.)
Internal iliac occlusion without coil embolization during endovascular abdominal aortic aneurysm repair (Wyers et al). 2002;36:1138-45
A prospective evaluation of hypogastric artery embolization in endovascular aortoiliac aneurysm repair (Lin et al). 2002;36:500-6
Surgical treatment for primary infected aneurysm of the descending thoracic aorta, abdominal aorta, and iliac arteries (Hsu et al). 2002;36:746-50

Iliac artery
Broadening the applicability of endovascular aneurysm repair: the use of iliac conduits (Abu-Ghaida et al). 2002;36:111-17
Improved assessment of the hemodynamic significance of borderline iliac stenoses with use of hyperemic duplex scanning (Coffi et al). 2002;36:575-80
A new approach for the surgical management of unilateral iliac artery occlusive disease: the iliofemoral crossover transposition (Carmo et al). 2002;36:404-7 (Tech. note)
Obstructive external iliac arteriopathy in avid bicyclists: new and variable histopathologic features in four women (Kral et al). 2002;36:565-70
Outcome of common iliac arteries after aortoaortic graft place-

ment during elective repair of infrarenal abdominal aortic aneurysms (Sala et al). 2002;36:982-7

Predicting iliac limb occlusion after bifurcated aortic stent grafting: anatomic and device-related causes (Carroccio et al). 2002;36:679-84

Predictors for adverse outcome after iliac angioplasty and stenting for limb-threatening ischemia (Timaran et al). 2002;36:507-13

Iliac vein

Endovascular treatment of iliocaval occlusion caused by retroperitoneal fibrosis: late results in two cases (Hartung et al). 2002;36:849-52

Recanalization of totally occluded iliac and adjacent venous segments (Raju et al). 2002;36:903-11

Informed consent

Consent for residents to perform surgery (Jones and McCullough). 2002;36:655-6

When does conventional surgical therapy become research? (Jones and McCullough). 2002;36:423-4

Insurance, liability

The Titanic revisited: professional liability and access to care (Oblath). 2002;36:642-3

Integrins

Mural thrombus of the aorta in association with homozygous plasminogen activator inhibitor type 1 (PAI-1)-675(4G) and heterozygous GP Ia 807C/T genotypes (Beldi et al). 2002;36:632-4 (Case rep.)

Intermittent claudication

The impact of walking impairment, cardiovascular risk factors, and comorbidity on quality of life in patients with intermittent claudication (Breek et al). 2002;36:94-9

The Intermittent Claudication Questionnaire: a patient-assessed condition-specific health outcome measure (Chong et al). 2002;36:764-71

Nottingham Health Profile and Short-Form 36 Health Survey questionnaires in patients with chronic lower limb ischemia: before and after revascularization (Kelvsgård et al). 2002;36:310-17

Pharmacologic therapy for peripheral arterial disease and claudication (Hiatt). 2002;36:1283-91

Regarding "The Intermittent Claudication Questionnaire: a patient-assessed condition-specific health outcome measure" (McDaniel). 2002;36:863-4 (Invited comment)

Reproducibility of constant-load treadmill testing with various treadmill protocols and predictability of treadmill test results in patients with intermittent claudication (Degischer et al). 2002;36:83-8

The severity of muscle ischemia during intermittent claudication (Egun et al). 2002;36:89-93

Subclavian vein thrombosis caused by an unusual congenital clavicular anomaly in an atypical anatomic position (Filis et al). 2002;36:629-31 (Case rep.)

Internship and residency

Consent for residents to perform surgery (Jones and McCullough). 2002;36:655-6

Smoking cessation counseling: a missed opportunity for general surgery trainees (Krupski et al). 2002;36:257-62

Trends in aortic aneurysm surgical training for general and vascular surgery residents in the era of endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2002;36:685-9

Intestines

Nonocclusive intestinal ischemia in patients with acute aortic dissection (Neri et al). 2002;36:738-45

Ischemia

Correlation of a simple direct measurement of muscle pO_2 to a clinical ischemia index and histology in a rat model of chronic severe hindlimb ischemia (Paek et al). 2002;36:172-9

Distal revascularization–interval ligation: a durable and effective treatment for ischemic steal syndrome after hemodialysis access (Knox et al). 2002;36:250-6

Nonocclusive intestinal ischemia in patients with acute aortic dissection (Neri et al). 2002;36:738-45

Nottingham Health Profile and Short-Form 36 Health Survey questionnaires in patients with chronic lower limb ischemia: before and after revascularization (Kelvsgård et al). 2002;36:310-17

Serum lipids act as inverse acute phase reactants and are falsely low in patients with critical limb ischemia (Bismuth et al). 2002;36:1005-10

J

Jejunum

Small bowel motility and transit after aortic surgery (Miedema et al). 2002;36:19-24

Journal of Vascular Surgery

Complaints. Concerns. The JVS ombudsman (Johnston and Rutherford). 2002;36:428

Web-based submission and review of manuscripts will start November 15. 2002;36:429

K

Kidney failure, chronic

Relationship of hemodialysis access to finger gangrene in patients with end-stage renal disease (Yeager et al). 2002;36:245-9

L

Laboratories

Is vascular surgery in danger of losing the vascular laboratory? (Patterson et al). 2002;36:639-41

Laparoscopy

Laparoscopic remodeling of abdominal aortic aneurysms after endovascular exclusion: a technical description (Kolvenbach et al). 2002;36:1267-70 (Tech. note)

Regarding "Laparoscopic remodeling of abdominal aortic aneurysms after endovascular exclusion: a technical description" (White). 2002;36:1271-3 (Invited comment)

Robot-assisted laparoscopic aortobifemoral bypass for aortoiliac occlusive disease: a report of two cases (Wisselink et al). 2002;36:1079-82 (Tech. note.)

Leg

D-dimer and calf circumference in the evaluation of outpatient deep venous thrombosis (Johanning et al). 2002;36:877-80

Lower extremity compartment syndrome after coronary artery bypass (James et al). 2002;36:1069-70 (Case rep.)

Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus statement (Caggiati et al). 2002;36:416-22

Nottingham Health Profile and Short-Form 36 Health Survey questionnaires in patients with chronic lower limb ischemia: before and after revascularization (Kelvsgård et al). 2002;36:310-17

Persistent sciatic vessels, varicose veins, and lower limb hypertrophy: an unusual case or discrete clinical syndrome? (Parry et al). 2002;36:396-400 (Case rep.)

A quantitative approach to lower extremity vein repair (Kuralay et al). 2002;36:1213-18
The severity of muscle ischemia during intermittent claudication (Egun et al). 2002;36:89-93

Leiomyomatosis
Pararenal vena cava leiomyosarcoma versus leiomyomatosis: difficult diagnosis (Armstrong and Franklin). 2002;36:1256-9 (Case rep.)

Leiomyosarcoma
Pararenal vena cava leiomyosarcoma versus leiomyomatosis: difficult diagnosis (Armstrong and Franklin). 2002;36:1256-9 (Case rep.)

Letters to the Editor
Is there an increased risk for DVT with the VNUS closure procedure? (Komenaka and Nguyen). 2002;36:1311
Regarding "Carotid artery stenting in a vascular surgery practice" (Sullivan) (Letter); (Criado) (Reply). 2002;36:1094
Regarding "The effect of long saphenous vein stripping on quality of life" (Semel). 2002;36:1311
Regarding "Extracranial carotid aneurysm in Takayasu's arteritis" (Odero and Regina) (Letter); (Miyata and Tabata) (Reply). 2002;36:201
Regarding "Subclavian carotid transposition and bypass grafting: consecutive cohort study and systematic review" (Ballotta). 2002;36:426
Regarding "Transient advanced mental impairment: an underappreciated morbidity after aortic surgery" (Böhner and Schneider) (Letter); (Rosen) (Reply). 2002;36:425-6
Regarding "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess" (Cikirikcioglu and Duran) (Letter); Silva (Reply). 2002;36:202

Life expectancy
Life expectancy after endovascular versus open abdominal aortic aneurysm repair: results of a decision analysis model on the basis of data from EUROSTAR (Schermerhorn et al). 2002;36:1112-20

Ligation
Distal revascularization–interval ligation: a durable and effective treatment for ischemic steal syndrome after hemodialysis access (Knox et al). 2002;36:250-6

Lipoproteins
Echolucent, rupture-prone carotid plaques associated with elevated triglyceride-rich lipoproteins, particularly in women (Kofoed et al). 2002;36:783-92
Serum lipids act as inverse acute phase reactants and are falsely low in patients with critical limb ischemia (Bismuth et al). 2002;36:1005-10

Lipoproteins, HDL
Lipoprotein (a) in patients with aortic aneurysmal disease (Schillinger et al). 2002;36:25-30

Lung diseases, obstructive
Higher prevalence of obstructive airway disease in patients with thoracic or abdominal aortic aneurysm (Sakamaki et al). 2002;36:35-40

Lupus coagulation inhibitor
Successful management of life-threatening hemorrhage in a patient with synchronous lupus anticoagulant and factor VIII inhibitor (Brings et al). 2002;36:853-5 (Case rep.)

M

Magnetic resonance angiography
Magnetic resonance angiography of collateral compensation in asymptomatic and symptomatic internal carotid artery stenosis (Hendrikse et al). 2002;36:799-805
Overestimation of carotid artery stenosis with magnetic resonance angiography compared with digital subtraction angiography (Nederkoorn et al). 2002;36:806-13

Malpractice
Professional self-regulation: eyewitness to incompetent surgery (Jones et al). 2002;36:1092-3
The Titanic revisited: professional liability and access to care (Oblath). 2002;36:642-3

Marketing of **health services**
Strategic issues for biomedical technology development (Gertler and Brown). 2002;36:649-54 (Review)

Matrix **metalloproteinases**
A 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, cerivastatin, suppresses production of matrix metalloproteinase–9 in human abdominal aortic aneurysm wall (Nagashima et al). 2002;36:158-63
Paracrine effect of vascular smooth muscle cells in the prevention of aortic aneurysm formation (Allaire et al). 2002;36:1018-26
Prolonged administration of doxycycline in patients with small asymptomatic abdominal aortic aneurysms: report of a prospective (Phase II) multicenter study (Baxter et al). 2002;36:1-12

Mediastinitis
Azygous vein to right atrium bypass graft in a patient with idiopathic fibrosing mediastinitis and symptomatic superior and inferior vena cava obstructions (Kakkis et al). 2002;36:1071-5 (Case rep.)

Medical staff **privileges**
Guidelines for hospital privileges in vascular surgery: an update by an ad hoc committee of the American Association for Vascular Surgery and the Society for Vascular Surgery (Moore et al). 2002;36:1276-82

Medicare
Changing political realities and vascular surgery (Oblath). 2002;36:414-15

Melanoma
Arterial tumor embolism caused by metastatic melanoma: case report and literature review (Grazziotin and Turnipseed). 2002;36:191-3 (Case rep.)

Menopause
Varicose veins of the lower limbs and venous capacitance in postmenopausal women: relationship with obesity (Iannuzzi et al). 2002;36:965-8

Mental **disorders**
Regarding "Transient advanced mental impairment: an underappreciated morbidity after aortic surgery" (Böhner and Schneider) (Letter); (Rosen) (Reply). 2002;36:425-6

Mentors
Regeneration (Brener). 2002;36:1097-103

Mesenteric **artery, superior**
Superior mesenteric artery aneurysms: is presence an indication for intervention? (Stone et al). 2002;36:234-7

Mesenteric **circulation;** *see* Splanchnic circulation

Mesenteric **vascular occlusion**
Percutaneous transhepatic treatment of symptomatic mesenteric venous thrombosis (Lopera et al). 2002;36:1058-61 (Case rep.)

Mesenteric **veins**
Distal inferior mesenteric veins to renal vein shunt for treatment of bleeding anorectal varices: case report and review of literature (Rahmani et al). 2002;36:1264-6 (Case rep.)

Meta-analysis
Semiquantitative dipyridamole myocardial stress perfusion imaging for cardiac risk assessment before noncardiac vascular surgery: a metaanalysis (Etchells et al). 2002;36:534-40
Microcirculation
Regarding "Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization" (Williams) (Letter); (Veves) (Reply). 2002;36:867-8
Middle cerebral artery
Changes in middle cerebral artery blood flow after carotid endarterectomy as monitored by transcranial Doppler (Zachrisson et al). 2002;36:285-90
Models
Effect of intraluminal thrombus on wall stress in patient-specific models of abdominal aortic aneurysm (Wang et al). 2002;36:598-604
Models, theoretical
Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model (Hosoi et al). 2002;36:137-42
Regarding "Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model" (Sumner). 2002;36:196-8 (Invited comment)
Monocyte chemoattractant protein-1
17B-estradiol attenuates intimal hyperplasia and macrophage accumulation with a reduction in monocyte chemoattractant protein 1 expression in a vein graft model (Ryomoto et al). 2002;36:613-21
Mortality
Aneurysm-related death: primary endpoint analysis for comparison of open and endovascular repair (Arko et al). 2002; 36:297-304
Operative mortality rate for elective abdominal aortic aneurysm repair is not increased by the presence of a previous or concurrent thoracic or thoracoabdominal aortic dissection (Anand). 2002;36:690-5
Ruptured abdominal aortic aneurysm in a well-defined geographic area (Heikkinen et al). 2002;36:291-6
Muscle, skeletal
Correlation of a simple direct measurement of muscle pO_2 to a clinical ischemia index and histology in a rat model of chronic severe hindlimb ischemia (Paek et al). 2002;36: 172-9
The severity of muscle ischemia during intermittent claudication (Egun et al). 2002;36:89-93
Muscle, smooth, vascular
The effect of endothelial cell overexpression of plasminogen activator inhibitor-1 on smooth muscle cell migration (Proia et al). 2002;36:164-71
Flow-induced neointimal regression in baboon polytetrafluoroethylene grafts is associated with decreased cell proliferation and increased apoptosis (Berceli et al). 2002;36:1248-55
Paracrine effect of vascular smooth muscle cells in the prevention of aortic aneurysm formation (Allaire et al). 2002;36: 1018-26
Progesterone inhibits human infragenicular arterial smooth muscle cell proliferation induced by high glucose and insulin concentrations (Carmody et al). 2002;36:824-32
Simvastatin inhibits human saphenous vein neointima formation via inhibition of smooth muscle cell proliferation and migration (Porter et al). 2002;36:150-7
Musculoskeletal abnormalities
Management of cervical ribs and anomalous first ribs causing neurogenic thoracic outlet syndrome (Sanders and Hammond). 2002;36:51-6
Myocardium
Semiquantitative dipyridamole myocardial stress perfusion imaging for cardiac risk assessment before noncardiac vascular surgery: a metaanalysis (Etchells et al). 2002;36:534-40

N

Neoplasm circulating cells
Arterial tumor embolism caused by metastatic melanoma: case report and literature review (Grazziotin and Turnipseed). 2002;36:191-3 (Case rep.)
Neoplasm metastasis
Arterial tumor embolism caused by metastatic melanoma: case report and literature review (Grazziotin and Turnipseed). 2002;36:191-3 (Case rep.)
Neoplasms
Inferior vena cava filters in malignant disease (Jarrett et al). 2002;36:704-7
Neovascularization
Flow-induced neointimal regression in baboon polytetrafluoroethylene grafts is associated with decreased cell proliferation and increased apoptosis (Berceli et al). 2002;36:1248-55
Nuclear magnetic resonance
Can carotid endarterectomy improve metabolic status in patients with asymptomatic internal carotid artery flow lesion? Studies with localized in vivo proton magnetic resonance spectroscopy (Kim et al). 2002;36:559-64
Regarding "Can carotid endarterectomy improve metabolic status in patients with asymptomatic internal carotid artery flow lesion? Studies with localized in vivo proton magnetic resonance spectroscopy" (Lynch et al). 2002;36:646-8 (Invited comment)

O

Obesity
Varicose veins of the lower limbs and venous capacitance in postmenopausal women: relationship with obesity (Iannuzzi et al). 2002;36:965-8
Outcome assessment (health care)
Analysis of medical risk factors and outcomes in patients undergoing open versus endovascular abdominal aortic aneurysm repair (Ligush et al). 2002;36:492-9
Aneurysm-related death: primary endpoint analysis for comparison of open and endovascular repair (Arko et al). 2002; 36:297-304
Capturing an accurate measure of success—outcomes and endpoints in endovascular aneurysm repair (Chaikof). 2002;36:410-11 (Invited comment)
Combined coronary artery bypass with carotid endarterectomy: do women have worse outcomes? (Roddy et al). 2002;36:555-8
A decade experience with infrainguinal revascularization in a dialysis-dependent patient population (Ramdev et al). 2002;36:969-74
Distal vertebral artery reconstruction: long-term outcome (Kieffer et al). 2002;36:549-54
The distribution of carotid endarterectomy procedures among surgeons and hospitals in New York state: is regionalization of specialized vascular care occurring? (Matsen et al). 2002; 36:1146-53
Endovascular abdominal aortic aneurysm repair with general versus local anesthesia: a comparison of cardiopulmonary

morbidity and mortality rates (Virgilio et al). 2002;36:988-91
Inferior vena cava filters in malignant disease (Jarrett et al). 2002;36:704-7
The Intermittent Claudication Questionnaire: a patient-assessed condition-specific health outcome measure (Chong et al). 2002;36:764-71
Introduction of endovascular aneurysm repair into community practice: initial results with a new Food and Drug Administration–approved device (Zarins et al). 2002;36:226-33
Life expectancy after endovascular versus open abdominal aortic aneurysm repair: results of a decision analysis model on the basis of data from EUROSTAR (Schermerhorn et al). 2002;36:1112-20
Nine-year experience of bovine pericardium patch angioplasty during carotid endarterectomy (Biasi et al). 2002;36:271-7
Outcome of nonoperative management of asymptomatic high-grade carotid stenosis (Erzurum et al). 2002;36:663-7
Outcomes of carotid endarterectomy: how does the Australian state of New South Wales compare with international benchmarks? (Middleton and Donnelly). 2002;36:62-9
Prediction of early graft failure with intraoperative completion duplex ultrasound scan (Rzucidlo et al). 2002;36:975-81
Predictors for adverse outcome after iliac angioplasty and stenting for limb-threatening ischemia (Timaran et al). 2002;36:507-13
Regarding "The Intermittent Claudication Questionnaire: a patient-assessed condition-specific health outcome measure" (McDaniel). 2002;36:863-4 (Invited comment)

Oxidative stress
Oxidative stress is involved in the development of experimental abdominal aortic aneurysm: a study of the transcription profile with complementary DNA microarray (Yajima et al). 2002;36:379-85

P

P-selectin
P-selectin inhibition enhances thrombus resolution and decreases vein wall fibrosis in a rat model (Myers et al). 2002;36:928-38

Paracrine communication
Paracrine effect of vascular smooth muscle cells in the prevention of aortic aneurysm formation (Allaire et al). 2002;36:1018-26

Patient education
Smoking cessation counseling: a missed opportunity for general surgery trainees (Krupski et al). 2002;36:257-62

Pelvic pain
The pelvic venous syndromes: analysis of our experience with 57 patients (Scultetus et al). 2002;36:881-8

Peripheral vascular disease
Can screening for genetic markers improve peripheral artery bypass patency? (Kibbe et al). 2002;36:1194-7
Coronary revascularization prior to elective vascular surgery: does it reduce cardiac risk? (Mukherjee and Eagle). 2002;36:644-5 (Invited comment)
Paravisceral aortic thrombus as a source of peripheral embolization—report of three cases and review of the literature (Rossi et al). 2002;36:839-43 (Case rep.)
Pharmacologic therapy for peripheral arterial disease and claudication (Hiatt). 2002;36:1283-91
Prevalence and progression of internal carotid artery stenosis in patients with peripheral arterial occlusive disease (Cin et al). 2002;36:75-82

Physician-patient relations
Nonmonetary conflicts of interest (McCullough et al). 2002;36:1309-10
The public's right to know? Surgical treatment of public figures (Jones et al). 2002;36:865-6

Plasminogen activator inhibitor 1
Mural thrombus of the aorta in association with homozygous plasminogen activator inhibitor type 1 (PAI-1)-675(4G) and heterozygous GP Ia 807C/T genotypes (Beldi et al). 2002;36:632-4 (Case rep.)

Plethysmography
Air plethysmographic assessment of external valvuloplasty in patients with valvular incompetence of the saphenous and deep veins (Sakuda et al). 2002;36:922-7
Do preoperative finger pressures predict early arterial steal in hemodialysis access patients? A prospective analysis (Valentine et al). 2002;36:351-6

Politics
Changing political realities and vascular surgery (Oblath). 2002;36:414-15

Polytetrafluoroethylene
Flow-induced neointimal regression in baboon polytetrafluoroethylene grafts is associated with decreased cell proliferation and increased apoptosis (Berceli et al). 2002;36:1248-55

Popliteal artery
Composite sequential arterial reconstruction for limb salvage (Roddy et al). 2002;36:325-9
Composite sequential grafts for femorocrural bypass reconstruction: experience with a modified technique (Mahmood et al). 2002;36:772-8
Gamma radiation induces positive vascular remodeling after balloon angioplasty: a prospective, randomized intravascular ultrasound scan study (Hagenaars et al). 2002;36:318-24
Popliteal-crural bypass through the posterior approach with lesser saphenous vein for limb salvage (Goyal et al). 2002;36:708-12
Results of prosthetic-vein composite graft with remote popliteal arteriovenous fistula in infragenicular bypass (Palerme et al). 2002;36:330-5

Popliteal vein
Postthrombotic syndrome after isolated calf deep venous thrombosis: the role of popliteal reflux (Saarinen et al). 2002;36:959-64
A quantitative approach to lower extremity vein repair (Kuralay et al). 2002;36:1213-18

Postoperative care
Anticoagulation with enoxaparin versus intravenous unfractionated heparin in postoperative vascular surgery patients (Hingorani et al). 2002;36:341-5

Postoperative complications
Abdominal aortic aneurysm repair with the Zenith stent graft: short to midterm results (Abraham et al). 2002;36:217-25
Atheroembolization: a harmful complication of therapeutic internal iliac artery occlusion (Marty et al). 2002;36:1062-5 (Case rep.)
Contemporary results of juxtarenal aneurysm repair (Sarac et al). 2002;36:1104-11
Delayed retrograde aortic dissection after endovascular stenting of the descending thoracic aorta (Pasic et al). 2002;36:184-6 (Case rep.)
Durability of thoracoabdominal aortic aneurysm repair in patients with connective tissue disorders (Dardik et al). 2002;36:696-703

Effect of endovascular stent strut geometry on vascular injury, myointimal hyperplasia, and restenosis (Sullivan et al). 2002;36:143-9

Endograft migration one to four years after endovascular abdominal aortic aneurysm repair with the AneuRX device: a cautionary note (Conners et al). 2002;36:476-84

Endotension in an experimental aneurysm model (Skillern et al). 2002;36:814-17

Endovascular abdominal aortic aneurysm repair with general versus local anesthesia: a comparison of cardiopulmonary morbidity and mortality rates (Virgilio et al). 2002;36:988-91

Lower extremity compartment syndrome after coronary artery bypass (James et al). 2002;36:1069-70 (Case rep.)

Mechanism of failure in the treatment of type II endoleak with percutaneous coil embolization (Solis et al). 2002;36:485-91

Multicenter trial of the PowerLink bifurcated system for endovascular aortic aneurysm repair (Carpenter). 2002;36:1129-37

Nine-year experience of bovine pericardium patch angioplasty during carotid endarterectomy (Biasi et al). 2002;36:271-7

Predicting iliac limb occlusion after bifurcated aortic stent grafting: anatomic and device-related causes (Carroccio et al). 2002;36:679-84

Prediction of early graft failure with intraoperative completion duplex ultrasound scan (Rzucidlo et al). 2002;36:975-81

Secondary procedures after endovascular aortic aneurysm repair (Conners et al). 2002;36:992-6

Stent graft infection after abdominal aortic aneurysm repair: a case report (Baker et al). 2002;36:180-3 (Case rep.)

Subdural hematoma after thoracoabdominal aortic aneurysm repair: an underreported complication of spinal fluid drainage? (Dardik et al). 2002;36:47-50

Technical considerations for late removal of aortic endografts (Lyden et al). 2002;36:674-8

Temporin A as a prophylactic agent against methicillin sodium–susceptible and methicillin sodium–resistant *Staphylococcus epidermidis* vascular graft infection (Ghiselli et al). 2002;36:1027-30

Type II endoleaks: predictable, preventable, and sometimes treatable? (Parry et al). 2002;36:105-10

The use of color-flow duplex scan for detection of endoleaks (McLafferty et al). 2002;36:100-4

The use of cryopreserved femoral vein grafts for hemodialysis access in patients at high risk for infection: a word of caution (Bolton et al). 2002;36:464-8

Preoperative care

American College of Cardiology/American Heart Association preoperative assessment guidelines reduce resource utilization before aortic surgery (Froehlich et al). 2002;36:758-63

Pressoreceptors

Deterioration in carotid baroreflex during carotid endarterectomy (Sigaudo-Roussel et al). 2002;36:793-8

Pressure

The effect of external pneumatic compression on regional fibrinolysis in a prospective randomized trial (Killewich et al). 2002;36:953-8

External pneumatic compression does not increase urokinase plasminogen activator after abdominal surgery (Murakami et al). 2002;36:917-21

Professional competence

Professional self-regulation: eyewitness to incompetent surgery (Jones et al). 2002;36:1092-3

Progesterone

Progesterone inhibits human infragenicular arterial smooth muscle cell proliferation induced by high glucose and insulin concentrations (Carmody et al). 2002;36:824-32

Prospective studies

A prospective evaluation of hypogastric artery embolization in endovascular aortoiliac aneurysm repair (Lin et al). 2002;36:500-6

Prospective validation of an algorithm to maximize native arteriovenous fistulae for chronic hemodialysis access (Huber et al). 2002;36:452-9

Prosthesis-related infections

Distal septic emboli and fatal brachiocephalic artery mycotic pseudoaneurysm as a complication of stenting (Pruitt et al). 2002;36:625-8 (Case rep.)

Excision and autogenous revascularization of an infected aortic stent graft resulting from a urinary tract infection (Jackson et al). 2002;36:622-4 (Case rep.)

Pseudoaneurysm; *see* Aneurysm, false

Pulmonary embolism

Inflammation and intimal hyperplasia associated with experimental pulmonary embolism (Eagleton et al). 2002;36:581-8

Q

Quality of life

The impact of walking impairment, cardiovascular risk factors, and comorbidity on quality of life in patients with intermittent claudication (Breek et al). 2002;36:94-9

Patient, operative, and surgeon factors that influence the effect of superficial venous surgery on disease-specific quality of life (MacKenzie et al). 2002;36:896-902

Regarding "The effect of long saphenous vein stripping on quality of life" (Semel). 2002;36:1311 (Letter)

Questionnaires

The Intermittent Claudication Questionnaire: a patient-assessed condition-specific health outcome measure (Chong et al). 2002;36:764-71

Nottingham Health Profile and Short-Form 36 Health Survey questionnaires in patients with chronic lower limb ischemia: before and after revascularization (Kelvsgård et al). 2002;36:310-17

Regarding "The Intermittent Claudication Questionnaire: a patient-assessed condition-specific health outcome measure" (McDaniel). 2002;36:863-4 (Invited comment)

R

Radionuclide imaging

Semiquantitative dipyridamole myocardial stress perfusion imaging for cardiac risk assessment before noncardiac vascular surgery: a metaanalysis (Etchells et al). 2002;36:534-40

Raynaud's disease

Endoscopic thoracic sympathicotomy for Raynaud's phenomenon (Matsumoto et al). 2002;36:57-61

Rectal diseases

Distal inferior mesenteric veins to renal vein shunt for treatment of bleeding anorectal varices: case report and review of literature (Rahmani et al). 2002;36:1264-6 (Case rep.)

Referral and consultation

The distribution of carotid endarterectomy procedures among surgeons and hospitals in New York state: is regionalization of specialized vascular care occurring? (Matsen et al). 2002;36:1146-53

Remission, spontaneous

Spontaneous recanalization of arterial occlusions: an unusual

mechanism for symptomatic improvement (Gargiulo et al). 2002;36:1161-6

Renal artery
The endovascular treatment of a renal arteriovenous fistula: placement of a covered stent (Sprouse and Hamilton). 2002;36:1066-8 (Case rep.)

Renal artery obstruction
Prevalence of renovascular disease in the elderly: a population-based study (Hansen et al). 2002;36:443-51

Renal circulation
Aortic clamping during elective operations for infrarenal disease: the influence of clamping time on renal function (Wahlberg et al). 2002;36:13-18

Renal veins
Distal inferior mesenteric veins to renal vein shunt for treatment of bleeding anorectal varices: case report and review of literature (Rahmani et al). 2002;36:1264-6 (Case rep.)
The endovascular treatment of a renal arteriovenous fistula: placement of a covered stent (Sprouse and Hamilton). 2002;36:1066-8 (Case rep.)

Renin-angiotensin system
Upregulation of autocrine-paracrine renin-angiotensin systems in chronic renovascular hypertension (Sadjadi et al). 2002; 36:386-92

Reoperation
Choice of autogenous conduit for lower extremity vein graft revisions (Landry et al). 2002;36:238-44
Excision and autogenous revascularization of an infected aortic stent graft resulting from a urinary tract infection (Jackson et al). 2002;36:622-4 (Case rep.)
Secondary procedures after endovascular aortic aneurysm repair (Conners et al). 2002;36:992-6
Technical considerations for late removal of aortic endografts (Lyden et al). 2002;36:674-8

Reperfusion injury
Cholinergic antiinflammatory pathway inhibition of tumor necrosis factor during ischemia reperfusion (Bernik et al). 2002;36:1231-6

Reproducibility of results
Reproducibility of constant-load treadmill testing with various treadmill protocols and predictability of treadmill test results in patients with intermittent claudication (Degischer et al). 2002;36:83-8

Research
Is vascular surgery in danger of losing the vascular laboratory? (Patterson et al). 2002;36:639-41

Restenosis; *see* Graft occlusion, vascular

Resuscitation orders
Complying with advance directives in the operating room (Jones and McCullough). 2002;36:199-200

Retroperitoneal fibrosis
Endovascular treatment of iliocaval occlusion caused by retroperitoneal fibrosis: late results in two cases (Hartung et al). 2002;36:849-52

Retrospective studies
Postthrombotic syndrome after isolated calf deep venous thrombosis: the role of popliteal reflux (Saarinen et al). 2002;36:959-64

Revascularization
Azygous vein to right atrium bypass graft in a patient with idiopathic fibrosing mediastinitis and symptomatic superior and inferior vena cava obstructions (Kakkis et al). 2002;36: 1071-5 (Case rep.)
Composite sequential grafts for femorocrural bypass reconstruction: experience with a modified technique (Mahmood et al). 2002;36:772-8
A decade experience with infrainguinal revascularization in a dialysis-dependent patient population (Ramdev et al). 2002;36:969-74
Distal revascularization–interval ligation: a durable and effective treatment for ischemic steal syndrome after hemodialysis access (Knox et al). 2002;36:250-6
First clinical experience with an anastomotic device to facilitate aortomesenteric saphenous vein bypass (Schmidli et al). 2002;36:859-62
Genetic interventions for vein bypass graft disease: a review (Conte et al). 2002;36:1040-52
The influence of hyperhomocysteinemia on graft patency after infrainguinal bypass surgery in the Dutch BOA Study (Borst et al). 2002;36:336-40
Nottingham Health Profile and Short-Form 36 Health Survey questionnaires in patients with chronic lower limb ischemia: before and after revascularization (Kelvsgård et al). 2002; 36:310-17
Popliteal-crural bypass through the posterior approach with lesser saphenous vein for limb salvage (Goyal et al). 2002; 36:708-12
Regarding "Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization" (Williams) (Letter); (Veves) (Reply). 2002;36:867-8
Regarding "Subclavian carotid transposition and bypass grafting: consecutive cohort study and systematic review" (Ballotta). 2002;36:426 (Letter)
Robot-assisted laparoscopic aorţobifemoral bypass for aortoiliac occlusive disease: a report of two cases (Wisselink et al). 2002;36:1079-82 (Tech. note.)
Spontaneous recanalization of arterial occlusions: an unusual mechanism for symptomatic improvement (Gargiulo et al). 2002;36:1161-6
Type III and IV thoracoabdominal aortic aneurysm repair: results of a trifurcated/two-graft technique (Ballard et al). 2002;36:211-16

Ribs
Management of cervical ribs and anomalous first ribs causing neurogenic thoracic outlet syndrome (Sanders and Hammond). 2002;36:51-6

Risk assessment
American College of Cardiology/American Heart Association preoperative assessment guidelines reduce resource utilization before aortic surgery (Froehlich et al). 2002;36:758-63
Coronary revascularization prior to elective vascular surgery: does it reduce cardiac risk? (Mukherjee and Eagle). 2002; 36:644-5 (Invited comment)
A reassessment of carotid endarterectomy in the face of contralateral carotid occlusion: surgical results in symptomatic and asymptomatic patients (Rockman et al). 2002;36:668-73
Semiquantitative dipyridamole myocardial stress perfusion imaging for cardiac risk assessment before noncardiac vascular surgery: a metaanalysis (Etchells et al). 2002;36:534-40
Update on perioperative evaluation and management of cardiac disease in vascular surgery patients (Krupski). 2002;36: 1292-308

Risk factors
Analysis of medical risk factors and outcomes in patients undergoing open versus endovascular abdominal aortic aneurysm repair (Ligush et al). 2002;36:492-9

Extent of thrombus evaluated in patients with recurrent and first deep vein thrombosis (Fink et al). 2002;36:357-60
Limitations in the cardiac risk reduction provided by coronary revascularization prior to elective vascular surgery (Back et al). 2002;36:526-33
Nonoperative management with selective delayed surgery for large abdominal aortic aneurysms in patients at high risk (Tanquilut et al). 2002;36:41-6
Superior mesenteric artery aneurysms: is presence an indication for intervention? (Stone et al). 2002;36:234-7
Thoracoabdominal and descending thoracic aortic aneurysm surgery in patients aged 79 years or older (Huynh et al). 2002;36:469-75

S

Saphenous vein
Air plethysmographic assessment of external valvuloplasty in patients with valvular incompetence of the saphenous and deep veins (Sakuda et al). 2002;36:922-7
First clinical experience with an anastomotic device to facilitate aortomesenteric saphenous vein bypass (Schmidli et al). 2002;36:859-62
Initial experiences in endovenous treatment of saphenous vein reflux (Sybrandy and Wittens). 2002;36:1207-12
Is the nihilistic approach to surgical reduction of superficial and perforator vein incompetence for venous ulcer justified? (Iafrati et al). 2002;36:1167-74
Popliteal-crural bypass through the posterior approach with lesser saphenous vein for limb salvage (Goyal et al). 2002;36:708-12
Regarding "The effect of long saphenous vein stripping on quality of life" (Semel). 2002;36:1311 (Letter)
Simvastatin inhibits human saphenous vein neointima formation via inhibition of smooth muscle cell proliferation and migration (Porter et al). 2002;36:150-7
Scintigraphy; *see* Radionuclide imaging
Severity of illness index
Performance characteristics of the venous clinical severity score (Meissner et al). 2002;36:889-95
Sex factors
Combined coronary artery bypass with carotid endarterectomy: do women have worse outcomes? (Roddy et al). 2002;36:555-8
Echolucent, rupture-prone carotid plaques associated with elevated triglyceride-rich lipoproteins, particularly in women (Kofoed et al). 2002;36:783-92
Simvastatin
Simvastatin inhibits human saphenous vein neointima formation via inhibition of smooth muscle cell proliferation and migration (Porter et al). 2002;36:150-7
Smoking cessation
Smoking cessation counseling: a missed opportunity for general surgery trainees (Krupski et al). 2002;36:257-62
Society for Clinical Vascular Surgery
Presidential address: On old dogs and new tricks (Ricotta). 2002;36:657-62
Southern Association for Vascular Surgery
Presidential address: Thirteen days in May (Rosenthal). 2002;36:430-6
Spectroscopy, magnetic resonance; *see* Nuclear magnetic resonance
Splanchnic circulation
Nonocclusive intestinal ischemia in patients with acute aortic dissection (Neri et al). 2002;36:738-45
Splenic artery
Stent graft repair of visceral artery aneurysms (Larson et al). 2002;36:1260-3 (Case rep.)
Sports
Presidential address: Thirteen days in May (Rosenthal). 2002;36:430-6
Staphylococcus epidermidis
Temporin A as a prophylactic agent against methicillin sodium–susceptible and methicillin sodium–resistant *Staphylococcus epidermidis* vascular graft infection (Ghiselli et al). 2002;36:1027-30
Statistics
A brief note on overlapping confidence intervals (Austin and Hux). 2002;36:194-5
Stents
Abdominal aortic aneurysm repair with the Zenith stent graft: short to midterm results (Abraham et al). 2002;36:217-25
Aneurysm-related death: primary endpoint analysis for comparison of open and endovascular repair (Arko et al). 2002;36:297-304
Changes in aneurysm volume after endovascular repair of abdominal aortic aneurysm (Wolf et al). 2002;36:305-9
Delayed retrograde aortic dissection after endovascular stenting of the descending thoracic aorta (Pasic et al). 2002;36:184-6 (Case rep.)
Distal septic emboli and fatal brachiocephalic artery mycotic pseudoaneurysm as a complication of stenting (Pruitt et al). 2002;36:625-8 (Case rep.)
Effect of endovascular stent strut geometry on vascular injury, myointimal hyperplasia, and restenosis (Sullivan et al). 2002;36:143-9
Endograft migration one to four years after endovascular abdominal aortic aneurysm repair with the AneuRX device: a cautionary note (Conners et al). 2002;36:476-84
Endovascular stent–graft repair of complicated penetrating atherosclerotic ulcers of the descending thoracic aorta (Schoder et al). 2002;36:720-6
The endovascular treatment of a renal arteriovenous fistula: placement of a covered stent (Sprouse and Hamilton). 2002;36:1066-8 (Case rep.)
Endovascular treatment of embolization of aortic plaque with covered stents (Dougherty and Calligaro). 2002;36:727-31
Excision and autogenous revascularization of an infected aortic stent graft resulting from a urinary tract infection (Jackson et al). 2002;36:622-4 (Case rep.)
Has endovascular surgery reduced the number of open vascular operations performed by an established surgical practice? (Sullivan et al). 2002;36:514-19
Influence of stent design and material composition on procedure outcome (Palmaz et al). 2002;36:1031-9
Initial experience with cerebral protection devices to prevent embolization during carotid artery stenting (Ohki et al). 2002;36:1175-85
Introduction of endovascular aneurysm repair into community practice: initial results with a new Food and Drug Administration–approved device (Zarins et al). 2002;36:226-33
Limb interventions in patients undergoing treatment with an unsupported bifurcated aortic endograft system: a review of the Phase II EVT Trial (Fairman et al). 2002;36:118-26
Outcome of nonoperative management of asymptomatic high-grade carotid stenosis (Erzurum et al). 2002;36:663-7
Predicting iliac limb occlusion after bifurcated aortic stent grafting: anatomic and device-related causes (Carroccio et al). 2002;36:679-84

Predictors for adverse outcome after iliac angioplasty and stenting for limb-threatening ischemia (Timaran et al). 2002;36:507-13
A prospective evaluation of hypogastric artery embolization in endovascular aortoiliac aneurysm repair (Lin et al). 2002;36:500-6
Recanalization of totally occluded iliac and adjacent venous segments (Raju et al). 2002;36:903-11
Regarding "Carotid artery stenting in a vascular surgery practice" (Sullivan) (Letter); (Criado) (Reply). 2002;36:1094
Regarding "Changes in aneurysm volume after endovascular repair of abdominal aortic aneurysm" (Blankensteijn). 2002;36:412-13 (Invited comment)
Stent graft infection after abdominal aortic aneurysm repair: a case report (Baker et al). 2002;36:180-3 (Case rep.)
Stent graft repair in the aortic arch and descending thoracic aorta: a 4-year experience (Criado et al). 2002;36:1121-8
Stent graft repair of visceral artery aneurysms (Larson et al). 2002;36:1260-3 (Case rep.)
Technical considerations for late removal of aortic endografts (Lyden et al). 2002;36:674-8
Trends in aortic aneurysm surgical training for general and vascular surgery residents in the era of endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2002;36:685-9

Stockings, elastic; *see* Bandages

Stress, mechanical
Effect of intraluminal thrombus on wall stress in patient-specific models of abdominal aortic aneurysm (Wang et al). 2002;36:598-604
In vivo analysis of mechanical wall stress and abdominal aortic aneurysm rupture risk (Fillinger et al). 2002;36:589-97
Regulation of syndecan-4 expression with mechanical stress during the development of angioplasty-induced intimal thickening (Li et al). 2002;36:361-70

Stress, oxidative; *see* Oxidative stress

Subclavian artery
Large vessel aneurysms in Wegener's granulomatosis (Shitrit et al). 2002;36:856-8 (Case rep.)
Regarding "Subclavian carotid transposition and bypass grafting: consecutive cohort study and systematic review" (Ballotta). 2002;36:426 (Letter)

Subclavian vein
Subclavian vein thrombosis caused by an unusual congenital clavicular anomaly in an atypical anatomic position (Filis et al). 2002;36:629-31 (Case rep.)

Superior vena cava syndrome
Azygous vein to right atrium bypass graft in a patient with idiopathic fibrosing mediastinitis and symptomatic superior and inferior vena cava obstructions (Kakkis et al). 2002;36:1071-5 (Case rep.)

Surgical Ethical Challenges
Surgical Ethical Challenges. 2002;36:199-200, 423-4, 655-6, 865-6, 1092-3, 1309-10

Sympathectomy
Endoscopic thoracic sympathicotomy for Raynaud's phenomenon (Matsumoto et al). 2002;36:57-61

T

Takayasu's arteritis
Regarding "Extracranial carotid aneurysm in Takayasu's arteritis" (Odero and Regina) (Letter); (Miyata and Tabata) (Reply). 2002;36:201

Technical Note
Technical Note. 2002;36:404-7, 635-8, 859-62, 1076-82, 1267-75

Telangiectasis
Persistent sciatic vessels, varicose veins, and lower limb hypertrophy: an unusual case or discrete clinical syndrome? (Parry et al). 2002;36:396-400 (Case rep.)

Temporal arteritis
The utility of color duplex ultrasonography in the diagnosis of temporal arteritis (LeSar et al). 2002;36:1154-60

Terminology
Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus statement (Caggiati et al). 2002;36:416-22

Thoracic outlet syndrome
Management of cervical ribs and anomalous first ribs causing neurogenic thoracic outlet syndrome (Sanders and Hammond). 2002;36:51-6

Thrombectomy
A metaanalysis comparing surgical thrombectomy, mechanical thrombectomy, and pharmacomechanical thrombolysis for thrombosed dialysis grafts (Green et al). 2002;36:939-45
Regarding "Surgical treatment of nonaneurysmal arch lesions in patients with systemic embolizations" (Safi et al). 2002;36:1274-5 (Invited comment)
Regional hyperthermic fibrinolytic perfusion after unsuccessful venous thrombectomy of extensive deep venous thrombosis (Mumme et al). 2002;36:1219-24
Surgical treatment of nonaneurysmal arch lesions in patients with systemic embolization (Gouëffic et al). 2002;36:1186-93

Thrombin
Intraoperative thrombin occlusion of a visceral artery aneurysm (McIntyre et al). 2002;36:393-5 (Case rep.)
A prospective study of ultrasound scan–guided thrombin injection of femoral pseudoaneurysm: a trend toward minimal medication (Olsen et al). 2002;36:779-82

Thrombolytic therapy
A metaanalysis comparing surgical thrombectomy, mechanical thrombectomy, and pharmacomechanical thrombolysis for thrombosed dialysis grafts (Green et al). 2002;36:939-45
P-selectin inhibition enhances thrombus resolution and decreases vein wall fibrosis in a rat model (Myers et al). 2002;36:928-38
Percutaneous transhepatic treatment of symptomatic mesenteric venous thrombosis (Lopera et al). 2002;36:1058-61 (Case rep.)
Regional hyperthermic fibrinolytic perfusion after unsuccessful venous thrombectomy of extensive deep venous thrombosis (Mumme et al). 2002;36:1219-24

Thrombosis
Anticoagulation is an effective treatment for aortic mural thrombi (Bowdish et al). 2002;36:713-19
Effect of intraluminal thrombus on wall stress in patient-specific models of abdominal aortic aneurysm (Wang et al). 2002;36:598-604
Extent of thrombus evaluated in patients with recurrent and first deep vein thrombosis (Fink et al). 2002;36:357-60
Mural thrombus of the aorta in association with homozygous plasminogen activator inhibitor type 1 (PAI-1)-675(4G) and heterozygous GP Ia 807C/T genotypes (Beldi et al). 2002;36:632-4 (Case rep.)
Paravisceral aortic thrombus as a source of peripheral embolization—report of three cases and review of the literature (Rossi et al). 2002;36:839-43 (Case rep.)

Subclavian vein thrombosis caused by an unusual congenital clavicular anomaly in an atypical anatomic position (Filis et al). 2002;36:629-31 (Case rep.)

Thrombus; *see* Thrombosis

Tibial arteries

Popliteal-crural bypass through the posterior approach with lesser saphenous vein for limb salvage (Goyal et al). 2002; 36:708-12

Tissue plasminogen activator

The effect of endothelial cell overexpression of plasminogen activator inhibitor-1 on smooth muscle cell migration (Proia et al). 2002;36:164-71

Transcription, genetic

Oxidative stress is involved in the development of experimental abdominal aortic aneurysm: a study of the transcription profile with complementary DNA microarray (Yajima et al). 2002;36:379-85

Transplantation, homologous

The use of cryopreserved femoral vein grafts for hemodialysis access in patients at high risk for infection: a word of caution (Bolton et al). 2002;36:464-8

Transplants

Choice of autogenous conduit for lower extremity vein graft revisions (Landry et al). 2002;36:238-44

Effect of adenoviral titer and instillation pressure on gene transfer efficiency to arterial and venous grafts ex-vivo (Brevetti et al). 2002;36:263-70

Treadmill test; *see* Exercise test

Treatment outcome

Abdominal aortic aneurysm repair with the Zenith stent graft: short to midterm results (Abraham et al). 2002;36:217-25

Changes in aneurysm volume after endovascular repair of abdominal aortic aneurysm (Wolf et al). 2002;36:305-9

Influence of stent design and material composition on procedure outcome (Palmaz et al). 2002;36:1031-9

Initial experience with cerebral protection devices to prevent embolization during carotid artery stenting (Ohki et al). 2002;36:1175-85

Isolated dissection of the abdominal aorta: clinical presentation and therapeutic options (Farber et al). 2002;36:205-10

Multicenter trial of the PowerLink bifurcated system for endovascular aortic aneurysm repair (Carpenter). 2002;36:1129-37

Patient, operative, and surgeon factors that influence the effect of superficial venous surgery on disease-specific quality of life (MacKenzie et al). 2002;36:896-902

Regarding "Changes in aneurysm volume after endovascular repair of abdominal aortic aneurysm" (Blankensteijn). 2002;36:412-13 (Invited comment)

Tropoelastin

Biphasic response of tropoelastin at the poststenotic dilation segment of the rabbit aorta (Xu et al). 2002;36:605-12

Tumor necrosis factor

Cholinergic antiinflammatory pathway inhibition of tumor necrosis factor during ischemia reperfusion (Bernik et al). 2002;36:1231-6

Tunica intima

Inflammation and intimal hyperplasia associated with experimental pulmonary embolism (Eagleton et al). 2002;36: 581-8

Ingrowth of aorta vascular cells into basic fibroblast growth factor–impregnated vascular prosthesis material: a porcine and human in vitro study on blood vessel prosthesis healing (Bas et al). 2002;36:1237-47

Neointimal hyperplasia rapidly reaches steady state in a novel murine vein graft model (Zhang et al). 2002;36:824-32

Perigraft adventitia and intima remodeling after synthetic patch implantation in sheep carotid artery: role of apoptosis and proliferation (Huang et al). 2002;36:371-8

Regulation of syndecan-4 expression with mechanical stress during the development of angioplasty-induced intimal thickening (Li et al). 2002;36:361-70

Simvastatin inhibits human saphenous vein neointima formation via inhibition of smooth muscle cell proliferation and migration (Porter et al). 2002;36:150-7

U

Ultrasonography

Prediction of wrist arteriovenous fistula maturation with preoperative vein mapping with ultrasonography (Mendes et al). 2002;36:460-3

Ultrasonography, Doppler, color

Preoperative and intraoperative evaluation of diameter-reflux relationship of calf perforating veins in patients with primary varicose vein (Yamamoto et al). 2002;36:1225-30

The utility of color duplex ultrasonography in the diagnosis of temporal arteritis (LeSar et al). 2002;36:1154-60

Ultrasonography, Doppler, duplex

Chronic venous insufficiency: clinical and duplex correlations. The Edinburgh Vein Study of venous disorders in the general population (Ruckley et al). 2002;36:520-5

D-dimer and calf circumference in the evaluation of outpatient deep venous thrombosis (Johanning et al). 2002;36:877-80

The impact of the development of a program to reduce urgent (off-hours) venous duplex ultrasound scan studies (Langan et al). 2002;36:132-6

Improved assessment of the hemodynamic significance of borderline iliac stenoses with use of hyperemic duplex scanning (Coffi et al). 2002;36:575-80

Medical management versus investigate-and-operate strategy in asymptomatic carotid stenosis: a decision analysis (Clase and Cin). 2002;36:541-8

Prediction of early graft failure with intraoperative completion duplex ultrasound scan (Rzucidlo et al). 2002;36:975-81

Prospective controlled study of the natural history of asymptomatic 60% to 69% carotid stenosis according to ultrasonic plaque morphology (AbuRahma et al). 2002;36:437-42

A prospective study of ultrasound scan–guided thrombin injection of femoral pseudoaneurysm: a trend toward minimal medication (Olsen et al). 2002;36:779-82

Ultrasonography, Doppler, transcranial

Changes in middle cerebral artery blood flow after carotid endarterectomy as monitored by transcranial Doppler (Zachrisson et al). 2002;36:285-90

Urinary plasminogen activator

External pneumatic compression does not increase urokinase plasminogen activator after abdominal surgery (Murakami et al). 2002;36:917-21

Urinary tract infections

Excision and autogenous revascularization of an infected aortic stent graft resulting from a urinary tract infection (Jackson et al). 2002;36:622-4 (Case rep.)

V

Vagus nerve

Cholinergic antiinflammatory pathway inhibition of tumor necrosis factor during ischemia reperfusion (Bernik et al). 2002;36:1231-6

Varicose ulcer
Endovascular stent–graft repair of complicated penetrating atherosclerotic ulcers of the descending thoracic aorta (Schoder et al). 2002;36:720-6
Is the nihilistic approach to surgical reduction of superficial and perforator vein incompetence for venous ulcer justified? (Iafrati et al). 2002;36:1167-74
Patient, operative, and surgeon factors that influence the effect of superficial venous surgery on disease-specific quality of life (MacKenzie et al). 2002;36:896-902

Varicose veins
Chronic venous insufficiency: clinical and duplex correlations. The Edinburgh Vein Study of venous disorders in the general population (Ruckley et al). 2002;36:520-5
Distal inferior mesenteric veins to renal vein shunt for treatment of bleeding anorectal varices: case report and review of literature (Rahmani et al). 2002;36:1264-6 (Case rep.)
Initial experiences in endovenous treatment of saphenous vein reflux (Sybrandy and Wittens). 2002;36:1207-12
Is there an increased risk for DVT with the VNUS closure procedure? (Komenaka and Nguyen). 2002;36:1311 (Letter)
Patient, operative, and surgeon factors that influence the effect of superficial venous surgery on disease-specific quality of life (MacKenzie et al). 2002;36:896-902
The pelvic venous syndromes: analysis of our experience with 57 patients (Scultetus et al). 2002;36:881-8
Persistent sciatic vessels, varicose veins, and lower limb hypertrophy: an unusual case or discrete clinical syndrome? (Parry et al). 2002;36:396-400 (Case rep.)
Preoperative and intraoperative evaluation of diameter-reflux relationship of calf perforating veins in patients with primary varicose vein (Yamamoto et al). 2002;36:1225-30
Regarding "The effect of long saphenous vein stripping on quality of life" (Semel). 2002;36:1311 (Letter)
Varicose veins of the lower limbs and venous capacitance in postmenopausal women: relationship with obesity (Iannuzzi et al). 2002;36:965-8

Vascular capacitance
Varicose veins of the lower limbs and venous capacitance in postmenopausal women: relationship with obesity (Iannuzzi et al). 2002;36:965-8

Vascular fistula
Regarding "Vein transposition in the forearm for autogenous hemodialysis access" and "Basilic vein transposition: an underused autologous alternative to prosthetic dialysis angioaccess" (Cikirikcioglu and Duran) (Letter); (Silva) (Reply). 2002;36:202

Vascular patency
A quantitative approach to lower extremity vein repair (Kuralay et al). 2002;36:1213-18

Vascular surgery
Changing political realities and vascular surgery (Oblath). 2002;36:414-15
Guidelines for hospital privileges in vascular surgery: an update by an ad hoc committee of the American Association for Vascular Surgery and the Society for Vascular Surgery (Moore et al). 2002;36:1276-82
Is vascular surgery in danger of losing the vascular laboratory? (Patterson et al). 2002;36:639-41
Presidential address: On old dogs and new tricks (Ricotta). 2002;36:657-62
Presidential address: There really is a pony in there (Moneta). 2002;36:873-6
Presidential address: Thirteen days in May (Rosenthal). 2002;36:430-6
Regeneration (Brener). 2002;36:1097-103
Relevance of basic laboratory and clinical research activities as part of the vascular surgery fellowship: an assessment of program directors and postfellowship surgeons (Henke et al). 2002;36:1083-91
Update on perioperative evaluation and management of cardiac disease in vascular surgery patients (Krupski). 2002;36:1292-308

Vascular surgical procedures
Arteriovenous graft featuring end-to-end anastomosis to a deep vein for hemodialysis (Hayakawa et al). 2002;36:946-7
Composite sequential grafts for femorocrural bypass reconstruction: experience with a modified technique (Mahmood et al). 2002;36:772-8
Contemporary results of juxtarenal aneurysm repair (Sarac et al). 2002;36:1104-11
Early control of the distal internal carotid artery during endarterectomy: achievability and results (Bourke and Crimmins). 2002;36:70-4
First clinical experience with an anastomotic device to facilitate aortomesenteric saphenous vein bypass (Schmidli et al). 2002;36:859-62
Has endovascular surgery reduced the number of open vascular operations performed by an established surgical practice? (Sullivan et al). 2002;36:514-19
Is there an increased risk for DVT with the VNUS closure procedure? (Komenaka and Nguyen). 2002;36:1311 (Letter)
Laparoscopic remodeling of abdominal aortic aneurysms after endovascular exclusion: a technical description (Kolvenbach et al). 2002;36:1267-70 (Tech. note)
A new approach for the surgical management of unilateral iliac artery occlusive disease: the iliofemoral crossover transposition (Carmo et al). 2002;36:404-7 (Tech. note)
New method to create a vascular arteriovenous fistula in the arm with an endoscopic technique (Hayakawa et al). 2002;36:635-8 (Tech. note)
A new operation with inadequate Brescia fistulae for preservation of more proximal veins (Oakes et al). 2002;36:346-50
Regarding "Laparoscopic remodeling of abdominal aortic aneurysms after endovascular exclusion: a technical description" (White). 2002;36:1271-3 (Invited comment)
Results of prosthetic-vein composite graft with remote popliteal arteriovenous fistula in infragenicular bypass (Palerme et al). 2002;36:330-5
Type III and IV thoracoabdominal aortic aneurysm repair: results of a trifurcated/two-graft technique (Ballard et al). 2002;36:211-16

Veins
Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus statement (Caggiati et al). 2002;36:416-22

Vena cava, **inferior**
Azygous vein to right atrium bypass graft in a patient with idiopathic fibrosing mediastinitis and symptomatic superior and inferior vena cava obstructions (Kakkis et al). 2002;36:1071-5 (Case rep.)
Endovascular treatment of iliocaval occlusion caused by retroperitoneal fibrosis: late results in two cases (Hartung et al). 2002;36:849-52
Pararenal vena cava leiomyosarcoma versus leiomyomatosis:

difficult diagnosis (Armstrong and Franklin). 2002;36:1256-9 (Case rep.)
Recanalization of totally occluded iliac and adjacent venous segments (Raju et al). 2002;36:903-11
Spontaneous rupture of collateral venous aneurysm in a patient with agenesis of the inferior vena cava: a case report (Balzer et al). 2002;36:1053-7 (Case rep.)

Vena cava filters
Inferior vena cava filters in malignant disease (Jarrett et al). 2002;36:704-7

Venous insufficiency
Air plethysmographic assessment of external valvuloplasty in patients with valvular incompetence of the saphenous and deep veins (Sakuda et al). 2002;36:922-7
Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model (Hosoi et al). 2002;36:137-42
Chronic venous insufficiency: clinical and duplex correlations. The Edinburgh Vein Study of venous disorders in the general population (Ruckley et al). 2002;36:520-5
Does thigh compression improve venous hemodynamics in chronic venous insufficiency? (Partsch et al). 2002;36:948-52
Endovascular treatment of iliocaval occlusion caused by retroperitoneal fibrosis: late results in two cases (Hartung et al). 2002;36:849-52
Initial experiences in endovenous treatment of saphenous vein reflux (Sybrandy and Wittens). 2002;36:1207-12
Performance characteristics of the venous clinical severity score (Meissner et al). 2002;36:889-95
Preoperative and intraoperative evaluation of diameter-reflux relationship of calf perforating veins in patients with primary varicose vein (Yamamoto et al). 2002;36:1225-30
Recanalization of totally occluded iliac and adjacent venous segments (Raju et al). 2002;36:903-11
Regarding "Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model" (Sumner). 2002;36:196-8 (Invited comment)

Venous pressure
Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model (Hosoi et al). 2002;36:137-42
Regarding "Ambulatory venous pressure measurements: new parameters derived from a mathematic hemodynamic model" (Sumner). 2002;36:196-8 (Invited comment)

Venous thrombosis
Air plethysmographic assessment of external valvuloplasty in patients with valvular incompetence of the saphenous and deep veins (Sakuda et al). 2002;36:922-7
D-dimer and calf circumference in the evaluation of outpatient deep venous thrombosis (Johanning et al). 2002;36:877-80
Endovascular treatment of abdominal aortic aneurysm is associated with a low incidence of deep venous thrombosis (Eagleton et al). 2002;36:912-06
Extent of thrombus evaluated in patients with recurrent and first deep vein thrombosis (Fink et al). 2002;36:357-60
The impact of the development of a program to reduce urgent (off-hours) venous duplex ultrasound scan studies (Langan et al). 2002;36:132-6
Is there an increased risk for DVT with the VNUS closure procedure? (Komenaka and Nguyen). 2002;36:1311 (Letter)
P-selectin inhibition enhances thrombus resolution and decreases vein wall fibrosis in a rat model (Myers et al). 2002;36:928-38
Percutaneous transhepatic treatment of symptomatic mesenteric venous thrombosis (Lopera et al). 2002;36:1058-61 (Case rep.)
Performance characteristics of the venous clinical severity score (Meissner et al). 2002;36:889-95
Postthrombotic syndrome after isolated calf deep venous thrombosis: the role of popliteal reflux (Saarinen et al). 2002;36:959-64
Regional hyperthermic fibrinolytic perfusion after unsuccessful venous thrombectomy of extensive deep venous thrombosis (Mumme et al). 2002;36:1219-24
Successful management of life-threatening hemorrhage in a patient with synchronous lupus anticoagulant and factor VIII inhibitor (Brings et al). 2002;36:853-5 (Case rep.)

Vertebral artery
Distal vertebral artery reconstruction: long-term outcome (Kieffer et al). 2002;36:549-54

W

Walking
The impact of walking impairment, cardiovascular risk factors, and comorbidity on quality of life in patients with intermittent claudication (Breek et al). 2002;36:94-9

Wegener's granulomatosis
Large vessel aneurysms in Wegener's granulomatosis (Shitrit et al). 2002;36:856-8 (Case rep.)

Wounds, gunshot
Successful endovascular therapy of a penetrating zone III internal carotid injury (McNeil et al). 2002;36:187-90 (Case rep.)

Wrist
Prediction of wrist arteriovenous fistula maturation with preoperative vein mapping with ultrasonography (Mendes et al). 2002;36:460-3